Outdoor Luminaires

Pricelist

Philips Professional Luminaires Pricelist

Outdoor Luminaires

Street Lighting Luminaires

Street Light - TRC 033

Type	For lamp	LP (Rs.)
TRC033 2xTL-D36W IC	2xTL-D36W/ TL-40W	2800

Fluorescent street light luminaire with sheet aluminium housing and UV stabilized acrylic cover.

Street Light - HGS 120

Type	For lamp	LP (Rs.)
HGS120 1xTL-D36W IC	1xTL-D36W	1650
HGS120 1xTL5-28W EBE	1xTL5-28W	1800
HGS120 2xTL5-28W EBE	2xTL5-28W	2100
HGS120 2xTL5-54W EBP	2xTL5-54W	2750

Fluorescent street light luminaire with sheet aluminium housing and UV stabilized acrylic cover.

Street Light - FGS 120

Type	For lamp	LP (Rs.)
FGS120 1xPL-L36W HF	1xPL-L36W	1500

CFL Street light luminaire with sheet Al housing with UV stabilsed acrylic cover.

Celeste - SRP 308/ HRP 308

Type	For lamp	LP (Rs.)
SRP308 1xSON70W FG	1xSON70W (E)	3300
SRP308 1xSON-I-70W FG	1xSON70W (I)	3150
HRP308 1xHPLN125W FG	1xHPLN125W	3100

Street light luminaire with heat resistant toughened glass cover.

Celeste - SRP 308/ HRP 308

Type	For lamp	LP (Rs.)
SRP308 1xSON70W AC	1xSON70W (E)	3350
SRP308 1xSON-I-70W AC	1xSON70W (I)	3200
HRP308 1xHPLN125W AC	1xHPLN125W	3050

Street light luminaire with UV stabilized acrylic cover.

Outdoor Luminaires

Street Lighting Luminaires

Street Light - SRP 202

Type	For lamp	LP (Rs.)
SRP202 1xSON150W	1xSON150W	7300
SRP202 1xSON250W	1xSON250W	7900
HRP202 1xHPLN250W	1xHPLN250W	6900

Street light luminaire with single piece die cast aluminium housing and UV stabilized acrylic cover.

Street Light - SRP 021

Type	For lamp	LP (Rs.)
SRP021 1xSON400W	1xSON400W	11500

Street light luminaire with single piece die cast aluminium housing and UV stabilized acrylic cover.

Street Light - SRX 066/ HRX 066

Type	For lamp	LP (Rs.)
SRX066 1xSON-I-70W	1xSON/ SONT70W (I)	3500
SRX066 1xSON70W	1xSON/ SONT70W (E)	3600
HRX066 1xHPLN-125W	1xHPLN-125W	3300

Street light luminaire with single piece deep drawn aluminium housing, POT optics reflector and UV stabilized acrylic cover.

Universal - SRX 086

Type	For lamp	LP (Rs.)
SRX086 1xSON150W	1xSON/ SONT150W	5150
SRX086 1xSON250W	1xSON / SONT250W	5700

Street light luminaire with single piece deep drawn aluminium housing, POT optics reflector and UV stabilized acrylic cover.

Outdoor Luminaires

Street Lighting Luminaires

Street Light- SRX 051/ HRX 051/ MRX051

Type	For lamp	LP (Rs.)
SRX051 1xSON150W	1xSON/ SONT150W	6050
SRX051 1xSON250W	1xSON/ SONT250W	6600
HRX051 1xHPLN250W	1xHPLN250W	6050
MRX051 1xHPITP250W	1xHPIT250W	6150

Street light luminaire with POT optics reflector and heat resistant toughened glass cover.

Skyline - SRP 051

Type	For lamp	LP (Rs.)
SRP051 1xSON150W	1xSONT150W	7500
SRP051 1xSON250W	1xSONT250W	8000

Street light luminaire with single piece die cast aluminium housing, POT optics reflector and UV stabilized acrylic cover.

Street Light - SGP 301

Type	For lamp	LP (Rs.)
SGP301 1xSON70W FG	1xSONT70W(E)	4100
SGP301 1xCDMTT 70W FG	1xCDMTT70W	4000
SGP301 1xSON-I-70W FG	1xSONT70W(I)	3950
SGP301 1xSON70W PC	1xSONT70W(E)	4150
SGP301 1xCDMTT 70W PC	1xCDMTT 70W	4050
SGP301 1xSON-I-70W PC	1xSONT70W(I)	4000

Low wattage street light luminaire with pressure die cast aluminium housing having POT optics, IP65 ingress protection and built-in tilt of 5°.

Street Light - SGP 301

Type	For lamp	LP (Rs.)
SGP301 1xCPOT60W FG	1xCPOT60W	16500

Low wattage street light luminaire with pressure die cast aluminium housing having POT optics, IP65 ingress protection. Suitable for cosmopolis lamp & electronic ballast.

Outdoor Luminaires

Street Lighting Luminaires

Street Light - SGP 301

Type	For lamp	LP (Rs.)
SGP301 1xSON70W GB	1xSONT70W (E)	on request
SGP301 1xSON-I-70W GB	1xSONT70W (I)	on request
SGP301 1xCDMTT70W GB	1xCDMTT70W	on request

Low wattage street light luminaire with pressure die cast aluminium housing having bowl glass and POT optics and ingress protection of IP 66.

Broadway111 CRP 320

Type	For lamp	LP (Rs.)
CRP320 1xSONT70W GR	1xSONT70W	4800
CRP320 1xSONT70W Colour	1xSONT70W	5150
CRP320 1xCDMTT70W FG GR	1xCDMTT70W	4800
CRP320 1xCDMTT70W FG Colour	1xCDMTT250W	5150

Street light luminaire with aesthetically designed die cast aluminium housing, POT optics reflector and toughened flat glass (IP 65).
Colour options as PK : Pink, AS : Antique Silver, TS : Textured Silver, GR : Siemens Grey. (on request)

Esplanade SGP 401

Type	For lamp	LP (Rs.)
SGP401 1xSONT-150W	1xSONT-150W	5850
SGP401 1xCDMTT-150W	1x CDMTT150W HPIT	6100
SGP401 1xSONT250W	1xSONT250W	6150
SGP401 1xCDMTT250W/HPIT	1x CDMTT250W HPIT	6400

Street light luminaire with high pressure die cast aluminium housing. POT optics reflector and toughened flat glass offering (IP 65) ingress protection. Suitable for use with High Pressure Sodium Vapour, Metal Halide, Ceramic Metal halide lamps.

SGP401 in dimming version 250-150W and 150-70W - On Request

Outdoor Luminaires

Street Lighting Luminaires

Secura - SGP 438

Type	For lamp	LP (Rs.)
SGP438 1xSONT150W	1xSONT150W	6800
SGP438 1xCDMTT150W	1xCDMTT150W HPIT	6800
SGP438 1xSONT250W	1xSONT250W	7150
SGP438 1xCDMTT250W	1xCDMTT250W HPIT	7150

Street lighting luminaire aerodynamically shaped single piece pressure die cast aluminium housing, toughened glass cover, efficient POT optics, (IP 66) ingress protection, and special PUL coating for improved aesthetics.

SGP438 in dimming version 250-150W and 150-70W - On Request

Skyline - SGP 325

Type	For lamp	LP (Rs.)
SGP325 1xSONT150W FG	1xSONT150W	8050
SGP325 1xSONT250W FG	1xSONT250W	8500
SGP325 1xHPITP250W FG	1xHPIT250W	8150

Street light luminaire with pressure die cast aluminium housing, POT optics reflector and heat resistant toughened flat glass cover (IP 65).

Skyline - SGP 325

Type	For lamp	LP (Rs.)
SGP325 1xSONT150W PC	1xSONT150W	8600
SGP325 1xSONT250W PC	1xSONT250W	9050
SGP325 1xHPITP250W PC	1xHPIT250W	8700

Street light luminaire with pressure die cast aluminium housing, POT optics reflector and polycarbonate cover (IP 65)

Broadway-Plus CRP 330

Type	For lamp	LP (Rs.)
CRP330 CPOT140W EB1 OC FG GR	1xCPO140W	23500
CRP330 CPOT60W EB1 OC FG GR	1xCPOT60W	23500

Street light luminaire with aesthetically designed die cast aluminium housing, COSMO optics reflector, toughened flat glass (IP 65). and electronic ballast.

Outdoor Luminaires

Street Lighting Luminaires

Broadway-Plus CRP 330

Type	For lamp	LP (Rs.)
CRP330 1xSONT-150W TP	1xSONT-150W	9150
CRP330 1xSONT-150W TP COLOR	1xSONT-150W	9900
CRP330 1xSONT-250W TP	1xSONT-250W	9500
CRP330 1xSONT-250W TP COLOR	1xSONT-250W	10200

Street light luminaire with aesthetically designed die cast aluminium housing, POT optics reflector and toughened flat glass (IP 65).
Colour options as SG :Sea Green, PK : Pink, AS : Antique Silver, TS : Textured Silver, GR : Siemens Grey. (on request)

Smartway Plus SPP 335

Type	For lamp	LP (Rs.)
SPP335 1xSONT-150W GB	1xSONT-150W	11650
SPP335 1xSONT-250W GB	1xSONT-250W	12100
SPP335 1xHPIT-250W GB	1xHPIT-250W	11800

Pressure die cast top opening Street light luminaire suitable for SONT-150W-250W lamps. Pot optics with toughened glass bowl (IP66). Available in Curved glass and side pole entry mounting.

Aurora SPP 202

Type	For lamp	LP (Rs.)
SPP202	See description	On Request

Aesthetically designed, pressure die cast Street light luminaire suitable for SONT-70W to 250W lamps and IP rating of IP65 with curved glass.

Selenium SGP 340

Type	For lamp	LP (Rs.)
SGP340	See description	On Request

Street light luminaire suitable for cosmopolis 140W & 60W and SONT-150W-400W lamps with IP rating of IP66, having choice of flat glass or PC bowl and mounting options from side and bottom.

Modena SGP 682

Type	For lamp	LP (Rs.)
SGP682	See description	On Request

Street light luminaire suitable for SONT 150-400W lamps with IP rating of IP66. Choice of Glass bowl & Flat glass and mounting option of side and bottom.

Outdoor Luminaires

Street Lighting Luminaires

Iridium
SGS 453/454

Type	For lamp	LP (Rs.)
SGS454/SGS453	See description	On Request

Street light luminaire suitable for cosmopolis140W & 60W and SONT lamps 150W-400W with IP rating of IP66. Choice of flat glass and glass bowl and mounting option of side and bottom.

CitySoul
CGP 431

Type	For lamp	LP (Rs.)
CGP431	See description	On Request

Urban Street light luminaire suitable for cosmopolis 140W & 60W and SONT70W, 150W & 250W lamps with IP rating of IP66 having choice of flat or curved glass and mounting options from side and bottom.

Outdoor Luminaires

City Beautification Luminaires

SPC101
HPC 101

Type	For lamp	LP (Rs.)
SPC101 1xSON70W E	1xSON 70W (E)	4500
SPC101 1xSON-I-70W E	1xSON 70W (I)	4350
HPC101 1xHPLN-125W E	1xHPLN-125W	4100

Post top lantern with conical cover.

SPC 102
HPC 102

Type	For lamp	LP (Rs.)
SPC102 1xSON70W E	1xSON70W (E)	4500
SPC102 1xSON-I-70W E	1xSON70W (I)	4350
HPC102 1xHPLN-125W E	1xHPLN-125W	4100

Post top lantern with elliptical cover.

SPC 104
HPC 104

Type	For lamp	LP (Rs.)
SPC104 1xSON70W E	1xSON70W (E)	4500
SPC104 1xSON-I-70W E	1xSON70W (I)	4350
HPC104 1xHPLN-125W E	1xHPLN-125W	4100

Post top lantern with ribbed conical cover.

SPC 106
HPC 106

Type	For lamp	LP (Rs.)
SPC106 1xSON70W E	1xSON 70W (E)	4500
SPC106 1xSON-I-70W E	1xSON 70W (I)	4350
HPC106 1xHPLN-125W E	1xHPLN-125W	4100

Post top lantern with spherical cover.

HPS 110

Type	For lamp	LP (Rs.)
HPS110 1xSON70W IC	1xSON70W (E)	4800
HPS110 1xSON-I-70W IC	1xSON70W (I)	4650
HPS110 1xHPLN-125W IC	1xHPLN-125W	4400
HPS110 1xCDMET70W IC	1xCDMET70W	4800
HPS110 1xMHNSE70W IC	1xMHNSE70W	4800

Post top lantern with cover - Twister

Outdoor Luminaires

City Beautification Luminaires

HPS 111

Type	For lamp	LP (Rs.)
HPS111 1xSON70W IC	1xSON70W (E)	4800
HPS111 1xSON-I-70W IC	1xSON70W (I)	4650
HPS111 1xHPLN-125W IC	1xHPLN-125W	4400
HPS111 1xCDMET70W IC	1xCDMET70W	4800
HPS111 1xMHNSE70W IC	1xMHNSE70W	4800
Post top lantern with cover - Icecube		

HPS 112

Type	For lamp	LP (Rs.)
HPS112 1xSON70W IC	1xSON70W (E)	4800
HPS112 1xSON-I-70W IC	1xSON70W (I)	4650
HPS112 1xHPLN-125W IC	1xHPLN-125W	4400
HPS112 1xCDMET70W IC	1xCDMET70W	4800
HPS112 1xMHNSE70W IC	1xMHNSE70W	4800
Post top lantern with cover - Amorphous		

Bollard

Type	For lamp	LP (Rs.)
NGC100 1xA60-60W	1xGLS60W	4400
FGC100 1xPLS9W	1xPLS9W	4650
Elegantly styled bollards suitable for use with GLS, PL-S, PL-C or SL lamp.		

Mini Bollard

Type	For lamp	LP (Rs.)
FGC201 2xPLS/2P9W	2xPLS9W	3480
FGC202 1xPL-C/2P18W	1xPL-C18W	3420
FGC203 1xPLET18W	1xSL18W	3060
NGC200 1xA60-60W	1xGLS60W	3480
Elegantly styled mini bollards suitable for use with GLS, PL-S, PL-C or SL lamp.		

Outdoor Luminaires

City Beautification Luminaires

Mini Deco Flood

Type	For lamp	LP (Rs.)
DGP 651 1xHALR50W	1x12V, 50W DICHROIC HALOGEN	3800
Miniature intergral floodlight luminaire with pressure die cast aluminium housing (IP 65).		

Mini Deco Flood

Type	For lamp	LP (Rs.)
DGP652 1xHALR50W *	1x12V, 50W DICHROIC HALOGEN	2600
(*Price is excluding transformer box) Miniature non integral floodlight luminaire with pressure die cast aluminium housing (IP 65).		

Mini Deco Flood

Type	For lamp	LP (Rs.)
DGP653 1xHALR50W*	1x12V, 50W DICHROIC HALOGEN	2600
Long arm for mini deco flood (*Price is excluding transformer box) Miniature non integral floodlight luminaire with long arm & pressure die cast aluminium housing (IP 65).		

ZGP661

Type	For lamp	LP (Rs.)
ZGP661 MB **		700
Corner bracket/treemount for mini deco flood luminaire. (** Optional accessory to be used with 1 no. separate DGP 651 / 652 / 653). Price is exclusive of luminaire. Photograph shows accessory with luminaire.)		

ZGP662

Type	For lamp	LP (Rs.)
ZGP662 SPIKE **		700
Spike for mini deco flood luminaire. (** Optional accessory to be used with 1 no. of separate DGP 652/653. Price is exclusive of luminaire. Photograph shows accessory with luminaire.)		

Outdoor Luminaires

City Beautification Luminaires

ZGP663

Type	For lamp	LP (Rs.)
ZGP663 TPS	4x12V, 50W DICHROIC HALOGEN	5500

Transformer box
*4 nos. of non integral luminaires to be used with 1 no. transformer box. Price is exclusive of luminaire.
Transformer box for non integral mini deco flood luminaire.

ZGP 664

Type	For lamp	LP (Rs.)
ZGP664 L-FRONT **		450

Hood for mini deco flood luminaire.
**Optional accessory to be used with 1 no. of separate DGP 651/652/653.
Price is exclusive of luminaire.
Photograph shows accessory with luminaire.)

ZGP 665

Type	For lamp	LP (Rs.)
ZGP665 SPIKE **		900

Spike for mini deco flood luminaire.
**Optional accessory to be used with 1 no. of separate DGP 651
Price is exclusive of luminaire.
Photograph shows accessory with luminaire.)

Sonara HPS 360

Type	For lamp	LP (Rs.)
HPS360 1xMHNTD70W GR	1xMHNTD70W	8050
HPS360 1xCDMTT-150W GR	1xCDMTT150W	8650
HPS360 1xHPLN-125W GR	1xHPLN-125W	7575
HPS360 1xSON70W GR	1xSON70W (E)	7900
HPS360 1xCDMTD70W GR	1xCDMTD 70W	8150

Post Top decorative luminaire.
Also available in textured grey, textured brown, antique silver, & sunflower green colours on request.
BN: textured brown, SI: antique silver, GN: sunflower green
Add Rs.150 in L.P. for color version.

Outdoor Luminaires

City Beautification Luminaires

Sonara Bollard

Type	For lamp	LP (Rs.)
HCS 360 1xPLC/2P18W GR	1xPL-C18W	5150

Bollard decorative luminaire.
Also available in textured grey, textured brown, antique silver, & sunflower green colours on request.
BN: textured brown, SI: antique silver, GN: sunflower green
Add Rs.150 in L.P. for color version.

Sonara

Type	For lamp	LP (Rs.)
HWS360 1xPLC/2P18W GR	1xPL-C18W	2900

Wall mount decorative luminaire.
Also available in textured grey, textured brown, antique silver, & sunflower green colours on request.
BN: textured brown, SI: antique silver, GN: sunflower green
Add Rs.150 in L.P. for color version.

Lumos Wall Mount

Type	For lamp	LP (Rs.)
HPS370 1xCDMTT-150W GR	1xPL-C18W	10200
HPS370 1xHPLN-125W GR	1xHPLN-125W	9350
HPS370 1xSON70W GR	1xSON70W (E)	9600

Post Top decorative luminaire.
Also available in textured grey, textured brown, antique silver, & sunflower green colours on request.
BN: textured brown, SI: antique silver, GN: sunflower green
Add Rs.150 in L.P. for color version.

Lumos Bollard

Type	For lamp	LP (Rs.)
HCS370 1xCDMTT70W GR	1xCDM-TT70W	8500
HCS370 1xPL-L18W GR	1xPL-L18W	7500

Bollard decorative luminaire.
Also available in textured grey, textured brown, antique silver, & sunflower green colours on request.
BN: textured brown, SI: antique silver, GN: sunflower green
Add Rs.150 in L.P. for color version.

Outdoor Luminaires

City Beautification Luminaires

Lumos Wall Mount

Type	For lamp	LP (Rs.)
HWS370 1xPL-C/2P-18W GR	1xPL-C18W	2650

Wall Mount decorative luminaire.
Also available in textured grey, textured brown, antique silver, & sunflower green colours on request.
BN: textured brown, SI: antique silver, GN: sunflower green
Add Rs.150 in L.P. for color version.

Metronomis

Type	For lamp	LP (Rs.)
CDS530 SONT70C 240V 50Hz E	1xSONT70W	22000
CDS530 CDMT-150W C 240V 50Hz E	1xCDMT-150W	20500

Decorative post top lantern (IP 65).
Suitable for use with High Pressure Sodium Vapour and CDM-T Metal Halide Lamp.
Price excluding pole.

Metronomis CDS 570

Type	For lamp	LP (Rs.)
CDS570 SONT70W C 240V 50Hz E	1xSONT70W	26400
CDS570 CDMT-150W C 240V 50Hz E	1xCDMT-150W	28600

Decorative post top lantern (IP 65).
Suitable for use with High Pressure Sodium Vapour and CDMT Metal Halide Lamp.
Price excluding pole.

Metronomis CDS 580

Type	For lamp	LP (Rs.)
CDS580 SONT70W C 240V 50Hz E	1xSONT70W	26400
CDS580 CDMT-150W C 240V 50Hz E	1xCDMT-150W	28600

Decorative post top lantern (IP 65).
Suitable for use with High Pressure Sodium Vapour and CDM-T Metal Halide Lamp.
Price excluding pole.

Metronomis CDS 550

Type	For lamp	LP (Rs.)
CDS550 SONT70W C 240V 50Hz E	1xSONT70W	29500
CDS550 CDMT150W C240V 50Hz E	1xCDMT-150W	30500

Decorative post top lantern (IP 65). Suitable for use with High Pressure Sodium Vapour and CDM-T Metal Halide Lamp. Price excluding pole.

Outdoor Luminaires

City Beautification Luminaires

Metronomis CDS 560

Type	For lamp	LP (Rs.)
CDS560 SONT70W C 240V 50Hz E	1xSONT70W	24750
CDS560 CDMT-150W C 240V 50Hz E	1xCDMT-150W	26500

Decorative post top lantern (IP 65). Suitable for use with High Pressure Sodium Vapour and CDMT Metal Halide Lamp. Price excluding pole.

Megapolis Wall Mount

Type	For lamp	LP (Rs.)
DBP701 2xPL-C18W	2xPL-C18W	12500

Wall recessed step light luminaire. Die cast housing,suitable for 2xPL-C18W, and supplied with suitable recessing box.

Megapolis Wall Mount

Type	For lamp	LP (Rs.)
DCP721 1xCDMT70W	1xCDMT70W	16000

Wall mounted up-down light. Integral unit, die cast construction, single reflector and toughened glass cover (IP 65).



Megapolis Wall Mount

Type	For lamp	LP (Rs.)
DCP731 1xCDMT70W	1xCDMT70W	15500

Wall mounted down light. Integral unit, die cast construction, single reflector and toughened glass cover (IP 65).

Megapolis Wall Mount

Type	For lamp	LP (Rs.)
DCP711 2xPL-C/2P-18W	2xPL-C18W	5700

Surface mounted wall step light. Die cast construction and UV stabilised polycarbonate diffuser.

Outdoor Luminaires

City Beautification Luminaires

Megapolis Wall Mount

Type	For lamp	LP (Rs.)
DCP715 2xPL-C/2P-18W	2xPL-C18W	5700

Surface mounted wall step light. Die cast construction and UV stabilised polycarbonate diffuser.

Megapolis Gate Top/ Bollard

Type	For lamp	LP (Rs.)
CPP715 1xSON70W	1xSON70W(E)	20000

Decorative gate top / bollard with die cast construction and diffused glass diffuser.



Outdoor Luminaires

Flood Lighting Luminaires

NHG 010

Type	For lamp	LP (Rs.)
NHG010 1xNR95-150W-FR	1xReflector 75/100/150W	6850

(Suitable upto 0.6 metre depth below water level).
Underwater luminaire (IP 67).

Halolite NVC 502

Type	For lamp	LP (Rs.)
NVC502 1xHALTDL-1000W	1xHalogen1000W	1900
MVC502 1xMHNTD-150W *	1xMHNTD-150W	5750

(*Including separate CG box)
Floodlight luminaire with Cast Aluminium Housing & toughened glass cover.

Halolite QVF 135

Type	For lamp	LP (Rs.)
QVF135 1xHALTDS500W	1xHalogen 300/500W	990
QVF135 /MHNTD70W*	1xMHNTD70W	3640

(* Including separate CG box)
Floodlight luminaire with Cast Aluminium Housing & toughened glass cover.

Halolite NG QVF 135

Type	For lamp	LP (Rs.)
QVF135 HALTDS500W K 240V GR IN	1xHalogen 500W*	990

(*Supplied with lamp)
New Generation floodlight luminaire with high pressure die cast aluminium housing & patterned toughened front glass. Price inclusive of lamp.

Uniflood RVP 339

Type	For lamp	LP (Rs.)
RVP339 1xCDMTD70W R	1xMHNTD/ CDMTD70W	3850

Integral flood lighting luminaire, single piece pressure die cast aluminium housing, toughened glass cover, (IP 65) ingress protection and rectangular 'R' reflector for planar symmetric optical distribution.

Outdoor Luminaires

Flood Lighting Luminaires

Uniflood - RVP 339

Type	For lamp	LP (Rs.)
RVP339 1xCDMTD70W PR	1xMHNTD/ CDMTD70W	3850

Integral flood lighting luminaire, single piece pressure die cast aluminium housing, toughened glass cover, (IP 65) ingress protection and parabolic reflector 'PR' for rotationally symmetric optical distribution.

Con Tempo2 SWF 231

Type	For lamp	LP (Rs.)
SWF231 1xSONT-150W S	1xSONT-150W	5450
SWF231 1xSONT-150W A	1xSONT-150W	5450
MWF231 1xMHNTD-150W S	1xMHNTD-150W	5500
MWF231 1xMHNTD-150W A	1xMHNTD-150W	5500

Integral floodlight luminaire with pressure die cast aluminium housing (IP 65).

Con Tempo3 SWF 331

Type	For lamp	LP (Rs.)
SWF331 1xSONT250W S	1xSONT250W	7550
SWF331 1xSONT250W A	1xSONT250W	7550
SWF331 1xSONT400W S	1xSONT400W	8500
SWF331 1xSONT400W A	1xSONT400W	8500

Integral floodlight luminaire with pressure die cast aluminium housing (IP 65).

Con Tempo3 MWF 331

Type	For lamp	LP (Rs.)
MWF331 1xHPITP250W S	1xHPIT250W	7450
MWF331 1xHPITP250W A	1xHPIT250W	7450
MWF331 1xHPITP400W S	1xHPIT400 W	7900
MWF331 1xHPITP400W A	1xHPIT400W	7900

Integral floodlight luminaire with pressure die cast aluminium housing (IP 65).

Outdoor Luminaires

Flood Lighting Luminaires

SNF 114

Type	For lamp	LP (Rs.)
SNF114 1xSONT250W NB	1xSONT250W	9150
SNF114 1xSONT250W WB	1xSONT250W	9150
SNF114 1xSONT400W NB	1xSONT400W	10200
SNF114 1xSONT400W WB	1xSONT400W	10200
SNF114 1xHPIT250W NB	1xHPIT250W	9100
SNF114 1xHPIT250W WB	1xHPIT250W	9100
SNF114 1xHPIT400W NB	1xHPIT400W	9500
SNF114 1xHPIT400W WB	1xHPIT400W	9500

IP 66 Non-integral flood light luminaire with pressure die cast aluminium housing and option of narrow (NB) and wide (WB) beam light distribution. Comprises of having (SNF114), and CG box (ZVX).

SLF 125 HLF 125

Type	For lamp	LP (Rs.)
SLF125 1xSONT250W *	1xSON/ SONT250W	9850
SLF125 1xSONT400W *	1xSON/ SONT400W	10900
HLF125 1xHPLN400W*	1xHPLN400W	9450

(* Including separate CG box)
Non integral floodlight luminaire complete with external CG Box.

Nocturne VI RVP 302

Type	For lamp	LP (Rs.)
RVP302 2xSONT250W*	2xSONT250W	13600
RVP302 2xSONT400W*	2xSONT400W	15500
RVP302 2xHPIT250W*	2xHPIT250W	13500
RVP302 2xHPIT400W*	2xHPIT400W	14400

(* Including separate single DD CG box)
Non integral floodlight luminaire with pressure die cast aluminium housing and heat resistant toughened flat glass (IP 65) complete with external single CG Box .

Outdoor Luminaires

Flood Lighting Luminaires

Nocturne V2
RVP 303

Type	For lamp	LP (Rs.)
RVP303 2xSONT250W*	2xSONT250W	on request
RVP303 2xSONT400W*	2xSONT400W	on request
RVP303 2xHPIT250W*	2xHPIT250W	on request
RVP303 2xHPIT400W*	2xHPIT400W	on request

(* Including separate single DD CG box)
Non integral floodlight luminaire with pressure die cast aluminium housing and heat resistant toughened flat glass (IP 66) complete with external CG Box .

Radiance
RVP 501

Type	For lamp	LP (Rs.)
RVP501 M 2xMAX400W-E40 *	2xSONT400W	28600
RVP501 M 2xMAX400W-E40 *	2xHPIT400W	27200
RVP501 M 1xSON-1000W-E40 *	1xSONT-1000W	31000
RVP501 M 1xSON-1000W-E40 *	1xHPIT-1000W	28000
RVP501 1xMHNLA2000W 400V	1xMHNLA2000W	76000

(* Including separate Single DD CG Box)
Non integral asymmetric floodlight luminaire with die cast aluminium housing complete (IP 65) with external CG Box.

Outdoor Luminaires

Control Gear Box

ZVX 240

Type	For lamp	LP (Rs.)
ZVX240 1xHPLN80W 240V	1xHPL80W	2150
ZVX250 1xHPLN-125W 240V	1xHPL125W	2200
ZVX280 1xHPLN250W 240V	1xHPL250W	3650
ZVX290 1xHPLN400W 240V	1xHPL400W	3850

Pressure die cast aluminium control gear boxes with open construction ballasts.

HPI-T
CG Boxes

Type	For lamp	LP (Rs.)
ZVX300 1xHPIT250W 240V	1xHPIT250W	4200
ZVX310 1xHPITP400W 240V	1xHPIT400W	4600

Pressure die cast aluminium control gear boxes with open construction ballasts.

SON
CG Boxes

Type	For lamp	LP (Rs.)
ZVX260 1xSON-I-70W 240V	1xSON70W (I)	2300
ZVX270 1xSON70W 240V	1xSON70W (E)	2650
ZVX320 1xSON-150W 240V	1xSON-150W	3850
ZVX330 1xSON250W 240V	1xSON250W	4250
ZVX340 1xSON400W 240V	1xSON400W	5300

Pressure die cast aluminium control gear boxes with open construction ballasts.

ZVX 400

Type	For lamp	LP (Rs.)
ZVX400 1xSON-1000W 240V	1xSONT-1000W	15000
ZVX410 1xHPIT-1000W 220V	1xHPIT-1000W	12000

Die cast aluminium Control Gear box