Single Phase kWh meter with LCD display

Model EM101+ Class 1 Base mounting

Description	Cat. No.	M.R.P. (₹) Per Unit
1Ph LCD Meter 5-30A without optical port	**WM101BC5DL0**	**1640**
1Ph LCD Meter 10-60A without optical port	**WM101BC7DL0**	**1950**
1P LCD Meter 5-30A with optical port	**WM101BC5DDH**	**1950**
1Ph LCD Meter 10-60A with optical port	**WM101BC7DDH**	**2050**

3 Phase 4 Wire kWh meter Counter type

Model EM301B Class 1 Base mounting

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph 4 W kWh CT op base mtg 240V 1-2A	**WM301BC1C00**	**4820**
3Ph 4 W kWh CT op base mtg 240V 5 -10 A	**WM301BC3C00**	**4310**
3Ph 4 W kWh Dir base mtg 240V 5 -20 A Sleek	**WM301BC4D20**	**4310**
3Ph 4 W kWh Dir base mtg 240V 10 -40 A Sleek	**WM301BC6D20**	**4310**
3Ph 4 W kWh Dir base mtg 240V 10 - 60 A big body	**WM301BC7D10**	**4410**
3Ph 4 W kWh Dir base mtg 240V 50 -100 A big body	**WM301BC8D10**	**6250**

Trivector Meter Class 1 whole current meter

Model ER300P Class 1 (Base Mounting)

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph, 4W TVM 240 V 10 - 60A BM	**WR300BC7300**	**6660**
3Ph, 4W TVM 240 V 10 - 60A BM RS 485 *	**WR300BC73RS**	**9500**

*** - available on request only**

Trivector Meter Class 0.5

Model ER300P Class 0.5 (Base Mounting)

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph, 3W TVM 110V (L-L) 1 A Class 0.5 BM *	**WR200BB1200**	**20500**
3Ph, 3W TVM 110V (L-L) 5 A Class 0.5 BM *	**WR200BB5200**	**20500**
3Ph, 4W TVM 110V (L-L) 1 A Class 0.5 BM	**WR300BB1200**	**20500**
3Ph, 4W TVM 110V (L-L) 5 A Class 0.5 BM	**WR300BB5200**	**20500**
3Ph, 4W TVM 240V (L-N) 1 A Class 0.5 BM *	**WR300BC1200**	**20500**
3Ph, 4W TVM 240V (L-N) 5 A Class 0.5 BM	**WR300BC5200**	**20500**
3Ph, 3W TVM 110V (L-L) 1 A Class 0.5 BM RS485 *	**WR200BB12RS**	**24600**
3Ph, 3W TVM 110V (L-L) 5 A Class 0.5 BM RS485 *	**WR200BB52RS**	**24600**
3Ph, 4W TVM 110V (L-L) 1 A Class 0.5 BM RS485	**WR300BB12RS**	**24600**
3Ph, 4W TVM 110V (L-L) 5 A Class 0.5 BM RS485 *	**WR300BB52RS**	**24600**
3Ph, 4W TVM 240V (L-N) 1 A Cl 0.5 BM RS485 *	**WR300BC12RS**	**24600**
3Ph, 4W TVM 240V (L-N) 5 A Cl 0.5 BM RS485	**WR300BC52RS**	**24600**

*** - available on request only**

Trivector Meter Class 0.2

Model ER300P Class 0.2 (Base Mounting)

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph, 4W TVM 110V (L-L) 1 A Class 0.2 BM	**WR300BB1100**	**46120**
3Ph, 4W TVM 110V (L-L) 5 A Class 0.2 BM	**WR300BB5100**	**46120**
3Ph, 4W TVM 110V (L-L) 1 A Class 0.2 BM RS485	**WR300BB11RS**	**49200**
3Ph, 4W TVM 110V (L-L) 5 A Class 0.2 BM RS485	**WR300BB51RS**	**49200**

Meter reading instrument

Description	Cat. No.	M.R.P. (₹) Per Unit
METER READING INSTRUMENT - (6MB)	**990MRIXX00S**	**100000**

3 Ph Flush Mounting Multifunction meter

Model NOVA - LCD display

Nova

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph 4 W 240V 5A with RS485 (MFM - LCD display with RS 485 port) - NOVA	**WM30KFC3CRS**	**4600**
3Ph 4W 240V 5A (MFM - LCD display)	**WM30KFC3C00**	**4300**

3 Ph Flush Mounting kWH meter

Model ACRUX - counter type

Acrux

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph 4 W 240V 1A (kWh meter counter type) - Acrux	**WM301FC1C10**	**3200**
3Ph 4 W 240V 5A (kWh meter counter type) - Acrux	**WM301FC3C10**	**3200**

Intelligent Panel Meter

Model QUASAR Class 1 (Flush Mounting) 96 x 96 mm

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph, 4W IPM 240 V (L-N) 1 A Class 1 FM *	**WI300FC1300**	**8710**
3Ph, 4W IPM 240 V (L-N) 5 A Class 1 FM	**WI300FC5300**	**8710**
3Ph, 3W IPM 110 V (L-L) 1 A Class 1 FM *	**WI301FC1300**	**8710**
3Ph, 3W IPM 110 V (L-L) 5 A Class 1 FM *	**WI301FC5300**	**8710**
3Ph, 4W IPM 110 V (L-L) 1A Class 1 FM *	**WI300FB1300**	**8710**
3Ph, 4W IPM 110 V (L-L) 5A Class 1 FM *	**WI300FB5300**	**8710**
3Ph, 4W IPM 240 V (L-N) 1 A Class 1 FM with RS485 *	**WI300FC13RS**	**9740**
3Ph, 4W IPM 240 V (L-N) 5 A Class 1 FM with RS485	**WI300FC53RS**	**9740**
3Ph, 3W IPM 110 V (L-L) 1 A Class 1 FM with RS485 *	**WI301FC13RS**	**9740**
3Ph, 3W IPM 110 V (L-L) 5 A Class 1 FM with RS485 *	**WI301FC53RS**	**9740**
3Ph, 4W IPM 110 V (L-L) 1A Class 1 FM with RS485 *	**WI300FB13RS**	**9740**
3PH, 4W IPM 110 V (L-L) 5A Class 1 FM with RS485 *	**WI300FB53RS**	**9740**

*** - available on request only**

3 Ph Flush Mounting Dual source kWH meter

Model GEMINI - LCD display

Gemini

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph 4 W 240V 5A with RS485 (Dual source kWh meter) - Gemini	**WM30DFC3CRS**	**4600**

Intelligent Panel Meter

Model QUASAR plus Class 0.5 (Flush Mounting) 96 x 96 mm

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph, 4W IPM 240 V (L-N) 1 A Class 0.5 FM *	**WI300FC1200**	**10760**
3Ph, 4W IPM 240 V (L-N) 5 A Class 0.5 FM	**WI300FC5200**	**10760**
3Ph, 3W IPM 110 V (L-L) 1 A Class 0.5 FM *	**WI301FC1200**	**10760**
3Ph, 3W IPM 110 V (L-L) 5 A Class 0.5 FM *	**WI301FC5200**	**10760**
3Ph, 4W IPM 110 V (L-L) 1A Class 0.5 FM *	**WI300FB1200**	**10760**
3Ph, 4W IPM 110 V (L-L) 5A Class 0.5 FM *	**WI300FB5200**	**10760**
3Ph, 4W IPM 240 V (L-N) 1 A Class 0.5 FM with RS485	**WI300FC12RS**	**11790**
3Ph, 4W IPM 240 V (L-N) 5 A Class 0.5 FM with RS485	**WI300FC52RS**	**11790**
3Ph, 3W IPM 110 V (L-L) 1 A Class 0.5 FM with RS485	**WI301FC12RS**	**11790**
3Ph, 3W IPM 110 V (L-L) 5 A Class 0.5 FM with RS485	**WI301FC52RS**	**11790**
3Ph, 4W IPM 110 V (L-L) 1A Class 0.5 FM with RS485 *	**WI300FB12RS**	**11790**
3Ph, 4W IPM 110 V (L-L) 5A Class 0.5 FM with RS485 *	**WI300FB52RS**	**11790**

*** - available on request only**

VEGA series

Single function meters

AMMETER

VOLTMETER

Description	Cat. No.	M.R.P. (₹) Per Unit
Single Phase Basic Meters		
1Ph Voltmeter Class 1	**WDS101FEV00**	**1000**
1Ph Ammeter, Class 1, 5A	**WDS101FCA00**	**1000**
1Ph Ammeter, Class 1, 1A	**WDS101OCA00**	**1000**
1Ph Freq. meter Class 0.2	**WDS121FCF00**	**1000**
Three Phase Basic Meters		
3Ph Voltmeter Class 1	**WDS301FEV00**	**1360**
3Ph Ammeter, 5A, Class 1	**WDS301FCA00**	**1360**
3 Ph Ammeter, 1 A, Class 1	**WDS301OCA00**	**1360**

VEGA series

Multifunction meters Class 1.0

New

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph Multifunction Meter, Model A, class 1, 5A	**WDM303FDWA1**	**6990**
3Ph Multifunction Meter, Model B, class 1, 5A	**WDM303FDNB1**	**10900**
3Ph Multifunction Meter, Model C, class 1, 5A	**WDM303FDNC1**	**16020**
3Ph Multifunction Meter, Model A, class 1, 1A	**WDM303FDWA1**	**6990**
3Ph Multifunction Meter, Model B, class 1, 1A	**WDM303FDNB1**	**10900**
3Ph Multifunction Meter, Model C, class 1, 1A	**WDM303FDNC1**	**16020**
3Ph Multifunction Meter, Model A, class 1, 5A with Relay	**WDM303FDWA0**	**8200**
3Ph Multifunction Meter, Model B, class 1, 5A with Relay	**WDM303FDNB0**	**13320**
3Ph Multifunction Meter, Model C, class 1, 5A with Relay	**WDM303FDNC0**	**20500**

VEGA Series

New

VAF Meter

Description	Cat. No.	M.R.P. (₹) Per Unit
VAF Meter		
3Ph VAF, Class 1, 5A	**WDV303FC000**	**2600**
3Ph VAF, Class 1, 1A	**WDV303OC000**	**2600**

VEGA Series

New

Multifunction meters Class 0.5

Description	Cat. No.	M.R.P. (₹) Per Unit
3Ph Multifunction Meter, Model A, class 0.5*	**WDM313CDWA1**	**9000**
3Ph Multifunction Meter, Model B, class 0.5*	**WDM313CDNB1**	**14000**
3Ph Multifunction Meter, Model C, class 0.5*	**WDM313CDNC1**	**20000**

*** Site selectable 1A/ 5A**

mi ENERGY

Din rail meters

New

Description	Cat. No.	M.R.P. (₹) Per Unit
1Ph 5-30A, 240V, Class 2 Din rail meter	**W2DLD050600**	**2200**
3Ph 10-60A, 240V, Class 2 Din rail meter	**W4DLD100600**	**5000**

Panel Meter Overview

Meter type	Parametres	Display	RS 485
Accrux	kWh	Counter	No
Vega VAF	V, A, F, RPM	LED	No
Nova	V, A, F, Pf, kW, kWH	LCD	Optional
Gemini	V, A, F, kW, kWh - Dual source	LCD	Yes
Quasar	V, A, F, pf, Power, Energy, THD	LCD	Optional
Vega Model A	V, A, F, pf, Power, Energy, Run & ON hours, RPM	LED	Yes
Vega Model B	V, A, F, pf, Power, Energy, Run & ON hours, RPM + Neutral current, MD (kW & kVA), MD reset	LED	Yes
Vega Model C	V, A, F, pf, Power, Energy, Run & ON hours, RPM + Neutral current, MD (kW & kVA), MD reset + THD, Bi - directional	LED	Yes

 # RPM = Rotations per minute

Your automation needs keep growing.

So does our range.

AC Drive	: 0.4 kW to 630 kW
Soft Starter	: 23 A to 1600 A
Servo System	: 30 W to 90 kW
PLC	: 28 I/Os to 8192 I/Os
HMI	: Screen size from 4.3" to 15"

Solutions for various industries:

- Printing & Packaging
- Plastics
- Machine Tool
- Crane & Elevator
- Textile
- Pharmaceuticals

L&T's expanding range of automation products and systems meets the precise needs of machinery manufacturers and end users. The range encompasses AC Drive, Servo System, PLC and HMI.

L&T quality, L&T dependability and L&T customer support - you can count on it for virtually every application in machines or processes.

L&T's team of integration experts will offer system architecture and successful proof of concept. Put it all together and you have everything you need for quality automation solutions.

Customer Interaction Centre (CIC)
BSNL / MTNL (Toll free): 1800 233 5858
Reliance (Toll free): 1800 200 5858
Tel: +91 22 6774 5858 Fax: +91 22 6774 5859
E-mail: cic@Lntebg.com

Clarity/RP/1111