



PRICE LIST EFFECTIVE 10.05.2022

“GRANDLAY” PVC/XLPE INSULATED (HEAVY DUTY) ELECTRICAL CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1100 VOLTS TO IS:1554 (PART-I) 1988/7098 (Part – I) WITH ALUMINIUM CONDUCTOR – ISI MARKED
POWER CABLE- ALUMINIUM CONDUCTOR

(Rate in Rs. Per Mtr.)

Cross Section in Sq. mm.	1 Core		2 Core		3 Core		3.5 Core		4 Core	
	Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured	Armoured
4	--	--	88	152	112	174	--	--	131	201
6	--	--	113	184	144	212	--	--	169	245
10	--	--	159	223	194	266	--	--	216	288
16	80	146	174	253	218	276	-	--	272	340
25	125	191	225	286	311	359	389	416	410	444
35	153	226	310	353	424	467	468	514	520	582
50	197	274	378	436	532	612	625	681	696	774
70	261	350	520	584	750	807	859	915	987	1040
95	343	389	644	747	938	1017	1073	1143	1177	1276
120	411	471	787	893	1148	1211	1376	1422	1411	1570
150	494	554	940	1076	1407	1496	1619	1655	1778	1900
185	606	678	1134	1299	1726	1834	2042	2095	2188	2388
240	716	861	1507	1687	2210	2318	2468	2667	2847	2990
300	892	1059	1841	2056	2738	2898	3137	3245	3410	3709
400	1119	1336	2297	2529	3389	3708	3987	4175	4617	4813
500	1465	1632	2798	3352	4431	4649	5164	5356	5900	6234
630	1839	2009	3563	4219	5939	6177	7013	7301	8035	8390
800	2337	2503	--	--	--	--	--	--	--	--
1000	3006	3163	--	--	--	--	--	--	--	--

EXTRA FOR SPECIAL CONSTRUCTION

<p>A. Round Wire Armouring</p> <p>1 x 95 & above 2 x 16 & above x 16 & above 25 % 4 x 10 & above</p> <p>B. Stranding 10 Sq. mm and below 10 %</p> <p>C. Extruded PVC Inner Sheath upto 50 Sq. mm 5 % From 70 Sq. mm & above 2.5 %</p>	<p>D HR PVC : Insulation 10% Inner Sheath, Outer Sheath 5 % Each</p> <p>E Oxygen Index-For FR 2.5 %</p> <p>F PVC Insulated Cable 8%</p>
--	--

FRLS Loading Factor

Multi Core Cables	FRLS Loading Factor		Single Core Cable	FRLS Loading Factor	
	Armoured	Unarmoured		Armoured	Unarmoured
Upto 16 Sq. mm	17 %	17 %	Upto 16 Sq. mm	20 %	20 %
25 Sq. mm to 50 Sq. mm	15 %	15 %	25 Sq. mm to 70 Sq. mm	15 %	15 %
70 Sq. mm & above	10 %	10 %	95 Sq. mm & above	12.5 %	12.5 %

NOTE :

- The above rates are exclusive of GST.
- This price list supersedes all our earlier price lists.
- This Price List is subject to change without prior notice.

YOUR POWER-FULL CONNECTION



SINCE 1953

PRICE LIST EFFECTIVE 10.05.2022

“GRANDLAY” PVC/XLPE INSULATED (HEAVY DUTY) ELECTRICAL CABLES FOR WORKING VOLTAGE UPTO UPTO AND INCLUDING 1100 VOLTS TO IS : 1554 (PART-I) 1988 / 7098 (Part-I)1988 WITH **COPPER CONDUCTOR** – ISI MARKED`

(Rate in Rs. Per Mtr.)

No. of Cores	1.5 Sq. mm		2.5 Sq. mm		Nos. of Cores
	Unarmoured	Armoured	Unarmoured	Armoured	
2	114	155	164	212	2
3	146	191	219	262	3
4	186	232	286	327	4
5	231	282	353	393	5
6	259	315	400	466	6
7	297	349	479	527	7
8	356	404	551	605	8
10	442	488	627	691	10
12	461	541	772	808	12
14	513	620	914	961	14
16	610	688	1040	1084	16
19	721	806	1197	1242	19
24	914	1009	1515	1558	24
27	1008	1120	1676	1741	27
30	1180	1232	1813	1954	30
37	1422	1499	2241	2394	37
44	1679	1821	2691	2958	44
61	2368	2487	3670	4034	61

Nos. of Cores	Unarmoured				Armoured			
	4 Sq. mm	6 Sq. mm	10 Sq. mm	16 Sq. mm	4 Sq. mm	6 Sq. mm	10 Sq. mm	16 Sq. mm
2	234	333	576	714	275	377	598	780
3	326	468	790	1122	362	506	817	1170
4	409	596	932	1406	469	683	1029	1507

596

932EXTRA FOR SPECIAL CONSTRUCTION

- A. Round Wire Armouring 1.5 Sq. mm – 12 Core & above
- 2.5 Sq. mm – 9 Core & above
- 2 x 16 Sq. mm & above 15%
- 3 x 16 Sq. mm & above
- 4 x 10 Sq. mm & above
- 1 x 95 Sq. mm & above 7.5%
- B. Extruded PVC Inner Sheath 2.5 %
- C. Stranding- 1.5 Sq. mm, 2.5 Sq. mm, 4 Sq. mm, 6 Sq. mm 6.0 %
- D. Tinning 3 %
- E. HR PVC Insulation 7 %
- Inner Sheath 5 %
- Outer Sheath 5 %
- F. Oxygen Index – For FR 2.5 %
- G. FRLS Loading Power Cable 7.5%

FRLS Loading Factor

	Armoured	Unarmoured
2 to 4 Core	11 %	11 %
5 to 10 Core	9 %	9 %
12 Core & above	9 %	9 %

NOTE :

- The above rates are exclusive of GST.
- This price list supersedes all our earlier price lists.
- This price list is subject to change without prior notice.

YOUR POWER – FULL CONNECTION



COPPER CABLES

PRICE LIST EFFECTIVE 10.05.2022

“GRANDLAY” PVC/XLPE INSULATED (HEAVY DUTY) ELECTRICAL CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1100 VOLTS TO IS: 1554 (PART I) 1988/ IS : 7098 (PART I) 1988 WITH COPPER CONDUCTOR-ISI MARKED.

ARMOURED (COPPER POWER CABLES)

(Rate in Rs. Per Mtr.)

Cross Section In Sq.mm	3 Core Rate (Rs.)	3½ Core Rate (Rs.)	4 Core Rate (Rs.)
25	1920	2278	2469
35	2593	3032	3553
50	3553	4238	4714
70	5096	5956	6948
95	7196	8392	9567
120	8954	10593	11850
150	10561	12893	15049
185	13799	16286	18527
240	18070	21106	24097
300	22659	26381	30171
400	30602	35296	41117

1. Prices are exclusive of GST.
2. This price list is subject to change without prior notice.
3. Prices for Unarmoured Cables on request.
4. This price list supersedes all our earlier price lists.

YOUR POWER - FULL CONNECTION