

Workstation Power and Data Solutions

Flexible Power and Data Access for Modern Workspaces

Legrand Workstation Solutions provide a complete and integrated approach to power and data distribution for modern office environments. Combining floor boxes, raised and screed floor systems, pop-up desk units, and perimeter trunking, the range is designed to deliver seamless connectivity, organized cable management, and flexible workstation layouts. Engineered for both performance and aesthetics, these solutions ensure easy installation, scalability, and adaptability to evolving workspace needs—making them ideal for dynamic offices, commercial spaces, and collaborative environments.

Features

- Comprehensive solution for power, AV & data distribution
- Compatible with perimeter, desk, raised access floors and screed floor systems
- Designed for fast installation with high reliability, robustness, and flexibility
- Engineered for strength, supporting superior load capacities for demanding environments

Benefits

- Ensures organized and efficient power and data distribution across office spaces
- Enables flexible workstation layouts with easily accessible floor and desk outlets
- Improves workspace aesthetics with concealed and flush-mounted installations
- Supports scalable infrastructure for high-density workstation environments and future expansion



Alongside the Incara™ range, Legrand provides additional workspace solutions such as trunking systems, raised floor boxes, metal and aluminium floor outlets, desk grommets, and underfloor distribution to support scalable office infrastructure.




Soluflex cable floor system



Raceways : PVC & Metal (GI)




Floor boxes



Dlp trunking system:
Snap-on, Mini & PVC, Aluminium



Cablofil wire mesh cable trays



Raised access floor systems



Screed floor system



Wall and ceiling systems

Scan to know more about the product.



Incara Top Access



Disq 80



Disq 60

INCARA™ Pop-up Box

Elegant Design with Seamless Connectivity



Incara™ Pop-up provides convenient access to power, data, and charging for laptops, smartphones, tablets, and AV equipment directly at the workspace. Its patented design integrates discreetly into furniture, offering smooth damper operation and premium finishes that blend seamlessly with modern interiors.


Features

- Extra-slim pop-up design compatible with 15–40 mm desktops
- Multiple module configurations available in 3, 4, 8, and 2x4 formats. Also available 4 module in IP44 option
- Premium finishes including White, Black, Aluminium, and Brushed Aluminium
- Compatible with 250+ Arteor & Advance modules, including USB-C PD up to 63/65W

Benefits

- Improves workspace efficiency with easy access to power and connectivity
- Maintains a clean desk aesthetic with discreet, flush integration into furniture
- Ensures reliable daily use with robust construction and protection options
- Adapts to evolving technology needs through modular configuration and fast charging support

Now Available with
Arteor™ Advance Modules



Scan to know more about
the product.



INCARA™ Flip-up Box

Elegant Connectivity for Premium Meeting Rooms



Incara™ Flip-up is a premium tabletop connectivity solution designed for modern meeting rooms. Its fully metal construction and patented push-to-open mechanism allow the unit to rise smoothly while the cover slides discreetly inside even with devices plugged in providing seamless access to power, data, and AV connections.

Features

- Patented push-to-open flip mechanism with smooth, dual-sided access
- Robust all-metal construction with premium finish
- Quick, tool-free installation for 15–40 mm desktops
- Pre-equipped Arteor modules including sockets, USB-C charging, HDMI, and RJ45

Benefits

- Enhances meeting room aesthetics with discreet, integrated connectivity
- Improves collaboration through easy access to power and data from both sides
- Reduces installation time with fast and secure mounting design
- Supports modern AV setups with versatile power, data, and charging options



Now Available with
Arteor™ Advance Modules

Scan to know more about
the product.



INCARA™ Top Access

Discreet Cable Management for Meeting Tables



Incara™ Top Access provides a practical solution for organizing power modules and cables beneath meeting tables. With a flush-mounted lid and integrated storage basket, it keeps worktops clear while allowing easy access to chargers, power strips, and connectivity modules in modern meeting and collaboration spaces.

Features

- Integrated metal storage basket for power strips and excess cabling
- Two width options: 295 mm and 385 mm for different table sizes
- Premium finishes: White, Black, and Metal to match furniture styles
- Flush-mount lid with soft-close damper for 10–40 mm desktops

Benefits

- Keeps meeting tables organised by concealing cables and adapters
- Maintains a clean, professional workspace appearance
- Simplifies cable routing with dedicated under-desk storage
- Supports flexible integration with office power and connectivity modules



Scan to know more about the product.



Incara™ Flip up

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Max. power: 3680 W at 230 VA
 6A switch d IS 3854 : 1997
 6A sockets IS 1293: 2019
 USB IEC 60950 1
 IS 13252(Part 1)
 Protection IK 07 & IP 30
 For flush mounting in furniture,
 Compatible for desk thickness 15 to 40
Incara™ Flip up Pre Equipped (Arteor Advance)

6540 24	Flip-up 8M SW 2 SKT USB C+C 1 HDMI	37480	1
6540 25	Flip-up 8M SW 2 SKT USB C+C 1 RJ45 1 HDMI	38376	1
6540 26	Flip-up 12M SW 4 SKT USB C+C 1 HDMI	41476	1
6540 27	Flip-up 12M SW 4 SKT USB C+C 1 RJ45 1 HDMI	42338	1



6540 24



6540 27



6540 22



6540 23

INCARA Flip Up (Empty)

To be equipped version of the Incara Flip up is compatible with Arteor Advance accessories, which need to be purchased separately.

6540 22	Flip-up 8M To Be Equipped Version	32181	1
6540 23	Flip-up 12M To Be Equipped Version	34437	1

INCARA Top Access (Empty)

Easy storage for an office module, Desktop Power Center, Legrand UI with Surface Box DLP with accessories or equivalent product that can accommodate chargers and wires.

Resistance to impacts: IK 07
 Operating temperature: from 5°C to +35°C

For Flush Mounting In Furniture, Compatible Table Thickness 10 To 40

6548 70	Top Access 295MM Wide Aluminium	11033	1
6548 71	Top Access 295MM Wide White	12851	1
6548 72	Top Access 295MM Wide Black	12332	1
6548 73	Top Access 395MM Wide Aluminium	14667	1
6548 74	Top Access 395MM Wide White	16420	1
6548 75	Top Access 395MM Wide Black	15706	1



6548 70



6548 74



6548 75

INCARA Pop Up (Empty)

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Resistance to Impact: IK 07
 IP 44 for 6 548 12 & IP 20 for the others
 Operating temperature: from 5°C to +35°C
 Conform to standard BS 5733
 Compatible with Arteor accessories, which need to be purchased separately.
 Switch d IS 3854 : 1997
 Sockets IS 1293: 2019
 USB IEC 60950 1
 Switch lasts 100000 & Socket for 10000 plug ins
 Fire resistant up to 850°C for 30 seconds.

For Flush Mounting In Furniture, Compatible Desktop Thickness 15 to 40.

6548 45	Pop-up 3M Brushed Aluminium	4568	1
6548 46	Pop-up 3M White	3714	1
6548 47	Pop-up 3M Black	3714	1
6548 48	Pop-up 3M Aluminium	3714	1
6548 00	Pop-up 4M Brushed Aluminium	5740	1
6548 01	Pop-up 4M White	5219	1
6548 02	Pop-up 4M Black	5219	1
6548 03	Pop-up 4M Aluminium	5219	1
6548 12	IP 44 Pop-up 4M Brushed Aluminium	8944	1
6548 08	Pop-up 8M Brushed Aluminium	11673	1
6548 09	Pop-up 8M White	10613	1
6548 10	Pop-up 8M Black	10613	1
6548 11	Pop-up 8M Aluminium	10613	1
6548 04	Pop-up 2x4M Brushed Al	12257	1
6548 05	Pop-up 2x4M Wh	11143	1
6548 06	Pop-up 2x4M Black	11143	1
6548 07	Pop-up 2x4M Al	11143	1



6548 46



6548 48



6548 00



6548 01




6548 03



6548 10



6548 04



6548 05



6548 06

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
 Red Cat.Nos - new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
 Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
 Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

NEW!

Desktop Power Center

Practical Power for Modern Workspaces



Desktop Power Center (DPC) brings power and connectivity right to your fingertips. Designed for modern workspaces, it delivers seamless access to power, charging, AV, and data—while keeping desks clean, organized, and clutter-free. Fully customizable with power sockets, USB chargers, and connectivity modules, DPC adapts effortlessly to your workspace needs with style and efficiency

Features

- Modular 6M and 8M configurations with 3-pin 6A sockets and optional USB charging
- Flexible mounting options for on-desk, under-desk, or wall installation
- Child-safe IP20 sockets tested for up to 10,000 plug cycles
- IS-certified switch socket design with maximum load capacity up to 1440 W

Benefits

- Provides convenient power access directly at the workspace
- Keeps desks organised by reducing cable clutter
- Enhances user safety with child-protected outlets
- Simplifies installation with versatile mounting options



Scan to know more about the product.



Desktop Power Center

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Switch IS 3854 : 1997
Sockets IS 1293: 2019
USB IEC 60950 1
Switch lasts 100000 & Socket for 10000 plug ins
Fire resistant up to 850°C for 30 seconds.
Input : 100 240V 50 60Hz/250 mA
Output 5V 1500mA
Power rating 1440W Max
3 PIN Socket 6A 230V IP 20 Rated

Desktop Power Center supplied With L Bracket Kit

1.5 meter cord and a 3 pin plug for easy connection to power

6550 20	6M DPC SKT White	1348	1
6550 22	8M DPC SKT White	1753	1
6550 24	6M DPC SKT ChicGrey	1660	1
6550 26	8M DPC SKT ChicGrey	2092	1

Desktop Power Center with USB Type A

6550 21	6M DPC SKT USB A White	2159	1
6550 23	8M DPC SKT USB A White	2966	1
6550 25	6M DPC SKT USB A ChicGrey	2495	1
6550 27	8M DPC SKT USB A ChicGrey	3412	1

Desktop Power Center with USB Type A + C Ports

6550 21AC	6M DPC SKT USB A+C White	3647	1
6550 23AC	8M DPC SKT USB A+C White	3861	1
6550 25AC	6M DPC SKT USB A+C ChicGrey	3740	1
6550 27AC	8M DPC SKT USB A+C ChicGrey	3981	1

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
■ Price available on request.

Desktop Power Center

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Desktop Power Center (Empty)

To be equipped version of the DPC comes without the cord, installation kit, and accessories. It is compatible with Lyncus accessories, which need to be purchased separately.

6550 30	6M DPC (To Be Equipped) White	673	1
6550 31	6M DPC (To Be Equipped) ChicGrey	774	1
6550 32	8M DPC (To Be Equipped) White	878	1
6550 33	8M DPC (To Be Equipped) ChicGrey	1009	1

Desktop Power Center DPC Accessories

The accessories come with three installation kits, each containing a different bracket: the Angle L Bracket, Flat I Bracket, and Wall Mount T Bracket. The L Bracket is included with the product, while the I Bracket and T Bracket are available for purchase separately.

0269 88W	Cord with 3 Pin (BIS) Wh 1.5Mtr	■	1
0269 88B	Cord with 3 Pin (BIS) Black 1.5Mtr	■	1
6550 36	DPC Angle L-Bracket	163	1
6550 37	DPC Flat I-Bracket	149	1
6550 38	DPC Wall T-Bracket	218	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

NEW!

DISQ 60 and DISQ 80

Compact Desk Power for Modern Workspaces



DISQ 80

DISQ 60

DISQ 60 & DISQ 80 bring smart, desk-integrated power, USB, and data right where you need it. Built for modern workspaces, they blend seamlessly into desks and meeting tables—delivering instant connectivity while keeping surfaces sleek, clean, and clutter-free.

Features

- Circular desk-mounted design for seamless integration into desks and meeting tables
- Integrated power and USB charging for laptops and everyday office devices
- Power sockets compliant with IS 1293 and USB compliant with IS 13252 standards
- Durable construction with IK07 impact resistance for reliable daily use

Benefits

- Provides convenient power and charging access directly at the workspace
- Maintains clean desk aesthetics with minimal visual footprint
- Reduces cable clutter and dependence on external chargers or power strips
- Supports efficient and organised workspaces in offices and meeting rooms



Scan to know more about the product.



Everything you need. Right where you work



Disq 60

INCARA DISQ 60 delivers sleek, discreet access to power or USB charging with quick, hassle-free installation.

- Ultimate flexibility – mount horizontally or vertically on any surface, from desks to sofas and lockers, with a patented system that fits even ultra-thin panels (1 mm).



Disq 80

INCARA DISQ 80 combines power, data, and charging in one compact solution for modern, mobile users.

- Ideal for individual workstations, delivering seamless and efficient connectivity.
- Smart retrofit design – easily replaces existing cable outlets (80 mm Ø cut-out).
- Flexible configurations with 6 UTP sockets or cable outlets for quick, hassle-free access.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
Red Cat.Nos - new products

NEW! Disq 60 and Disq 80

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Supply voltage: 250V~

Frequency: 50/60 Hz

Sockets complies with IS 1293

USB complies with IS 13252

Resistance to impact: IK 07

Operating temperature: from -5°C to +35°C

Storage temperature: from -10°C to +70°C



6540 32

6540 32 DISQ 60 1 6A SKT WH 3530 1



6540 29

6540 29 DISQ 60 1 6A SKT BL 3530 1



6540 30

6540 30 DISQ 60 1 USB A+C WH 6270 1



6540 31

6540 31 DISQ 60 1 USB A+C BL 6270 1



6540 33

6540 33 DISQ 80 1 6A SKT USB C 15W CABLE OUTLET WH 6240 1



6540 36

6540 36 DISQ 80 1 6A SKT USB C 15W CABLE OUTLET BL 6240 1

6540 34 DISQ 80 1 6A SKT USB A+C 15W RJ45 CAT6 WH 6550 1



6540 37

6540 37 DISQ 80 1 6A SKT USB A+C 15W RJ45 CAT6 BL 6550 1



6540 39

6540 39 DISQ 80 1 6A SKT USB C 15W CABLE OUTLET BL-METAL 6730 1



6540 40

6540 40 DISQ 80 1 6A SKT USB C 15W RJ45 CAT6 BL-METAL 7070 1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

POP-UP BOXES For Floor

Seamless Floor Design, Superior Protection



Pop-up Boxes for Floor provide discreet floor-mounted access to power, data, and AV connections in modern workspaces. With a slim profile, soft-opening mechanism, and durable construction, they integrate smoothly into floor systems while ensuring reliable connectivity for offices and collaborative environments.

Features

- Extra-slim floor box design with corrosion-resistant, halogen-free construction
- Soft-opening cover with damper and push-slide locking mechanism
- Modular configuration for power, audio, video, and data using Arteor modules
- Robust protection: IP40 rating and IK07 impact resistance for high-traffic areas

Benefits

- Maintains clean floor aesthetics with discreet connectivity access
- Reduces cable clutter by providing power and data at floor level
- Ensures durable performance in high-use commercial environments
- Enhances user convenience with smooth and secure opening operation



Scan to know more about
the product.



Pop Up Box

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Pop Up Flush Mounting Boxes For Floor To Be Equipped

Installation accessories should be considered additionally along with the pop up box.

For installation, use flush mounting boxes for concrete floors or kits for raised access floors.

To be equipped with Arteor accessories.

3 modules

0540 10	Pop-up 3M Aluminium	3795	1
0540 15	Pop-up 3M Brass	4963	1
0540 20	Pop-up 3M Stainless Steel	5015	1

4 Modules

0540 11	Pop-up 4M Aluminium	5094	1
0540 16	Pop-up 4M Brass	5872	1
0540 21	Pop-up 4M Stainless Steel	6357	1
0540 26	Pop-up 4M Matt Black	5650	1
0540 31	Pop-up 4M Glossy White	5783	1

6 (2 x 3) Modules

0540 12	Pop-up 6M Aluminium	8516	1
0540 17	Pop-up 6M Brass	10649	1
0540 22	Pop-up 6M Stainless Steel	11042	1



0540 15



0540 20



0540 16



0540 21



0540 26



0540 31



0540 12



0540 17



0540 22

Pop Up Box

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

8 (2 x 4) Modules


0540 13	Pop-up 8M Aluminium	10546	1
0540 18	Pop-up 8M Brass	12779	1
0540 23	Pop-up 8M Stainless Steel	13595	1
0540 28	Pop-up 8M Matt Black	12141	1
0540 33	Pop-up 8M Glossy White	12211	1



0540 18



0540 23



0540 28



0540 33

Installation Kits For Raised Access Floors

Include an empty receptacle and fixing brackets for raised access floor tiles Compatible with:

- Cat. 6 data cabling
- Audio/video cabling

0540 05	Installation Kit 3M Pop-up	1576	1
0540 06	Installation Kit 4M Pop-up	1892	1
0540 07	Installation Kit 6M Pop-up	2623	1
0540 08	Installation Kit 8M Pop-up	3238	1



0540 06

For Installation Of Pop-Up Floor Boxes In Concrete Floors

Equipped with knockouts for \varnothing 20 and \varnothing 25 mm conduits

Metal Flush-Mounting Boxes

0540 00	Back Box Concrete 3M Pop-up	408	1
0540 01	Back Box Concrete 4M Pop-up	540	1
0540 02	Back Box Concrete 6M Pop-up	863	1
0540 03	Back Box Concrete 8M Pop-up	1085	1



0540 00

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

CABLOFIL®

Most Versatile Cable Tray System




Cablofil® provides wire mesh cable tray systems designed for efficient cable management in power, data, and telecom installations. Engineered from welded steel, the system enables fast installation, flexible routing, and reliable support for modern commercial and industrial infrastructures.

Features

- Wide tray ranges like CF30, CF54, CF105, CF150 in multiple widths and finishes
- Fast assembly system for quick, secure tray connections
- Flexible mounting for overhead, wall, and ceiling installations
- CEI 61537 compliant welded steel construction

Benefits

- Speeds up installation with modular components and simplified assembly
- Ensures safe cable routing with smooth wire mesh construction and reliable support
- Adapts easily to different project requirements
- Supports long-term durability and dependable performance



*This is a design-and-build product. Design support can be provided as required. Pricing is available upon request and is not included in this price list.

Scan to know more about the product.



NEW !

SALAMANDRE®

Secure IP4X Overhead Trunking




Salamandre® (MSTR series) is a steel distribution trunking system designed for organized cable routing in commercial and industrial environments. With durable construction and multiple size options, it supports structured power and data distribution while maintaining system reliability and installation efficiency.

Features

- IP4X-rated protection with TORX® security screws and cover straps at joints
- Up to 50% faster installation with pre-installed couplers and Avdel bushes
- Complete fittings range including bends, tees, crossovers, reducers, and end caps
- Multi-compartment steel trunking in sizes from 50×50 mm to 600×150 mm

Benefits

- Prevents unauthorised access with secure, tool-operated lid fixing
- Reduces installation time with pre-assembled components
- Optimises cable routing for power and data distribution systems
- Ensures durable and reliable cable protection



*This is a design-and-build product. Design support can be provided as required. Pricing is available upon request and is not included in this price list.

NEW!

FIBRE RACEWAY

Optimal Fiber Ducting




Fibre Raceway is a modular, high-visibility yellow LSZH ducting system designed for organized fibre routing in data centers and network environments. It supports scalable infrastructure while maintaining clear, structured cable pathways.

Features

- Modular 2 m ducts with snap-fit couplers and routing fittings
- Integrated drop-offs with trumpet outlets and \varnothing 38/50 mm tubing
- Flexible mounting via suspension kits, ladder rack brackets, and cabinet kits
- Certified design (UL94-V0/V1, RoHS, UL2024A) supporting up to 7200 fibre cords

Benefits

- Enables quick network expansion without disturbing existing fibre
- Speeds installation with modular snap-fit components
- Maintains organized routing for reliable fibre management
- Improves safety with LSZH, self-extinguishing recyclable material



*This is a design-and-build product. Design support can be provided as required. Pricing is available upon request and is not included in this price list.

Floor Solution

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Over Floor Trunking

Conform to Std EN 50085-2-2; For creating a link between trunking, column, mini-column, floor units or protecting cables on passageways Supplied with cover

0300 92	Floor Duct 50X12	773	54 ⁽¹⁾
0300 11	Flat Angle/Floor 50X12	345	10
0300 12	Cover Gasket To Floor 50X12	435	10
0300 93	Floor Duct 75X18	1053	36 ⁽¹⁾
0300 18	Flat Angle/Floor 75X18	665	10
0300 19	Cover Gasket/Floor 50X12	461	10
0328 00	Floor Duct 92X20	2201	20 ⁽¹⁾
0328 07	End Cap For Floor Duct 92x20	384	10
0328 03	Cover Joint For Floor Duct 92x20	525	10
0328 02	Flat Angle For Floor Duct 92x20	960	5

Confirms to EN 50 085 - 2 - 2
Raceways are made from PVC and Galvanised sheet.
Compatible with Cat.6 structured cabling system.

Raceways - PVC

**Raceways - PVC - Height 38 MM;
Standard Length 2 Meters*; Price Per Meter**

0896 67	PVC Raceway 50X38	1661	12
0896 68	PVC Raceway 100X38 2-CMT	3051	16
0896 69	PVC Raceway 150X38 3-CMT	4678	10

Raceways - Metal / Gi

**Raceways - Metal/GI - Height 25 mm; Length 2.44 m.
Price Per Unit (One Unit Is Of 2.44 Meters)**

6895 10	Trunking 50x25	2923	3/54 ⁽¹⁾
6895 11	Trunking 75x25	3764	3/21 ⁽¹⁾
6895 12	Trunking 100x25	4570	3/54 ⁽¹⁾
6895 13	Trunking 150x25	6171	3/18 ⁽¹⁾
6895 14	Trunking 225x25 3-CMT	9677	3/12 ⁽¹⁾
6895 15	Trunking 300x25 3-CMT	12264	3/18 ⁽¹⁾

**Raceways - Metal/GI - Height 38 mm; Length 2.44 m
Price Per Unit (One Unit Is Of 2.44 meters)**

6895 00	Trunking 50x38	3394	3/54 ⁽¹⁾
6895 01	Trunking 75x38	4369	3/21 ⁽¹⁾
6895 02	Trunking 100x38	5421	3/54 ⁽¹⁾
6895 03	Trunking 150x38	7269	3/36 ⁽¹⁾
6895 04	Trunking 225x38 3-CMT	10741	3/12 ⁽¹⁾
6895 05	Trunking 300x38 3-CMT	13474	3/18 ⁽¹⁾

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Floor Solution

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Floor Raceway Accessories

**Fixing Brackets 2 Nos For Each Openable
Raceway Length**

6897 09	Fixing Bracket 50X25	92	9
6897 10	Fixing Bracket 75X25	102	9
6897 12	Fixing Bracket 100X25	104	9
6897 15	Fixing Bracket 150X25	108	9
6897 20	Fixing Bracket 225X25	151	9
6897 30	Fixing Bracket 300X25	204	9

Fixing Bracket

6897 27	Fixing Bracket 50X38	102	9
6897 28	Fixing Bracket 75X38	108	9
6897 37	Fixing Bracket 100X38	113	9
6897 38	Fixing Bracket 150X38	128	9
6897 25	Fixing Bracket 225X38	193	9
6897 35	Fixing Bracket 300X38	236	9

Riser

6897 23	Vertical Riser For 225	3300	1
6897 33	Vertical Riser For 300	3795	1

Coupler For Joining Raceways

6897 77	Coupling 38	204	6
6897 79	Coupling 25	182	6

Junction Box

For direct access to cables at the intersection of raceways
Supplied completely with base and cover plate (Lid)

Height Adjustable Junction Box 65 - 90 mm

6896 10	JB150X150X65-90	3580	1
6896 11	JB 225X225X65-90	4429	1
6896 12	JB 300X300X65-90	5697	1
6896 13	JB 400X400X65-90	8836	1

Height Adjustable Junction Box 65 - 90 mm With Fly Over

For direct access to cables at the intersection of floor raceways while maintaining perfect separation and 900 cross overs between data and power cables

6896 14	JB FLY 225X225X65-90	4783	1
6896 15	JB FLY 300X300X65-90	6515	1
6896 16	JB FLY 400X400X65-90	9546	1

Height Adjustable Junction Box 50 - 70 mm

6896 83	JB 150 X 150 X 50	3257	1
6896 84	JB 225 X 225 X 50	3999	1
6896 85	JB 300 X 300 X 50	5203	1
6896 86	JB 400 X 400 X 50	7988	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Floor Solution

Cat.Nos	Description	MRP* ₹ / Unit	Pack
Optional Site Cove for Junction Box			
6896 18	Cover JB 150X150X65-90	398	10
6896 19	Cover JB 225X225X65-90	559	10
6896 20	Cover JB 300X300X65-90	860	10
6896 21	Cover JB 400X400X65-90	1290	10

Selection Chart

Back Box	+	Lid & Trim	+	Support Plate
Floor Box for Raised Floor				
6896 38	+	689631	+	689662/ 689617/ 689678
Floor Box for screed Floor (3 Compartment)				
6896 34	+	689631	+	689662/ 689617/ 689678
Floor Box for screed Floor (4 Compartment)				
6896 45	+	689641	+	689662/ 689617/ 689678
Floor box for Tiles/Marble				
0896 04	+	689652/689655/689656	+	689662/ 689617/ 689678
50 Reduced Height Floor Box				
0880 73	+	088070	+	689662/ 689617/ 689678


Regular Floor Boxes Range

Floor Boxes for Raised & Screed Floor (3-CMP)

6896 38	RF Backbox for 3-CPM (For Carpet)	6141	1
6896 34	SF Backbox For 3-CPM (For Carpet)	9612	1
6896 31	265X265 Lid & Trim Carpet 8MM 3-CPM	4684	5

Regular Floor Boxes for Screed Floor (4-CMP)

6896 45	Backbox for 4-CPM	10541	1
6896 41	Lid & Trim 4-CPM	5067	1



6896 38 +
6896 31



6896 34 +
6896 31

Floor Solution

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Stainless Steel Insert for Lid

For a metal finish on lid
To be used instead of fitting carpet onto the Lid

6896 92	SS Insert For Lid	5700	1
---------	-------------------	------	---

Floor Boxes for Tile / Marble

0896 04	Backbox (For Tile)	7917	1
6896 52	Floor Box Tile 15 To 22MM	39710	1
6896 55	Lid/Trim Grey Painted Headband Tile 8 To 15MM	10891	5
6896 56	Lid/Trim SS Headband Tile 8 To 15MM	12520	5

Reduced Height Vertical Floor Box - 50mm

0880 73	Back Box (Use With 088070)	11683	1
0880 70	Lid & Trim 50 To 70 MM	11537	1
0880 72	SS Insert PL For 50MM FB	7351	5

Support Plates for Regular Floor Boxes

77 mm with plate


689662L	Blank Plate	497	12
6896 17	Support Plate Myrius 8M	532	1
6896 78	Support Plate Waved	1538	5

NEW! Heavy Duty Floor Boxes IP40

0880 80	Boite encast reglable 55-125	19284	1
0880 86	4 screws for height extension feets	3750	1
0880 88	Foam block for height extension	8200	1
0896 82	Heavy load support 15KN	65750	1
0896 85	Access trap for junction	54752	1
0896 86	Floor box with direct central exit	116549	1
0896 87	Cable exit accessory - IP52	62273	1



0896 04 +
6896 52



0896 04 +
6896 55




0880 73



0880 70



0880 72



689662L



6896 17



6896 78



0808 80



0808 82



0808 87

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
For regular floor boxes height adjustment is 65-90mm without accessories and 77-90mm with accessories.
Red Cat.Nos = new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Floor Solution

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

NEW! New Floor Boxes

Plastic Grey Lid and Trim

0807 09	Frame & Lid Plastic Screed 12 M Hz	6150	1
0807 10	Frame & Lid Plastic Screed 18 M Hz	6680	1
0807 11	Frame & Lid Plastic Screed 24 M Hz	7970	1
0807 12	Frame & Lid Plastic Screed 8 M Vt	7760	1
0807 13	Frame & Lid Plastic Screed 12 M Vt	9540	1
0807 14	Frame & Lid Plastic Screed 16 M Vt	11340	1



NEW! Metal SS Finish Lid and Trim

0807 27	Frame & Lid Metal Screed 12 M Hz	26520	1
0807 28	Frame & Lid Metal Screed 18 M Hz	27430	1
0807 29	Frame & Lid Metal Screed 24 M Hz	28930	1
0807 30	Frame & Lid Metal Screed 8 M Vt	28180	1
0807 31	Frame & Lid Metal Screed 12 M Vt	30400	1
0807 32	Frame & Lid Metal Screed 16 M Vt	32410	1



NEW! Flush Metal SS Finish Lid & Trim

0807 45	Flush Concrete Floor 12 Modules Hz	29450	1
0807 46	Flush Concrete Floor 18 Modules Hz	35420	1
0807 47	Flush Concrete Floor 24 Modules Hz	36560	1
0807 48	Flush Concrete Floor 8 Modules Vt	31000	1
0807 49	Flush Concrete Floor 12 Modules Vt	38390	1
0807 50	Flush Concrete Floor 16 Modules Vt	39900	1



Universal Adjustable Backbox

0880 80	Universal Back Box 55-125MM	19284	1
----------------	-----------------------------	-------	---



Floor Solution

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Mounting Adaptors For Screed Floor

0880 81	Adaptation Plate for 8/12M	4173	1
0880 82	Adaptation Plate for 12/18M	4512	1
0880 83	Adaptation Plate for 16/24M	4830	1



Auto-Adjusting Backbox

0880 90	Back Box 8/12M 65-90MM	5772	1
0880 91	Back Box 12/18M 65-90MM	6998	1
0880 92	Back Box 16/24M 65-90MM	8213	1



NEW! Reno Back Box

0881 90	Reno Back Box for Std Fb 8/12m	4650	1
0881 91	Reno Backbox for Std Fb 12/18m	5160	1
0881 92	Reno Backbox for Std Fb 16/24m	5070	1



Finish Plates

088015	SS Plate Grey Lid 8/12M	5667	1
088016	SS Plate Grey Lid 12/18M	5802	1
088017	SS Plate Grey Lid 16/24M	7872	1
088045	SS Plate Metal Lid 8/12M	8426	1
088046	SS Plate Metal Lid 12/18M	9670	1
088047	SS Plate Metal Lid 16/24M	10994	1



Floor Boxes 3 Module

Conform to EN 50 085 2.2 and EN 60670 23

IP 20/IK07

Compression test, 500N / 1cm² during 1 min :
Comply with norm CEI 60670 23 (2004)

089644	Floor Box 3M	2499	1
089649	Flush Mounting Box 3M	1663	1



IP66 Floor Box

IP66 Floor box complies with the IEC 60670 1 and IEC 60670 23 standards.

Resistance to loads: with the cover closed: 10000 N

Resistance to impacts: IK 09 with the cover closed

Self extinguishing : + 650° C / 30 s for parts made of insulating materials.

088061	IP66/IK09 Screwed SS Floor Box	27291	1
088064	IP66/IK09 Hinged CVR SS Floor Box	32052	1
088069	Back Box IP66 Floor, Min Screed Height 65	5237	1
088062	IP55 Cable Exit Accessory	30401	1
089307	Floor Access Unit Circular	11683	1



* MRP - Maximum Retail Price Inclusive of all taxes including GST.
Red Cat.Nos - new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Frame and Lid Floor Boxes for Concrete Floor Selection Chart

FLOOR BOX TYPE	FLOOR BOX CAPACITY	FLOOR BOX CAT.NOS	BACKBOX TO SELECT ACCORDING TO CONCRETE SCREED DEPTH					FINISHING PLATES (OPTIONAL)		
			77 - 90 ⁽¹⁾⁽²⁾ mm	80 - 110 ⁽²⁾ mm	76 - 125 ⁽²⁾ mm	110 - 170 mm	150 - 250 mm			
SOCKETS IN HORIZONTAL POSITION			77 - 90⁽¹⁾⁽²⁾ mm	80 - 110⁽²⁾ mm	76 - 125⁽²⁾ mm	110 - 170 mm	150 - 250 mm			
	12 (3 x 4) modules	0 807 09	0 880 90	0 881 90	0 880 80 + 0 880 81	+	0 880 88 + 0 880 86	+	0 880 88	0 880 15
	18 (3 x 6) modules	0 807 10	0 880 91	0 881 91	0 880 80 + 0 880 82					0 880 16
	24 (3 x 8) modules	0 807 11	0 880 92	0 881 92	0 880 80 + 0 880 83					0 880 17
	12 (3 x 4) modules	0 807 27	0 880 90	0 881 90	0 880 80 + 0 880 81	+	0 880 88 + 0 880 86	+	0 880 88	0 880 45
	18 (3 x 6) modules	0 807 28	0 880 91	0 881 91	0 880 80 + 0 880 82					0 880 46
	24 (3 x 8) modules	0 807 29	0 880 92	0 881 92	0 880 80 + 0 880 83					0 880 47
SOCKETS IN VERTICAL POSITION			69 - 90⁽¹⁾ mm	72 - 110 mm	68 - 125 mm	110 - 170 mm	150 - 250 mm			
	8 (2 x 4) modules	0 807 12	0 880 90	0 881 90	0 880 80 + 0 880 81	+	0 880 88 + 0 880 86	+	0 880 88	0 880 15
	12 (2 x 6) modules	0 807 13	0 880 91	0 881 91	0 880 80 + 0 880 82					0 880 16
	16 (2 x 8) modules	0 807 14	0 880 92	0 881 92	0 880 80 + 0 880 83					0 880 17
	8 (2 x 4) modules	0 807 30	0 880 90	0 881 90	0 880 80 + 0 880 81	+	0 880 88 + 0 880 86	+	0 880 88	0 880 45
	12 (2 x 6) modules	0 807 31	0 880 91	0 881 91	0 880 80 + 0 880 82					0 880 46
	16 (2 x 8) modules	0 807 32	0 880 92	0 881 92	0 880 80 + 0 880 83					0 880 47

1: From 90 mm to 200 mm with the fixing kit for elevating and leveling Cat.No 0 807 55
2: Minimum dimensions when used with straight plugs









Floor Box


**Effortless Access.
Seamless Installation.**

- Power and data access closer to the user for maximum convenience
- Quick and easy installation with snap-in design
- Minimal tools required for faster, hassle-free setup

Frame and Lid Floor Boxes for Concrete Floor Selection Chart


FLOOR BOX TYPE	FLOOR BOX CAPACITY	FLOOR BOX CAT.NOS	BACKBOX TO SELECT ACCORDING TO CONCRETE SCREED DEPTH				FINISHING PLATES (OPTIONAL)		
									
SOCKETS IN HORIZONTAL POSITION			89 - 90⁽¹⁾⁽²⁾ mm	88 - 122⁽²⁾ mm	110 - 170 mm	150 - 250 mm			
	12 (3 x 4) modules	0 807 45	0 880 90	0 880 80 + 0 880 81	+	0 880 88 + 0 880 86 + 0 881 42	+	0 880 88	0 881 45
	18 (3 x 6) modules	0 807 46	0 880 91	0 880 80 + 0 880 82				0 881 46	
	24 (3 x 8) modules	0 807 47	0 880 92	0 880 80 + 0 880 83				0 881 47	
SOCKETS IN VERTICAL POSITION			82 - 90⁽¹⁾ mm	81 - 122 mm	110 - 170 mm	150 - 250 mm			
	8 (2 x 4) modules	0 807 48	0 880 90	0 880 80 + 0 880 81	+	0 880 88 + 0 880 86 + 0 881 42	+	0 880 88	0 881 45
	12 (2 x 6) modules	0 807 49	0 880 91	0 880 80 + 0 880 82				0 881 46	
	16 (2 x 8) modules	0 807 50	0 880 92	0 880 80 + 0 880 83				0 881 47	

Mounting Principle




Floor box with sockets in horizontal position

=




Type : Standard
Frame :
Horizontal Lid :
Plastic Grey

OR




Type : Standard
Frame :
Horizontal Lid :
SS Finish

OR




Type : Flush
Frame :
Horizontal Lid :
SS Finish

+




Regular
Back Box

OR




Box (Plastic)
(Not compatible
with Flush type
Lid)

OR




Universal
adjustable Back
Box

+




Arteor
Accessories




Floor box with sockets in vertical position

=




Type : Standard
Frame : Vertical
Lid : Plastic Grey

OR




Type : Standard
Frame : Vertical
Lid : SS
Finish

OR




Type : Flush
Frame : Vertical
Lid : SS
Finish

+




Regular
Back Box

OR




Box (Plastic)
(Not compatible
with Flush type
Lid)

OR



Universal
adjustable
Back Box

+



Arteor
Accessories

DLP™

Universal & Snap-On Trunking Essentials




DLP™ Trunking is a cable management solution designed for power and data distribution in electrical installations. Compliant with EN 50085-2-1, it supports structured cable routing while accommodating mechanisms such as Arteor.

Features

- Flexible system to adapt to every kind of wall-building configuration
- A new aesthetics, colour : RAL 9003 brilliant white
- A RoHS product = lead free product.
- High resistance against UV to limit the change of the colour during the life of the installation
- Non-Flame Propagating; material : high impact self-extinguishing

Benefits

- Simplifies installation with snap-on covers and clip-on accessories
- Provides flexible cable routing and easy system expansion
- Supports organized separation of power and data circuits
- Ensures durable performance with impact-resistant




Scan to know more about
the product.

*This is a design-and-build product. Design support can be provided as required.
Pricing is available upon request and is not included in this price list.

DLP™ Mini-Trunking

Flexible and Aesthetic Cable Management Solution




DLP™ Mini-Trunking offers a practical solution for organized cable routing, protection, and distribution in electrical installations. Its modular design enables neat cable management while supporting easy integration of wiring accessories across residential, commercial, and service environments.

Features

- Flexible system to adapt to every kind of wall-building configuration
- A new aesthetics, colour : RAL 9003 brilliant white
- A RoHS product = lead free product.
- High resistance against UV to limit the change of the colour during the life of the installation
- Non-Flame Propagating; material : high impact self-extinguishing

Benefits

- Simplifies installation with clip-on assembly and easy maintenance access
- Ensures organized cable routing with safe separation of circuits
- Provides durable protection with IP40 enclosure and IK07 impact resistance
- Delivers a clean aesthetic finish suitable for visible installations



*This is a design-and-build product. Design support can be provided as required. Pricing is available upon request and is not included in this price list.

Scan to know more about
the product.




Snap-on Trunking (Premium) Routing Sections & Accessories


TRUNKING			TRUNKING		
Number of compartments	Cover width	Cross-section (mm)	Monobloc: body + cover ⁽¹⁾	Divider	Fishplate body joint
SNAP-ON TRUNKING - 45 mm cover					
	45	50 x 80	○ 0756 01	0756 09	0756 61
	45	50 x 105	0756 02	0756 09	0756 62
	45 45	50 x 130	0756 03	-	0756 61
	45 45	50 x 145	0756 04	-	0756 63
	45 45 45	50 x 180	0756 06	-	0756 61

1: Partition(s) integral to the body
2: Internal and external corner angles supplied with multi-compartment partition joint


Mechanisms for Snap-On Trunking

Mounting Functions	
<p>The Arteor sockets to be fitted with Soluclip accessory which has following features:</p> <ul style="list-style-type: none"> - Anti-slip - Anti-pullout - IP 4X - Perfect finish 	 <p>0756 90</p>


Installation Principle for Sockets For Snap-On Trunking




Installation Principle for Arteor Functions




AND ACCESSORIES			ANGLES			JUNCTIONS				ACCESSORIES
Stick-on body joint	Cover joint	End cap	Internal angles ⁽²⁾	External angles	Flat angles	Flat junctions with width 80 mm	Flat junctions with width 105 mm	Angled junctions 85/105/130 mm	Junction with floor duct 50 x 12/92 x 20	Extra cover
0756 66	0756 69	0756 11	0756 21	0756 31	0756 41	0756 71	-	0756 81 + 0756 21	0756 88	0756 08
0756 67	0756 69	0756 12	0756 22	0756 32	0756 42	0756 72	0756 76	0756 81 + 0756 22	0756 88	0756 08
0756 66	2 x 0756 69	0756 13	0756 23	0756 33	0756 43	0756 71	0756 75	0756 81 + 0756 23	0756 88	0756 08
① 0756 66 + ② 0756 67	2 x 0756 69	0756 14	0756 24	0756 34	0756 44	① 0756 71 + ② 0756 72	① 0756 75 + ② 0756 76	0756 81 + 0756 24	0756 88	0756 08
0756 66	3 x 0756 69	0756 16	0756 26	0756 36	0756 46	0756 71	0756 75	0756 81 + 0756 26	0756 88	0756 08




3 Disengage the finishing piece




4 Rotate the finishing piece by 180°




5 Snap on the finishing piece




6 An impeccable result




3 Disengage the finishing piece



4 Rotate the finishing piece by 180°



5 Snap on the finishing piece



6 An impeccable result

DLP PVC Universal Adaptable Trunking Systems for Installations

Base, Covers, Partitions, Finishing Accessories & Mounting Wiring Accessories

Selection Chart for Installation Of Trunking, Accessories And Arteor™

Trunking			Covers		Clip on partition		Arteor™ frames				
Number of compartments	Cover(s) width	Section (mm)									
			Flexible	Partitions separation	Plastic	Aluminium	1 module	2 module	3 module	4 module	6 module
0104 12	1 1 x 65 	80 x 50	0105 21	0105 82	-	-	-	0109 52	0109 53	0109 54	0109 56
0104 22	1 1 x 85 	105 x 50	0105 22	0105 82	-	-	-	0109 92	0109 93	0109 94	0109 96
	2 2 x 40 		0105 20	0105 82	0104 72	0111 06	0109 10	-	-	-	-
0104 32	1 1 x 130 	150 x 50	0105 24	0105 82	-	-	-	-	-	-	-
	2 2 x 65 		0105 21	0105 82	0104 72	0111 06	-	0109 52	0109 53	0109 54	0109 56
	2 1 x 40 + 1 x 85 		0105 20 + 0105 22	0105 82	0104 72	0111 06	0109 10	0109 92	0109 93	0109 94	0109 96
	3 3 x 40 		0105 20	0105 82	0104 72 x 2	0111 06 x 2	0109 10	-	-	-	-
0104 52	1 1 x 180 	195 x 50	0105 26	0105 82	-	-	-	-	-	-	-
	2 2 x 85 		0105 22	0105 82	0104 72	0111 06	-	0109 92	0109 93	0109 94	0109 96
	2 1 x 40 + 1 x 130 			0105 82	0104 72	0111 06	0109 10	-	-	-	-
	3 1 x 85 + 2 x 40 			0105 82	0104 72 x 2	0111 06 x 2	0109 10	0109 92	0109 93	0109 94	0109 62
	3 1 x 40 + 2 x 65 			0105 82	0104 72 x 2	0111 06 x 2	0109 10	0109 52	0109 53	0109 54	0109 56
	4 4 x 40 			0105 20	0105 82	0104 72 x 3	0111 06 x 3	0109 10	-	-	-

Selection Chart for Installation Trunking, Accessories And Arteor™

Section (mm)	Wall crossing 	Capacity change 	Partition junction 	Cable tie base 	Insulating unit for Arteor™ modules 	Earth Link
					2 Module Combined to get 4/6 Module	
80 x 50 / 105 x 50	0106 98	0106 87 + 0106 88 + 0106 89 (to be used for partition)	0106 89	0308 81	0109 27	0111 88
150 x 50 / 195 x 50	0106 99					

Selection Chart for Installation Of Trunking, Additional Accessories

Cover	Bases		Internal angles 80° - 100°			External angles 60° - 120°			Flat angles		Flat junction			
Joint for covers	Base joint	End caps	Angles	Partition junction	VDI access.	Angles	Partition junction	VDI access.	Angles	VDI access.	Angles	Partition junction	VDI access.	Clips
0108 01	0106 91	0107 22	0106 02	-	0107 80	0106 22	-	0107 81	0107 67	0107 82	0107 32	-	0107 83	0106 82
0108 02	0106 91	0107 02	0106 02	-	0107 80	0106 22	-	0107 81	0107 85	0107 82	0107 32	-	0107 83	0106 82
0108 00	0106 91	0107 02	0106 02	0106 11	-	0106 22	0106 32	-	-	-	0107 32	0107 42	-	0106 82
0108 04	0106 91	0107 03	0106 02	-	-	0106 22	-	-	0107 89	-	0107 32	-	-	0106 86
0108 01	0106 91	0107 03	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 89	0107 82	0107 32	0107 42	0107 83	0106 82
0108 02	0106 91	0107 03	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 89	0107 82	0107 32	0107 42	0107 83	0106 82
0108 00	0106 91	0107 03	0106 02	0106 11 x 2	-	0106 22	0106 32 x 2	-	0107 89	-	0107 32	0107 42	-	0106 82
0108 06	0106 91	0107 07	0106 02	-	-	0106 22	-	-	0107 92	-	0107 32	-	-	0106 86
0108 02	0106 91	0107 07	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
	0106 91	0107 07	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	
	0106 91	0107 07	0106 02	0106 11 x 2	0107 80	0106 22	0106 32 x 2	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
	0106 91	0107 07	0106 02	0106 11 x 2	0107 80	0106 22	0106 32 x 2	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
0108 00	0106 91	0107 07	0106 02	0106 11 x 3	-	0106 22	0106 32 x 3	-	0107 92	-	0107 32	0107 42	-	0106 82

DLP mini trunking systems







For Cable Distribution





Selection Chart for Dlp Mini Trunking

	Length	Finishing Accessories				Junction Elements	
WHITE	2 m						
		End cap	Internal angle	External angle	Flat angle	Flat junction	
32 x 12.5		0300 15	0312 03	0302 51	0302 51	0302 53	0302 54
32 x 16		0308 04	0312 07	0333 25	0333 25	0333 27	0333 30
32 x 20		0300 17	0312 09	0302 71	0302 71	0302 73	0302 74

DLP Aluminium Universal Trunking System

Selection Chart of Sections, Covers & Accessories
 Selection Chart of Support for Wiring Accessories

TRUNKING AND ACCESSORIES										
Width (mm)	Nos. of compartments	Covers width	Cat. nos.	Rigid covers 				 Cover Joint	 Trunking Base Joint	
				65 mm width	85 mm width	130 mm width	180 mm width			
105 x 50	1 	1 x 85	111 00	-	0111 11	-	-	0111 63	0111 66	
150 x 50	2 	2 x 65	0111 02	2 x 0111 10	-	-	-	0111 62	0111 66	
195 x 50	2 	2 x 85	0111 04	-	2 x 0111 11	-	-	0111 63	0111 66	

SUPPORT FOR WIRING ACCESSORIES		
60 mm fixing centers : Arteor™	Cover depths	
No of module	65 mm	85 mm
2 modules 	0112 02	0112 12
3 modules 	0112 03	0112 13
4 modules 	0112 04	0112 14
6 modules 	0112 06	0112 16

Insulation resistance : the entire DLP range, including accessories, have insulation resistance above 5 Megaohms

DLP TRUNKING SYSTEM ALUMINIUM

with Aluminium Adaptable DLP Trunking,
 Get Better Styling Too !



SELECTION CHART OF ACCESSORIES (continued)


Dividers		End cap	Internal angles	External angles	Flat angles	Junction Flat junction*	Clips	Earth link
Clip-on partition	Separation partition							
-	0111 08	0111 58	0112 21	0112 32	0112 43	0112 51	0106 82	0111 88
0111 06	0111 08	0111 60	0112 27	0112 38	0112 45	0112 51	0106 82	0111 88
0111 06	0111 08	0111 61	0112 29	0112 40	0112 47	0112 51	0106 82	0111 88

(1) To be used with angle covers. (2) To be used with rigid covers

TABLE OF CAPACITIES

	Crosssection (mm ²) Max. Ø (mm ²)	105 x 50	150 x 50		195 x 50	
		cover 85	cover 65	cover 65	cover 85	cover 85
Trunking only	Cross-section	4330	3020	3020	5350	5350
	Max. Ø	28	43	43	55	55
With Arteor™ / support	Cross-section	2300	1470	1470	3320	3320
	Max. Ø	2 x 24	18	18	33	33


*To tap off 105 mm wide trunking with 85 mm cover




SAVE TIME

- Flexibility : multi-covers
- Removable separation
- Angles delivered pre-cut, ready to use
- Fast fixing device support
- Uniform colours for the entire installation
- Arteor™ wiring accessories go with aluminium adaptable DLP trunking

DLP Snap-On (Premium)



0756 01



0756 02



0756 09



0756 08



0756 61



0756 66



0756 69



0756 11



0105 80



0756 90



0756 21



0756 31



0756 41

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Dlp Snap-On

0756 01	TRK 50X80 1CV45 White 2M	1650	20 ⁽¹⁾
0756 02	TRK 50X105 1CV45 White 2M	2101	12 ⁽¹⁾
0756 03	TRK 50X130 2CV45 White 2M	2892	12 ⁽¹⁾
0756 04	TRK 50X145 2CV45 White 2M	3741	8 ⁽¹⁾
0756 06	TRK 50X180 3CV45 White 2M	4113	8 ⁽¹⁾

Divider

0756 09	Separation Part TRK	384	26 ⁽¹⁾
---------	---------------------	-----	-------------------

Extra Cover

0756 08	Flexible CV45 TRK	645	20 ⁽¹⁾
---------	-------------------	-----	-------------------

Joints

Fishplate Body Joint

0756 61	Coupling Set 50X80/130/180	576	10
0756 62	Coupling Set 50X105	768	10
0756 63	Coupling Set 50X145	840	10

Stick-On Body Joint

0756 66	Body Joint 50X80/130/145/180	373	20
0756 67	Body Joint 50X105/145	452	20

Cover Joint

0756 69	45 Cover Joint TRK	203	10
---------	--------------------	-----	----

End Caps

0756 11	End Cap TRK 50X80	360	10
0756 12	End Cap TRK 50X105	420	10
0756 13	End Cap TRK 50X130	565	5
0756 14	End Cap TRK 50X145	612	5
0756 16	End Cap TRK 50X180	632	5

Height Spacer

0105 80	Height Spacer Charcol Grey	848	24 ⁽¹⁾
---------	----------------------------	-----	-------------------

Soluclip Accessory

Fishplate Body Joint

0756 90	Soluclip TRK	325	10
---------	--------------	-----	----

Angles

Internal Angles

0756 21	Inter Angle TRK 50X80	768	10
0756 22	Inter Angle TRK 50X105	1074	10
0756 23	Inter Angle TRK 50X130	1808	5
0756 24	Inter Angle TRK 50X145	2904	5
0756 26	Inter Angle TRK 50X180	2577	5

External Angles

0756 31	Exter Angle TRK 50X80	1615	10
0756 32	Exter Angle TRK 50X105	2463	10
0756 33	Exter Angle TRK 50X130	3345	5
0756 34	Exter Angle TRK 50X145	3944	5
0756 36	Exter Angle TRK 50X180	4679	5

Flat Angles

0756 41	Flat Angle TRK 50X80	938	10
0756 42	Flat Angle TRK 50X105	1231	10
0756 43	Flat Angle TRK 50X130	2463	5
0756 44	Flat Angle TRK 50X145	2870	5
0756 46	Flat Angle TRK 50X180	4621	5

DLP

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Junctions

Flat Junctions with 80 mm width

0756 71	Flat Junct Side 17 >50X80	1288	5
0756 72	Flat Junct Side 29 >50X80	1288	5

For 105 mm wide Upward Trunking

0756 75	Flat Junct Side 17 >50X105	1266	5
0756 76	Flat Junct Side 29 >50X105	1379	5

Angled Junction

Must be used in conjunction with an internal angle

0756 81	Angled Function >50X80/105/130	2848	5
---------	--------------------------------	------	---

Junction with Floor Duct

0756 88	Floor Junction >50X12/92X20	1503	5
---------	-----------------------------	------	---

DLP Mini Trunking

Mini-trunking system
Standard length 2 meters; Price per meter
Mini-trunking - 32 x 12.5 mm

0300 15	Mini TRK 32X125 White	202	80 ⁽¹⁾
---------	-----------------------	-----	-------------------

Finishing Accessories

0312 03	End Cap For 32X125	112	20/400
0302 51	Int/Ext Angle For 32X125	154	10/100
0302 53	Flat Angle For 32X125	166	10/100
0302 54	Flat Junction For 32X125	217	10/200
0336 03	White 32X10/125 Cover Gasket	218	20

Mini-Trunking - 32 x 16 mm

0308 04	Mini TRK 32X16 White	210	269	60 ⁽¹⁾
---------	----------------------	-----	-----	-------------------

Finishing Accessories

0312 07	End Cap For 32X16	163	10
0333 25	Int/Ext Angle For 32X16	217	10
0333 27	Flat Angle For 32X16	179	10
0333 30	Flat Junction For 32X16	409	10
0336 04	White 32X16/20 Cover Gasket	315	20

Mini-Trunking - 32 x 20 mm

0300 17	Mini TRK 32X20 White	210	352	50 ⁽¹⁾
---------	----------------------	-----	-----	-------------------

Finishing Accessories

0312 09	End Cap For 32X20	234	10
0302 71	Int/Ext Angle For 32X20	217	10
0302 73	Flat Angle For 32X20	272	10
0302 74	Flat Junction For 32X20	459	10
0336 04	White 32X16/20 Cover Gasket	315	20

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DLP PVC Universal Trunking

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Standard length 2 meters; Price per meter Trunking

Bodies

Supplied without cover

0104 12	Plastic TRK 80x50	994	20 ⁽¹⁾
0104 22	Plastic TRK 105x50	1243	20 ⁽¹⁾
0104 32	Plastic TRK 150X50	2113	10 ⁽¹⁾
0104 52	Plastic TRK 195X50	2915	8 ⁽¹⁾

Flexible Cover

Fits onto the whole branch including in internal or external angles

0105 20	Flexible Cover 40 Width	552	20 ⁽¹⁾
0105 21	Flexible Cover 65 Width	580	24 ⁽¹⁾
0105 22	Flexible Cover 85 Width	626	20 ⁽¹⁾
0105 24	Flexible Cover 130 Width	1209	8
0105 26	Flexible Cover 180 Width	1582	8 ⁽¹⁾

Partitions

0105 82	Separation Partitions	328	24 ⁽¹⁾
0104 72	Clip On Partitions	486	48 ⁽¹⁾
0111 06	Aluminium Clip On Partition	2520	12 ⁽¹⁾

Joints

0106 91	Base Joint	113	20/200
0108 00	Joint For 40 Width Cover	237	10/100
0108 01	Joint For 65 Width Cover	267	10/100
0108 02	Joint For 85 Width Cover	294	10/100
0108 04	Joint For 130 Width Cover	520	10/100
0108 06	Joint For 180 Width Cover	602	10/100

Angles and end caps

Internal and External Angles

Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted

0106 02	Int Angle Adj Frm 80 Deg	724	10/40
0106 22	Ext Angle Adj Frm 60 Deg	723	10/50

Flat Angle

0107 67	Flat Angle TRK 80X50	1028	10
0107 85	Flat Angle TRK 105X50	1074	10
0107 89	Flat Angle TRK 150X50	3571	5
0107 92	Flat Angle for 195X50	4577	2

End Cap

0107 02	End Cap TRK 105x50	322	20/100
0107 07	End Cap TRK 195X50	610	5/50
0107 22	End Cap TRK 80X50	294	10
0107 03	End Cap TRK 150x50	582	10/50

Junctions

0107 32	Flat Junc. Tap-off to 50mm wide profile	1333	10
0107 35	Flat Junc. Tap-off to 80mm wide profile	780	5
0107 36	Flat Junc. Tap-off to 105 wide profile with 85mm cover	768	5/25
0107 37	Flat Junc. Tap-off to 105 wide profile with 65mm cover	768	5/25

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

DLP PVC Universal Trunking

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Accessories

Holding Cables in Place

0106 82	Clips For40/65/85 Widthcover	101	50
0106 86	Clips For 130 Width Cover	169	50

VDI Accessories

0107 80	VDI Acc For Int Angle	1152	5/50
0107 81	VDI Acc For Flat Ext Angle	1243	5/50
0107 82	VDI Acc For Flat Angle	1322	5/50
0107 83	VDI Acc For Flat Junction	1593	5/50

Additional Accessories

0106 98	Wall Crossing for 80/105 x 50	1288	5/25
0106 99	Wall Crossing for 150/195 x 50	1333	5/25
0308 81	Cable Ties Base	46	100/1000
0111 88	Earth Link	485	20/500

Capacity Change

Allows to increase 15 mm height of trunking to preserve the space of wiring with a flat junction or a support equipment

0106 87	Capacity Change	441	40
0106 88	Capacity Change Set of 4	566	10/100
0106 89	Partition Junction for capacity change	565	5/50

Supports for Mounting Wiring Accessories

Arteor™ supports

To be equipped with Arteor socket outlets
Clip-on supports which can be fitted side by side
Supplied with finishing plate

0109 10	1M Frame For 40 Cover	480	5/50
0109 52	2M Frame For 65 Cover	506	20
0109 92	2M Frame For 85 Cover	506	20
0109 53	3M Frame For 65 Cover	544	5/50
0109 93	3M Frame For 85 Cover	561	5/50
0109 54	4M Frame For 65 Cover	576	10/50
0109 94	4M Frame For 85 Cover	592	20
0109 56	6M Frame For 65 Cover	444	5/25
0109 96	6M Frame For 85 Cover	630	10
0109 27	Insu Unit 2M To Create 4/6/8M	452	10/100

Legrand Lexic supports

0109 25	Lex Supp For 2M For DLP 65	1570	5
0109 35	Lex Supp For 3M For DLP 85	1853	5
0109 65	Lex Supp 8M For DLP 130	2090	5
0109 00	Hypra Skt Supp For 130 Cove	3029	5

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DLP-S Universal Trunking

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Standard length 2 meters; Price per meter
Trunking

Body with cover

6380 38	DLP-S TRK+CVR 100X502M	1435	12 ⁽¹⁾
---------	------------------------	------	-------------------

Partition

6380 08	DLP-S Separation Partition	336	32 ⁽¹⁾
---------	----------------------------	-----	-------------------

Joints

6380 36	DLP-S Body Joint 100X50	160	10
6380 01	DLP-S Cover Joint 75	237	50

Angles and end caps

Variable angles

6380 31	DLP-S Variable Int Angle 100X50	700	10
6380 32	DLP-S Variable Ext Angle 100X50	700	10

Fixed angles

6380 11	DLP-S Int Angle For 100X50	362	20
6380 12	DLP-S Ext Angle For 100X50	372	20

Flat angle

6380 13	DLP-S Flat Angle For 100X50	803	16
---------	-----------------------------	-----	----

End cap

6380 35	DLP-S End Cap 100X50	204	20
---------	----------------------	-----	----

Bracket

6380 05	DLP-S Bracket CV80	169	10/100
---------	--------------------	-----	--------

Junction

6380 34	DLP-S Tee 100X50	1763	5
---------	------------------	------	---

Supports for Mounting Wiring Accessories

Arteor™ & Myrius supports

Clip-on supports which can be fitted side by side
Supplied with finishing plate

6380 71	DLP-S 2 Modules Frame	440	10
6380 72	DLP-S 4 Modules Frame	640	5
6380 73	DLP-S 6 Modules Frame	759	5

DLP Aluminium Universal Trunking

0111 00	Aluminium TRK 105X50,W/O Cove	6520	8 ⁽¹⁾
0111 02	Aluminium TRK 150 X 50	8226	4 ⁽¹⁾
0111 04	Aluminium TRK 195 X 50	11942	4 ⁽¹⁾

Cover & Partition

0111 10	Aluminium TRK Flexible Cover 65	1638	16 ⁽¹⁾
0111 11	Aluminium Cover 85 Width	2147	16 ⁽¹⁾
0111 08	Separation Partition	1130	24 ⁽¹⁾
0111 06	Aluminium Clip On Partition	2520	12 ⁽¹⁾

Finishing Accessories

0111 66	TRK Body Joint	476	20/100
0111 62	Cover Joint 65mm	531	10
0111 63	Cover Joint 85mm	700	10/100

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

DLP Aluminium Universal Trunking

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Finishing Accessories

0111 58	End Cap For AI 105X50	1164	20/100
0111 60	End Cap For AI 150X50	2486	10
0111 61	End Cap For AI 195X50	2949	10
0112 43	Flat Angle For 105x50	10000	10
0112 45	Flat Angle For 150x50	16837	5
0112 47	Flat Angle For 195x50	17368	2
0112 32	Ext Angle 50x105 1 Cov85	12463	1
0112 38	Ext Angle 50X150 2 Cov65	25809	1
0112 40	Ext Angle 50X195 2 Cov85	26950	1
0112 21	Int Angle 50x105 1 Cov85	11209	1
0112 27	Int Angle 50X150 2 Cov65	25629	1
0112 29	Int Angle 50X195 2 Cov85	26770	1
0112 51	Flat Junction	13571	5

Supports for Arteor™ for Cover 85 mm width

To be equipped with Arteor socket outlets

0112 12	2 Arteor Module Frame	814	20
0112 13	3 Arteor Module Frame	950	20
0112 14	4 Arteor Module Frame	949	20
0112 16	6 Module Arteor Frame For DLP	2260	10

Supports for Arteor™ for Cover 65 mm width

To be equipped with Arteor socket outlets

0112 02	2 Module Arteor Frame For 65	734	20
0112 03	3 Module Arteor Frame	904	20
0112 04	4 Module Arteor Frame	938	20
0112 06	6 Module Arteor Frame	1107	10

Cabling Accessories

0106 82	Clips For 40/65/85+Cover	101	50
0111 88	Earth Link	485	20
0308 81	Cable Ties Base	46	100

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Aluminum Snap-on Column

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

2 Compartments Mini - Columns

6530 23	Mini Column 2 Cpts 0.68M White	17281	1
6530 24	Mini Column 2 Cpts 0.68M Al	24409	1

Accessories for 1 or 2 Compartments Mini- Columns

6530 84	Table For Mini Column White	47795	1
6530 86	Foot For Mini Column White	31526	1
6530 87	Foot For Mini Column Aluminium	33154	1
6530 88	4 Wheels With Cable Holder	21758	1

Fixing Clip

6038 57	Fixing Clip Wh	373	10
6038 58	Fixing Clip Al	1039	10

1 Compartment - 2 Sides Columns

White Finish

6530 10	Snap On Column 1 Cpt 270M White	45364	1
6530 13	Snap On Column 1 Cpt 390M White	58366	1

Aluminium Finish

6530 11	Snap On Column 1 Cpt 270M Aluminium	52877	1
6530 14	Snap On Column 1 Cpt 390M Aluminium	66506	1

2 compartments columns

White Finish

6530 30	Snap On Column 2 Cpts 270M White	43934	1
6530 33	Snap On Column 2 Cpts 390M White	56749	1

Aluminium Finish

6530 31	Snap On Column 2 Cpts 270M Aluminium	58982	1
6530 34	Snap On Column 2 Cpts 390M Aluminium	76263	1

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Accessories for 1 or 2 compartments

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Finishing Kit for Telescopic Pole for 1 or 2 Compartments Columns

6530 66	White Finishing Kit For Column	3047	1
6530 67	Gr Finishing Kit For Column	3256	1

Fixing Clip

6038 57	Fixing Clip Wh	373	10
6038 58	Fixing Clip Al	1039	10

Snap-On Columns & Mini-Columns:

The natural choice with Arteor wiring accessories



6530 24



Assembled Mini-column with Arteor WDs, Table, movable foot & set of 4 wheels



6530 11



6530 31