



**HAVELLS**



*She sees, a corner office with her name.*

**Delight in every light!**



**PROFESSIONAL  
LUMINAIRES**

PRICE LIST  
w.e.f. 1st May 2025

# ABOUT US

## Redefining the modern homes with innovation and excellence

Havells is at the forefront of transforming modern living spaces by offering innovative solutions that elevate everyday experiences. With a deep understanding of consumer needs, the company has expanded its footprint across every aspect of home life, creating environment that are not only functional but also comfortable, stylish, and future-ready. To make these solutions accessible, Havells leverages an extensive distribution network encompassing 18,000 dealers, over 1,000 exclusive brand stores, intensifying presence in modern retail, e-commerce and quick commerce.

The company's portfolio includes power brands like Havells, Havells Crabtree, Lloyd, REO, Havells Studio, and Standard each designed to cater to the unique demands of today's consumers.

Anchored in the 'Make in India' initiative, Havells operates 16 cutting-edge manufacturing facilities across India, producing 90% of its products in-house. At the forefront of Havells product evolution lies its Customer Experience & Designs (CXD) Studio, where creativity and user-centric design converge. This is complemented by its Centre for Research & Innovation (CRI), supported by four advanced R&D centres, enabling Havells to consistently deliver products that are both functional and visually compelling.

Driven by a commitment to innovation, quality, and design, the company also upholds sustainable practices throughout its operations, including eco-friendly manufacturing processes and energy-efficient product design, contributing to a greener and more sustainable future.



CORPORATE OFFICE, NOIDA




State-of-the-Art Manufacturing Unit



Industry 4.0 Process



Center For Research & Innovation



Customer Experience & Design



**16** Manufacturing Units

**~18000** Strong Dealer Network

**4** Research Centres

**48** Offices

**HAVELLS** | **LLOYD** | **HAVELLS**  | **HAVELLS** **STUDIO** | **PEO** | **STANDARD**

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: [sales@indersonsindia.com](mailto:sales@indersonsindia.com)

# CERTIFICATION




Havells lighting plant in Neemrana is spread over 1,21,405.69 m<sup>2</sup> of land with over 18,580.60 m<sup>2</sup> of working space under a single roof. The plant has been made keeping in mind the global markets of Europe, US and the Middle East. Setting new benchmarks in the industry, this Havells plant will help bridge the technological divide between Europe and India when it comes to manufacturing high-end lighting luminaries.


Japanese flexible CNC controlled steel fabrication process for the accuracy in sheet punching & bending Italian robotised box bending machines to design complex enclosure shapes without human intervention Automated powder coating paint shop to minimize wastage & fast colour change Eco-friendly zero discharge plant Parabolic rolling machine for replicating complex and accurate forms and shapes Flexible assembly line Modern laboratories.

Building customer confidence by providing a wide range of quality products and service through team work

# HAVELLS CONNECTED LIGHTING SOLUTION



# HAVELLS CONNECTED LIGHTING SOLUTION



## Functions :

- Human Centric Lighting-Circadian rhythm / mood lighting
- Soft ON-OFF / Dynamic Dimming / Dynamic & Preset CCT Change ( Soft Transition) Sleep Mode 10% at Neutral White
- Performance, visual activities and energy saving sustainability.
- Day Light Harvesting
- Logical Grouping to Separate Lighting policies for Meeting Room, Cabins and Sitting Area

## Technology Platform:


- Occupancy sensor based control
- Wired based control – DALI System
- Wireless control – RF System

## Accessibility:


- Web based dashboard
- Remote based control
- In-Premise as well as Cloud Based Control

# HAVELLS CONNECTED LIGHTING SOLUTION


**Individual light Control, Monitoring & Dimming**



**Group Control & Group Dimming**



**Group Control**



# INDEX

## PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



### Indoor Architectural LED Luminaires

Impressions Range 14-21



### Indoor Commercial LED Luminaires

Panel Lighting 24-31  
Downlight 32-40  
Batten 41-47  
LED Strips. 48-49

### ACCENT Lighting Range Luminaires

Accent Lighting Downlight 52-57



# INDEX

## PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



### Industrial LED Luminaires

|   |       |
|---|-------|
| Highbay Lighting / Well Glass / Bulk Head | 60-62 |
| Weather Proof / Clean Room Lights         | 63-64 |




### Outdoor LED Luminaires

|                        |       |
|------------------------|-------|
| Street Lights          | 66-69 |
| Canopy Fixture         | 70-70 |
| Flood Lights           | 71-74 |
| Landscape Lights       | 74-81 |
| Solar Landscape Lights | 82-83 |
| Solar Street Lights    | 84-84 |
| Colorscape Lights      | 85-88 |




# PRODUCT CODE



## EXAMPLES:

| PRODUCT NAME                             | TYPE | MOUNTING | WATTAGE | LED | CCT   |
|--|------|----------|---------|-----|-------|
| <b>BAYBRITESAUCERHB200WLED757WBTOLTG</b> |      |          |         |     |       |
| BAYBRITESAUCER                           | HB   | P        | 200 W   | LED | 757 K |
| <b>ENDURPEARLSL15WLED757SASYTOPC</b>     |      |          |         |     |       |
| ENDURPEARL                               | SL   | -        | 15 W    | LED | 757 K |
| <b>VENUSNEOHE2X2PLR18-42WLED857MOD</b>   |      |          |         |     |       |
| VENUSNEOHE2X2                            | PL   | R        | 34 W    | LED | 857 K |

# NOMENCLATURE



| DRIVER | BEAM | DRIVER COMPARTMENT | TYPE OF DIFFUSER | FINISH |
|--------|------|--------------------|------------------|--------|
| -      | WB   | TO                 | LTG              | -      |
| S      | ASY  | TO                 | PC               | -      |
| S      | -    | -                  | -                | -      |



# Indoor Architectural LED Luminaires

Impressions Range by Havells offers an array of ambient and task lighting options that encourage creative freedom and also facilitates a comfortable work environment. Choose from a variety of suspended and floor standing office luminaires offering- ultimate glare comfort measuring UGR as low as 6, special micro reflector optics to meet LEED and WELL building standards, on board occupancy sensor/ photo sensor/ dimming control, separate control of direct and indirect light thus offering a perfect combo of task and ambient lighting, compatibility with DALI/ 0-10V/ POE/ wireless standards, color tunability improving circadian rhythm and breathtaking aesthetics. It's a comprehensive lighting solution with options that complement your office interiors and create an ambience that spells increased productivity and happiness.

## LILAC LINEAR PENDENT DOWN LIGHT

LILAC LED introduces a uniquely clean, simple lighting system offering continuous, uniform lines of light across walls and ceilings. The minimal design offers a total-light effect providing outstanding visual comfort with reductions in luminance levels. The numerous installation types meet the needs of the most demanding lighting designers and make LILAC the perfect solution for spaces of every shape. UGR<16.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| LILAC53LP/S25WLED840SWH1120  | 9405     | 18000.00                              | 2 N                    |
| LILAC53LP/S25WLED857SWH1120  | 9405     | 18000.00                              | 2 N                    |
| LILAC53LP/S25WLED840SBLK1120 | 9405     | 18000.00                              | 2 N                    |
| LILAC53LP/S25WLED857SBLK1120 | 9405     | 18000.00                              | 2 N                    |
| LILAC53LP/S36WLED840SWH1120  | 9405     | 19000.00                              | 2 N                    |
| LILAC53LP/S36WLED857SWH1120  | 9405     | 19000.00                              | 2 N                    |
| LILAC53LP/S36WLED840SBLK1120 | 9405     | 19000.00                              | 2 N                    |
| LILAC53LP/S36WLED857SBLK1120 | 9405     | 19000.00                              | 2 N                    |

Fixture size: (LxWxH) in (1130x53x75) mm.  
 Joining Kit : LSSLOX0835 JKITLILAC53P/S; Endcap : LSSLOW0640 LILAC53LP/SENDCAPWHX2 ( all accessories to be ordered separately for continuous installations )  
 Also available in other CCTs and CRI on request



## LILAC LINEAR PENDENT UP-DOWN-LIGHT

LILAC LED introduces a uniquely clean, simple lighting system offering continuous, UP-Down uniform lines of light across walls and ceilings. The minimal design offers a total-light effect providing outstanding visual comfort with reductions in luminance levels. The numerous installation types meet the needs of the most demanding lighting designers and make LILAC the perfect solution for spaces of every shape. UGR<16.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| LILAC53D-IP36WLED840SWH1120  | 9405     | 24000.00                              | 2 N                    |
| LILAC53D-IP36WLED857SWH1120  | 9405     | 24000.00                              | 2 N                    |
| LILAC53D-IP36WLED840SBLK1120 | 9405     | 24000.00                              | 2 N                    |
| LILAC53D-IP36WLED857SBLK1120 | 9405     | 24000.00                              | 2 N                    |

Fixture size: (LxWxH) in (1130x53x75) mm.  
 Joining Kit : LSSLOX0835 JKITLILAC53P/S; Endcap : LSSLOW0640 LILAC53LP/SENDCAPWHX2  
 (Both accessories to be ordered separately)  
 Also available in other CCTs and CRI on request




## RADIANTE D LED

Suspended/ Surface mounted architectural luminaire provides uniquely clean and simple lighting system with soft light and glare free illumination. Available in continuous mounting option, RADIANTE is the ideal solution for every space.

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| RADIANTEDLPS24WLED840 WH1200SD  | 9405     | 5000.00                               | 2 N                    |
| RADIANTEDLPS24WLED857 WH1200SD  | 9405     | 5000.00                               | 2 N                    |
| RADIANTEDLPS24WLED840 BLK1200SD | 9405     | 5000.00                               | 2 N                    |
| RADIANTEDLPS24WLED857 BLK1200SD | 9405     | 5000.00                               | 2 N                    |
| RADIANTELP/S48WLED840WH2400SD   | 9405     | On Request                            | 2 N                    |
| RADIANTELP/S48WLED857WH2400SD   | 9405     | On Request                            | 2 N                    |
| RADIANTEDLP/S48WLED840BLK2400SD | 9405     | On Request                            | 2 N                    |
| RADIANTEDLP/S48WLED857BLK2400SD | 9405     | On Request                            | 2 N                    |

Fixture Size: (WxH) in (53x75)mm  
 \* Available in different length, different RAL shades, CDP diffuser & Dali versions as well on request  
 Also available in other CCTs and CRI on request



# Indoor Architectural LED Luminaires

## IMPRESSIONS


### RADIANTE-DI

Suspended/ Surface mounted architectural luminaire provides uniquely clean and simple lighting system with soft light and glare free illumination. Available in continuous mounting option with Direct- Indirect Light distribution, RADIANTE is the ideal solution for every space.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| RADIANTELP/S24WLED840WH1200SD | 9405     | 8000.00                               | 2 N                    |
| RADIANTELP/S24WLED857WH1200SD | 9405     | 8000.00                               | 2 N                    |
| RADIANTEDILP36WLED857WH1200SD | 9405     | 9000.00                               | 2 N                    |
| RADIANTEDILP36WLED840WH1200SD | 9405     | 9000.00                               | 2 N                    |

Fixture size: (LxWxH) in 24 / 36 W: ( 1200 x 56 x 87 ) mm.

\* Available in different length, different RAL shades, CDP diffuser & Dali versions as well on request  
Also available in other CCTs and CRI on request




### GLIM NXT

GLIM LED introduces a uniquely clean, simple lighting system offering continuous, uniform lines of light across walls and ceilings. The minimal design offers a total-light effect providing outstanding visual comfort with reductions in luminance levels. The numerous installation types meet the needs of the most demanding lighting designers and make GLIM the perfect solution for spaces of every shape.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| GLIMNXTLP/S22WLED840WH1200SD | 9405     | 6100.00                               | 2 N                    |
| GLIMNXTLP/S22WLED857WH1200SD | 9405     | 6100.00                               | 2 N                    |
| GLIMNXTLP/S45WLED840WH2400SD | 9405     | 12000.00                              | 2 N                    |
| GLIMNXTLP/S45WLED857WH2400SD | 9405     | 12000.00                              | 2 N                    |

Fixture Size: (WxH) in (53x75)mm

\* Available in different length, different RAL shades, CDP diffuser & Dali versions as well on request




## DESTELLO PRO

DESTELLO PRO introduces a uniquely clean, simple lighting system offering continuous, uniform lines of light across walls and ceilings. The minimal design offers a total-light effect providing outstanding visual comfort with reductions in luminance levels. The numerous installation types meet the needs of the most demanding lighting designers and make DESTELLO PRO the perfect solution for spaces of every shape.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| DESTPROLP/S22WLED840WH1200SD | 9405     | 6600.00                               | 2 N                    |
| DESTPROLP/S22WLED857WH1200SD | 9405     | 6600.00                               | 2 N                    |

Fixture size: (LxWxH) in ( 1200 x 50 x 70 ) mm.

\* Available in different length, different RAL shades, CDP diffuser & Dali versions as well on request  
Also available in other CCTs and CRI on request




## DESTELLO GENERATION 2 SUSPENDED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded suspended light gives continuous lines of light distribution with the possibility of various shapes (suspension system included).

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| DESTG250LP/S12WLED840SWH565  | 9405     | 6000.00                               | 4 N                    |
| DESTG250LP/S12WLED857SWH565  | 9405     | 6000.00                               | 4 N                    |
| DESTG250LP/S25WLED840SWH1130 | 9405     | 8667.00                               | 4 N                    |
| DESTG250LP/S25WLED857SWH1130 | 9405     | 8667.00                               | 4 N                    |
| DESTG250LP/S36WLED840SWH1130 | 9405     | 9667.00                               | 4 N                    |
| DESTG250LP/S36WLED857SWH1130 | 9405     | 9667.00                               | 4 N                    |
| DESTG250LP/S50WLED840SWH2260 | 9405     | 17333.00                              | 4 N                    |
| DESTG250LP/S50WLED857SWH2260 | 9405     | 17333.00                              | 4 N                    |
| DESTG250LP/SENDCAPBLKX2      | 9405     | 300.00                                | 25 N                   |
| DESTG250LP/SENDCAPOWHX2      | 9405     | 300.00                                | 25 N                   |
| JKITDESTG250P/S              | 9405     | 333.00                                | 25 N                   |
| 3COREMAINSCABLE1.5MTRWH      | 9405     | 333.00                                | 50 N                   |

Fixture size: (LxWxH) in (573x57x85) mm (for 12 W), (1137x57x85) mm (for 25 W, 36 W), (2265x57x85) mm (for 50 W). Joining kit and Mains cable to be ordered separately.

End Cap also need to be ordered separately. Also available in other CCTs and CRI on request



## DESTELLO RECESSED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded recessed light meant for POP/Gypsum ceilings gives continuous lines of light.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| DESTG250LR12WLED840SWH565  | 9405     | 6000.00                               | 4 N                    |
| DESTG250LR12WLED857SWH565  | 9405     | 6000.00                               | 4 N                    |
| DESTG250LR25WLED840SWH1130 | 9405     | 8667.00                               | 4 N                    |
| DESTG250LR25WLED857SWH1130 | 9405     | 8667.00                               | 4 N                    |
| DESTG250LR36WLED840SWH1130 | 9405     | 9667.00                               | 4 N                    |
| DESTG250LR36WLED857SWH1130 | 9405     | 9667.00                               | 4 N                    |
| DESTG250LR50WLED840SWH2260 | 9405     | 17333.00                              | 4 N                    |
| DESTG250LR50WLED857SWH2260 | 9405     | 17333.00                              | 4 N                    |
| DESTG250LP/SENDCAPBLKX2    | 9405     | 300.00                                | 25 N                   |
| DESTG250LP/SENDCAPOWHX2    | 9405     | 300.00                                | 25 N                   |
| JKITDESTG250REC            | 9405     | 333.00                                | 50 N                   |

Fixture size: (LxWxH) in (569x67x40) mm (for 12 W), (1133x67x40) mm (for 25 W, 36 W), (2263x67x40) mm (for 50 W). Joining kit and Mains cable to be ordered separately.

Also available in other CCTs and CRI on request



# Indoor Architectural LED Luminaires



## DESTELLO SUSPENDED DIRECT-INDIRECT

Uniquely clean & simple lighting system offering, uniform lines of light across ceilings. The Aluminium extruded direct-indirect light effect gives homogenous light distribution effect & enhances the visual comfort (suspension system included).

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| DESTELLODILP36WLED840SPMMAWH  | 9405     | 16333.00                              | 4 N                    |
| DESTELLODILP36WLED857SPMMAWH  | 9405     | 16333.00                              | 4 N                    |
| 3COREMAINSCABLE1.5MTRWH       | 9405     | 333.00                                | 50 N                   |
| JOININGKITFORDESTELLO50P/S/DI | 9405     | 333.00                                | 25 N                   |

Fixture size: (LxWxH) in (1136x54x74) mm  
Joining kit and Mains cable to be ordered separately  
Also available in other CCTs and CRI on request



## DESTELLO RECESSED Y SHAPE

Destello connectors to create, Y shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| DESG250YR36WLED840SWH577 | 9405     | On Request                            | 2 N                    |
| DESG250YR36WLED857SWH577 | 9405     | On Request                            | 2 N                    |

Fixture size: (LxWxH) in (1033x580x40) mm  
Also available in other CCTs and CRI on request



## DESTELLO SUSPENDED Y SHAPE

Destello connectors to create, Y shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| DESG250YP/S36WLED840SWH577 | 9405     | On Request                            | 2 N                    |
| DESG250YP/S36WLED857SWH577 | 9405     | On Request                            | 2 N                    |

Fixture size: (LxWxH) in (1033x580x85) mm  
Also available in other CCTs and CRI on request



## DESTELLO RECESSED L SHAPE

Destello connectors to create, L shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| DESG25090DR25WLED840SWH577 | 9405     | On Request                            | 4 N                    |
| DESG25090DR25WLED857SWH577 | 9405     | On Request                            | 4 N                    |

Fixture size: (LxWxH) in (588x586x40) mm  
Also available in other CCTs and CRI on request



## DESTELLO SUSPENDED L SHAPE

Destello connectors to create, L shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| DESTG25090DP/S25WLED840SWH577 | 9405     | On Request                            | 4 N                    |
| DESTG25090DP/S25WLED857SWH577 | 9405     | On Request                            | 4 N                    |

Fixture size: (LxWxH) in (586x586x85) mm  
Also available in other CCTs and CRI on request




## DESTELLO RECESSED X SHAPE

Destello connectors to create, X shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| DESTG250XR48WLED840SWH577 | 9405     | On Request                            | 2 N                    |
| DESTG250XR48WLED857SWH577 | 9405     | On Request                            | 2 N                    |

Fixture size: (LxWxH) in (1040x625x40) mm  
Also available in other CCTs and CRI on request




## DESTELLO SUSPENDED X SHAPE

Destello connectors to create, X shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| DESTG250XP/S48WLED840SWH577  | 9405     | On Request                            | 2 N                    |
| DESTG250XP/S48 WLED857SWH577 | 9405     | On Request                            | 2 N                    |

Fixture size: (LxWxH) in (1040x625x85) mm  
Also available in other CCTs and CRI on request




## DESTELLO RECESSED + SHAPE

Destello connectors to create, + shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| DESTG250+R48WLED840SWH577 | 9405     | On Request                            | 2 N                    |
| DESTG250+R48WLED857SWH577 | 9405     | On Request                            | 2 N                    |

Fixture size: (LxWxH) in (1040x1040x40) mm  
Also available in other CCTs and CRI on request




## DESTELLO SUSPENDED + SHAPE

Destello connectors to create, + shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| DESTG250+P/S48WLED840SWH577 | 9405     | On Request                            | 2 N                    |
| DESTG250+P/S48WLED857SWH577 | 9405     | On Request                            | 2 N                    |

Fixture size: (LxWxH) in (1040x1040x85) mm  
Also available in other CCTs and CRI on request



# Indoor Architectural LED Luminaires



## TECHZONE

Uniquely clean & simple lighting system offering continuous light for Armstrong Techzone ceiling system. The minimal design offers outstanding visual comfort with end to end seamless integration.

| Item Description       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------|----------|---------------------------------------|------------------------|
| TZLR25WLED840SPSWH1195 | 9405     | 9333.00                               | 2 N                    |
| TZLR25WLED857SPSWH1195 | 9405     | 9333.00                               | 2 N                    |
| TZLR36WLED840SPSWH1195 | 9405     | 9500.00                               | 2 N                    |
| TZLR36WLED857SPSWH1195 | 9405     | 9500.00                               | 2 N                    |
| TZLR48WLED840SPSWH1195 | 9405     | 10000.00                              | 2 N                    |
| TZLR48WLED857SPSWH1195 | 9405     | 10000.00                              | 2 N                    |

Fixture size: (LxWxH) in (1195x146x50) mm  
Also available in other CCTs and CRI on request



## VENUS TECHZONE CRCA

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Lilac range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 100 lm/W, Lilac is a great choice for commercial office spaces, schools, libraries and other interior spaces.

| Item Description       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------|----------|---------------------------------------|------------------------|
| VENUSNEOTZPLR36WLED840 | 9405     | On Request                            | 2 N                    |
| VENUSNEOTZPLR36WLED857 | 9405     | On Request                            | 2 N                    |

Fixture size: (LxWxH) in ( 595 x 595 x 88 ) mm.  
Also available in other CCTs and CRI on request




## CONSTA GEN2

Suspended/ Surface mounted architectural luminaire provides uniquely clean and simple lighting system with soft light and glare free illumination. This Powder Coated CRCA housing Linear fixture is available in continuous mounting option and ideal solution for every space.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| CONSTAGEN2LP36WLED857SWH1200 | 9405     | On Request                            | 2 N                    |
| CONSTAGEN2LP40WLED857SWH1200 | 9405     | On Request                            | 2 N                    |
| CONSTAGEN2LP40WLED865SWH1200 | 9405     | On Request                            | 2 N                    |
| CONSTAGEN2LP36WLED840SWH1200 | 9405     | On Request                            | 2 N                    |

Fixture size: (LxWxH) in ( 595 x 595 x 88 ) mm.  
Also available in other CCTs and CRI on request



## TORUS

In a sector commanded by rectangular luminaires, this circular luminaire impresses with an effective height of 70 mm and produces diffused planar and low-glare light. The annular shape further gives the luminaire a sturdy appearance marking entreating attraction.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| TORUS600RDP/S25WLED830SPMMAWH | 9405     | 21667.00                              | 2 N                    |
| TORUS600RDP/S25WLED840SPMMAWH | 9405     | 21667.00                              | 2 N                    |
| TORUS600RDP/S25WLED857SPMMAWH | 9405     | 21667.00                              | 2 N                    |
| MONDOMOUNTINGKITP             | 9405     | 833.00                                | 25 N                   |
| MONDOMOUNTINGKITS             | 9405     | 833.00                                | 25 N                   |

Fixture size: Dia 600 mm, Height 78 mm. Mounting Kits to be ordered separately  
Also available in other CCTs and CRI on request



### MONDO RECESSED

Energy saving, environmental friendly, long life, corrosion resistant, decorative recessed luminaires with PMMA diffuser and extruded aluminium housing with LEDs as light source.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| MONDO 400 REC 25W LED 830 WHT | 9405     | 11667.00                              | 4 N                    |
| MONDO 400 REC 25W LED 840 WHT | 9405     | 11667.00                              | 4 N                    |
| MONDO 400 REC 25W LED 857 WHT | 9405     | 11667.00                              | 4 N                    |
| MONDO 600 REC 36W LED 830 WHT | 9405     | 16667.00                              | 6 N                    |
| MONDO 600 REC 36W LED 840 WHT | 9405     | 16667.00                              | 6 N                    |
| MONDO 600 REC 36W LED 857 WHT | 9405     | 16667.00                              | 6 N                    |

Fixture size: Dia 416 mm, Height 78 mm for 25 W, Dia 616 mm, Height 78 mm for 36 W  
Also available in other CCTs and CRI on request



### MONDO

Energy saving, environmental friendly, long life, decorative, corrosion resistant, surface-suspended luminaires with annular shape and opal diffuser contributing towards impudent identity and delivers an aesthetically appealing.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| MONDO400RDP/S25WLED830SPSWH | 9405     | 11667.00                              | 4 N                    |
| MONDO400RDP/S25WLED840SPSWH | 9405     | 11667.00                              | 4 N                    |
| MONDO400RDP/S25WLED857SPSWH | 9405     | 11667.00                              | 4 N                    |
| MONDO600RDP/S36WLED830SPSWH | 9405     | 16667.00                              | 6 N                    |
| MONDO600RDP/S36WLED840SPSWH | 9405     | 16667.00                              | 6 N                    |
| MONDO600RDP/S36WLED857SPSWH | 9405     | 16667.00                              | 6 N                    |
| MONDOMOUNTINGKITP           | 9405     | 833.00                                | 25 N                   |
| MONDOMOUNTINGKITS           | 9405     | 833.00                                | 25 N                   |
| MONDO SUSPENSION KIT        | 9405     | 000.00                                | 25 N                   |

Fixture size: Dia 400 mm, Height 70 mm for 25 W, Dia 600 mm, Height 70 mm for 36 W  
Mounting Kits to be ordered separately  
Also available in other CCTs and CRI on request



### MONDO HEXA

Energy saving, environmental friendly, long life, corrosion resistant, decorative hexagon shaped, surface/suspended luminaires with PMMA diffuser and extruded aluminium housing with LEDs as light source.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| MONDO600HEXP/S36WLED830SPSWH | 9405     | 21667.00                              | 2 N                    |
| MONDO600HEXP/S36WLED840SPSWH | 9405     | 21667.00                              | 2 N                    |
| MONDO600HEXP/S36WLED857SPSWH | 9405     | 21667.00                              | 2 N                    |

Fixture size: (LxWxH) in (600x520x81) mm  
Also available in other CCTs and CRI on request







# Indoor Commercial LED Luminaires

Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

### OLVIA 2X2

A unique luminaire design that has a stylish combination of performance and power economy. Highly efficient deep inserted 16x mini lens modules with Light enhancing technology which ensures high efficacy and excellent visual comfort offering UGR<16. Olivia is available in sleekest 18mm backlit design that can easily accommodate in low-depth ceilings. Options to choose from CRI>80 /CRI>90 and Flicker-free drivers to meet requirements of wide range of users.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| <b>Luminaire MOD</b>   |          |                                       |                        |
| OLVIA2X2PLR18-36WLED840UGR16MOD  | 9405     | 11000.00                              | 4 N                    |
| OLVIA2X2PLR18-36WLED857UGR16MOD  | 9405     | 11000.00                              | 4 N                    |
| OLVIA2X2PLR18-36WLED865UGR16MOD  | 9405     | 11000.00                              | 4 N                    |
| <b>DRIVER: - THD &lt;10%, CISPR 15 compliant Driver</b>                                |          |                                       |                        |
| LED DRIVER VEO 18W 36V 435mA   | 9405     | 1300.00                               | 4 N                    |
| LED DRIVER VEO 24W 36V 600mA   | 9405     | 1350.00                               | 4 N                    |
| LED DRIVER VEO 28W 36V 700mA   | 9405     | 1400.00                               | 4 N                    |
| LED DRIVER VEO 32W 36V 800mA   | 9405     | 1500.00                               | 4 N                    |
| LED DRIVER VEO 36W 36V 850mA   | 9405     | 1550.00                               | 4 N                    |
| <b>THD &lt;5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS</b> |          |                                       |                        |
| LED DRIVER CC 24W (30-40V) 550mA   | 9405     | 2200.00                               | 2 N                    |
| LED DRIVER CC 36W (30-40V) 900mA   | 9405     | 2400.00                               | 2 N                    |

Fixture size: (LxWxH) in ( 595 x 595 x 18.8 ) mm  
Also available in other CCTs and CRI on request



### NATURA

A uniquely designed decorative PMMA diffuser 2x2 Luminaire that unites a creative design with state-of-the-art LED technology. The concept of deep inset vertical diffusers achieves a great sense of novelty and high vertical illuminance, suitable for video conferencing facilities. This design stands out stunningly among the boring old modular ceiling patterns.

| Item Description       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------|----------|---------------------------------------|------------------------|
| NATURA2X2PLR36WLED840S | 9405     | 15000.00                              | 2 N                    |
| NATURA2X2PLR36WLED857S | 9405     | 15000.00                              | 2 N                    |

Fixture size: (LxWxH) in ( 595 x 595 x 91 ) mm.  
Also available in other CCTs and CRI on request



### NATURA SKY

A uniquely designed decorative PMMA diffuser 2x2 Luminaire that unites a creative design with state-of-the-art LED technology. The concept of deep inset sky diffusers with dual optics helps achieve a great blend of Task and Ambient illumination. This design stands out stunningly among the boring old modular ceiling patterns.

| Item Description                       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| NATURASKY2X2PLR40WLEDLENS840THEME+840S | 9405     | 11000.00                              | 2 N                    |
| NATURASKY2X2PLR40WLEDLENS840THEME+857S | 9405     | 11000.00                              | 2 N                    |
| NATURASKY2X2PLR42WLED840THEME+840S     | 9405     | 11000.00                              | 2 N                    |
| NATURASKY2X2PLR42WLED857THEME+857S     | 9405     | 11000.00                              | 2 N                    |

Fixture size: (LxWxH) in ( 595 x 595 x 91 ) mm.  
Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### ICONE

High performance 2x2 recess mounted luminaires which suites various ceiling types. This luminaire is having 65mm depth housing with IP40 protection which makes it most reliable luminaire in this class. Unique designed diffuser delivers UGR<16 with 150 lm/W which offers 40% energy reduction.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| CONE2X2PLR24WLED840SWH  | 9405     | On Request                            | 4 N                    |
| CONE2X2PLR24WLED857SWH  | 9405     | On Request                            | 4 N                    |
| ICONE2X2PLR30WLED840SWH | 9405     | On Request                            | 4 N                    |
| ICONE2X2PLR30WLED857SWH | 9405     | On Request                            | 4 N                    |

Fixture size: (LxWxH) in ( 595 x 595 x 91 ) mm.  
Also available in other CCTs and CRI on request



### VENUS NEO HE MOD UGR<19

Ultra-modern designed Modular High Efficacy LED luminaire with specialized High transmittance dual/multi-layer prismatic optics for glare free symmetric light distribution offering excellent visual comfort with UGR levels of less than 19. Luminaires suitable for Armstrong/Grid ceiling and most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| VENUSNEOHE2X2R18-42WLED840MODUGR19 | 9405     | 7000.00                               | 4 N                    |
| VENUSNEOHE2X2R18-42WLED857MODUGR19 | 9405     | 7000.00                               | 4 N                    |



### DRIVERS FOR VENUS NEO HE FAMILY

#### Standard THD <10% Driver

|                                  |      |         |     |
|----------------------------------|------|---------|-----|
| LEDDRIVER36V18WS                 | 9405 | 1250.00 | 2 N |
| LEDDRIVER36V24WS                 | 9405 | 1250.00 | 2 N |
| LEDDRIVER36V28WS                 | 9405 | 1250.00 | 2 N |
| LEDDRIVER36V34WS                 | 9405 | 1300.00 | 2 N |
| LEDDRIVER36V36WS                 | 9405 | 1350.00 | 2 N |
| LED DRIVER 1000MALD36I1000PED(M) | 9405 | 1600.00 | 2 N |

#### THD <10%, CISPR 15 compliant Driver

|                              |      |      |     |
|------------------------------|------|------|-----|
| LED DRIVER VEO 18W 36V 435mA | 9405 | 1300 | 2 N |
| LED DRIVER VEO 24W 36V 600mA | 9405 | 1350 | 2 N |
| LED DRIVER VEO 28W 36V 700mA | 9405 | 1400 | 2 N |
| LED DRIVER VEO 32W 36V 800mA | 9405 | 1500 | 2 N |
| LED DRIVER VEO 36W 36V 850mA | 9405 | 1550 | 2 N |
| LED DRIVER VEO 40W 36V 950mA | 9405 | 1550 | 2 N |

#### THD <5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS

|                                  |      |         |     |
|----------------------------------|------|---------|-----|
| LED DRIVER CC 24W (30-40V) 550mA | 9405 | 2200.00 | 2 N |
| LED DRIVER CC 36W (30-40V) 900mA | 9405 | 2400.00 | 2 N |

#### DALI Drivers (Wired Smart)

|   |      |         |     |
|---|------|---------|-----|
| DALIDRIVERL13-50V/500-1500MA10116443    | 9405 | 6000.00 | 2 N |
| DRACO DALI 850 Digital Dimmable (DT-6)  | 9405 | 6667.00 | 2 N |
| DRACO DALI 1000 Digital Dimmable (DT-6) | 9405 | 7000.00 | 2 N |

#### LoRA Drivers (Wireless RF Smart)

|  |      |          |     |
|--|------|----------|-----|
| LED DRIVER 36W DIGITAL DRIVER GEN-2 1A | 9405 | 12000.00 | 2 N |
|--|------|----------|-----|

Fixture size: (LxWxH) in (595x595x65) mm.  
Also available in other CCTs and CRI on request

### VENUS NEO HE MOD

Ultra-modern designed Modular High Efficacy LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling. Luminaires suitable for most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| VENUSNEOHE2X2PLR18-42WLED840MOD | 9405     | 6000.00                               | 2 N                    |
| VENUSNEOHE2X2PLR18-42WLED857MOD | 9405     | 6000.00                               | 2 N                    |

Fixture size: (LxWxH) in ( 595 x 595 x 65 ) mm.  
Also available in other CCTs and CRI on request



### VENUS NEO HE MOD PULL CORD

Ultra-modern designed Modular High Efficacy LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling with a unique feature of manual individual control of luminaires via Pull cord. Luminaires suitable for most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

| Item Description                      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------------|----------|---------------------------------------|------------------------|
| VENUSNEOHE2X2R18-42WLED840MODPULLCORD | 9405     | 6500.00                               | 4 N                    |
| VENUSNEOHE2X2R18-42WLED857MODPULLCORD | 9405     | 6500.00                               | 4 N                    |

Fixture size: (LxWxH) in (595x595x65) mm.  
Also available in other CCTs and CRI on request



### VENUS NEO TUNEABLE WHITE

Advanced technology Luminaires that offer Human-centric property, thus making public spaces more human and natural. This range provides improved productivity, better moods and overall happier workplaces. These luminaires offer a visually comfortable environment with optional pre-set colour temperatures or manual adjustments to any CCT in the Productivity Range 3000K-6500K along with Dimming Range 10%-100%. Controlling of the luminaire is possible by wired controls as well as wirelessly with App based controls (Bluetooth connectivity). This range offers unprecedented control over your interior environment.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| VENUSNEOTW2X2PLR42WLEDTWMOD | 9405     | 7500.00                               | 2 N                    |
| DRACO850RFCOMP2CH           | 9405     | 7800.00                               | 2 N                    |

#### DRIVERS AND ACCESSORIES:-

|  |      |         |     |
|--|------|---------|-----|
| L.SPARE LED DRIVER DRACO 0950 RF TUNABLE | 9405 | 7800.00 | 2 N |
| DRACO1000RFCOMP2CH                       | 9405 | 7800.00 | 2 N |
| RFREMOETETWCONTROL                       | 9405 | 1800.00 | 2 N |

Fixture size: (LxWxH) in (595x595x76) mm.  
Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### VENUS NEO HE SMART

Intelligent, modular High Efficacy LED 2x2 luminaire with integrated PIR Sensor which offers autonomous operation and provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling. THD<10%

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| VENUSNEOHE2X2R34WLED840PIRSENSOR | 9405     | 8500.00                               | 2 N                    |
| VENUSNEOHE2X2R34WLED857PIRSENSOR | 9405     | 8500.00                               | 2 N                    |
| VENUSNEOHE2X2R36WLED840PIRSENSOR | 9405     | 8500.00                               | 2 N                    |
| VENUSNEOHE2X2R36WLED857PIRSENSOR | 9405     | 8500.00                               | 2 N                    |

Fixture size: (LxWxH) in (595x595x65) mm.  
Also available in other CCTs and CRI on request



### VENUS TREND POS

A cost effective yet high specification luminaire range which suites requirements of everyone. This Ultra - modern High Specifications recess mounting 2x2 luminaire with high performance LEDs is made of sheet steel housing and suitable for mounting in Armstrong/Grid ceiling.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| VENUSTREND2X2PLR36WLED840SWH | 9405     | 6000.00                               | 6 N                    |
| VENUSTREND2X2PLR36WLED857SWH | 9405     | 6000.00                               | 6 N                    |
| VENUSTREND2X2PLR48WLED840SWH | 9405     | 6000.00                               | 6 N                    |
| VENUSTREND2X2PLR48WLED857SWH | 9405     | 6000.00                               | 6 N                    |

#### POP mounting spring clip kit (set of 4 spring clips)

Fixture size: (LxWxH) in ( 595 x 595 x 35 ) mm  
Also available in other CCTs and CRI on request



### VENUS TREND UGR19

A versatile 2x2 recess mounted luminaires which suites various ceiling types with option to add mounting kits for POP ceiling & suspension clamp for pendant mounting from true ceiling. UGR<19

| Item Description                  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------------|----------|---------------------------------------|------------------------|
| VENUSTREND2X2PLR36WLED840SWHUGR19 | 9405     | 7500.00                               | 6 N                    |
| VENUSTREND2X2PLR36WLED857SWHUGR19 | 9405     | 7500.00                               | 6 N                    |

#### POP mounting spring clip kit (set of 4 spring clips)

|                     |      |        |          |
|---------------------|------|--------|----------|
| VENUSTRENDPOPMTGKIT | 9405 | 250.00 | Set of 4 |
|---------------------|------|--------|----------|

Fixture size: (LxWxH) in (595x595x38) mm  
Also available in other CCTs and CRI on request



### VENUS TREND

A versatile 2x2 recess mounted luminaires which suites various ceiling types with option to add mounting kits for POP ceiling & suspension clamp for pendant mounting from true ceiling.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| VENUSTREND2X2PLR36WLED857SWH | 9405     | 6000.00                               | 6 N                    |
| VENUSTREND2X2PLR40WLED857SWH | 9405     | 6500.00                               | 6 N                    |

#### POP mounting spring clip kit (set of 4 spring clips)

|                     |      |        |          |
|---------------------|------|--------|----------|
| VENUSTRENDPOPMTGKIT | 9405 | 250.00 | Set of 4 |
|---------------------|------|--------|----------|

Fixture size: (LxWxH) in ( 595 x 595 x 38 ) mm  
Also available in other CCTs and CRI on request



### VENUS EXL

High specification luminaire range which suites requirements of everyone. This Ultra -modern High Specifications with 120 lm/W, EMC/EMI compliant, Ripple <5% Ripple free, recess mounting 2x2 luminaire with high performance LEDs is made of sheet steel housing and suitable for mounting in Armstrong/Grid ceiling. Options with UGR<19 is available

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| VENUSEXL2X2PLR20WLED840SWH      | 9405     | On Request                            | 6 N                    |
| VENUSEXL2X2PLR20WLED857SWH      | 9405     | On Request                            | 6 N                    |
| VENUSEXL2X2PLR24WLED840SWH      | 9405     | On Request                            | 6 N                    |
| VENUSEXL2X2PLR24WLED857SWH      | 9405     | On Request                            | 6 N                    |
| VENUSEXL2X2PLR30WLED840SWH      | 9405     | 7500.00                               | 6 N                    |
| VENUSEXL2X2PLR30WLED857SWH      | 9405     | 7500.00                               | 6 N                    |
| VENUSEXL2X2PLR36WLED840SWH      | 9405     | 7800.00                               | 6 N                    |
| VENUSEXL2X2PLR36WLED857SWH      | 9405     | 7500.00                               | 6 N                    |
| VENUSEXL2X2PLR30WLED840SWHUGR19 | 9405     | On Request                            | 6 N                    |
| VENUSEXL2X2PLR30WLED857SWHUGR19 | 9405     | On Request                            | 6 N                    |
| VENUSEXL2X2PLR36WLED840SWHUGR19 | 9405     | On Request                            | 6 N                    |
| VENUSEXL2X2PLR36WLED857SWHUGR19 | 9405     | On Request                            | 6 N                    |

Fixture size: (LxWxH) in ( 595 x 595 x 35 ) mm  
Also available in other CCTs and CRI on request



### VENUS MOVE

A versatile 2x2 recess mounted luminaires which suites grid ceiling.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| VENUSMOVE2X2PLR36WLED840SWH | 9405     | 6000.00                               | 6 N                    |
| VENUSMOVE2X2PLR36WLED857SWH | 9405     | 6000.00                               | 6 N                    |

Fixture size: (LxWxH) in (595x595x35) mm  
Also available in other CCTs and CRI on request



### PLANO G2 / G2 POP (IP40)

High performance 2x2 recess mounted luminaires which suites various ceiling types. This luminaire is having 65mm depth housing with IP40 protection which makes it most reliable luminaire in this class.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| PLANO2X2PLR30WLED840SG2    | 9405     | 7600.00                               | 4 N                    |
| PLANO2X2PLR30WLED857SG2    | 9405     | 7600.00                               | 4 N                    |
| PLANO2X2PLR36WLED840SG2    | 9405     | 7800.00                               | 4 N                    |
| PLANO2X2PLR36WLED857SG2    | 9405     | 7800.00                               | 4 N                    |
| PLANO2X2PLR42WLED840SG2    | 9405     | 8500.00                               | 4 N                    |
| PLANO2X2PLR42WLED857SG2    | 9405     | 8500.00                               | 4 N                    |
| PLANO2X2PLR60WLED857SG2    | 9405     | 12000.00                              | 4 N                    |
| PLANO2X2PLR36WLED857SG2POP | 9405     | 8000.00                               | 4 N                    |

Fixture size: (LxWxH) in (595x595x35)mm  
Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### PLANO G2 SURFACE

High performance 2x2 surface mounted luminaires which provides soft-light and glare free symmetrical illumination.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| PLANOSUR2X2PLS30WLED840G2S | 9405     | 7800.00                               | 4 N                    |
| PLANOSUR2X2PLS30WLED857G2S | 9405     | 7800.00                               | 4 N                    |
| PLANOSUR2X2PLS36WLED840G2S | 9405     | 7800.00                               | 4 N                    |
| PLANOSUR2X2PLS36WLED857G2S | 9405     | 7800.00                               | 4 N                    |
| PLANOSUR2X2PLS42WLED840G2S | 9405     | On Request                            | 4 N                    |
| PLANOSUR2X2PLS42WLED857G2S | 9405     | On Request                            | 4 N                    |

Fixture size: (LxWxH) in (560x560x 45) mm  
Also available in other CCTs and CRI on request



### VENUS NEO HE 4X1

A versatile Ultra-modern 4X1 recess mounted Luminaire with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| VENUSNEOHE4X1PLR28WLED840S | 9405     | 7600.00                               | 2 N                    |
| VENUSNEOHE4X1PLR28LED857   | 9405     | 7600.00                               | 2 N                    |
| VENUSNEOHE4X1PLR36WLED840S | 9405     | 7600.00                               | 2 N                    |
| VENUSNEOHE4X1PLR36WLED857  | 9405     | 7600.00                               | 2 N                    |

Fixture size: (LxWxH) in (1195x295x65) mm  
Also available in other CCTs and CRI on request



### VENUS NEO HE 4X1 MOD

A versatile Ultra-modern 4X1 recess mounted Luminaire with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling.

| Item Description | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------|----------|---------------------------------------|------------------------|
|------------------|----------|---------------------------------------|------------------------|

#### Luminaire

|                                 |      |         |     |
|---------------------------------|------|---------|-----|
| VENUSNEOHE4X1PLR28-36WLED840MOD | 9405 | 7600.00 | 2 N |
| VENUSNEOHE4X1PLR28-36WLED857MOD | 9405 | 7600.00 | 2 N |

#### Standard THD <10% Driver

|                  |      |         |     |
|------------------|------|---------|-----|
| LEDDRIVER36V28WS | 9405 | 1250.00 | 2 N |
| LEDDRIVER36V36WS | 9405 | 1350.00 | 2 N |

#### THD <10%, CISPR 15 compliant Driver

|                              |      |         |     |
|------------------------------|------|---------|-----|
| LED DRIVER VEO 28W 36V 700mA | 9405 | 1400.00 | 2 N |
| LED DRIVER VEO 36W 36V 850mA | 9405 | 1550.00 | 2 N |

#### THD <5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS

|                                  |      |         |     |
|----------------------------------|------|---------|-----|
| LED DRIVER CC 36W (30-40V) 900mA | 9405 | 2400.00 | 2 N |
|----------------------------------|------|---------|-----|

#### DALI Drivers (Wired Smart)

|   |      |         |     |
|---|------|---------|-----|
| DALIDRIVERL13-50V/500-1500MA10116443    | 9405 | 6000.00 | 2 N |
| DRACO DALI 850 Digital Dimmable (DT-6)  | 9405 | 6667.00 | 2 N |
| DRACO DALI 1000 Digital Dimmable (DT-6) | 9405 | 7000.00 | 2 N |

Fixture size: (LxWxH) in (1195x295x65) mm  
Also available in other CCTs and CRI on request



### VENUS MOD 4X1 UGR<19

A versatile Ultra-modern 4X1 recess mounted module suitable to integrate with various type of driver based on requirement, with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling with complete flexibility.

| Item Description                      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------------|----------|---------------------------------------|------------------------|
| VENUSNEOHE4X1PLR18-42WLED840MODUGR<19 | 9405     | 6000.00                               | 2 N                    |
| VENUSNEOHE4X1PLR18-42WLED857MODUGR<19 | 9405     | 6000.00                               | 2 N                    |

#### DRIVERS AND ACCESSORIES:-

##### Standard THD <10% Driver

|                          |      |         |     |
|--------------------------|------|---------|-----|
| PLANO2X2PLR30WLED840TAPS | 9405 | 7300.00 | 6 N |
| PLANO2X2PLR30WLED857TAPS | 9405 | 7300.00 | 6 N |
| PLANO2X2PLR30WLED857TAPS | 9405 | 7300.00 | 6 N |

##### THD <10%, CISPR 15 compliant Driver

|                              |      |         |     |
|------------------------------|------|---------|-----|
| LED DRIVER VEO 18W 36V 435mA | 9405 | 1300.00 | 2 N |
| LED DRIVER VEO 24W 36V 600mA | 9405 | 1350.00 | 2 N |
| LED DRIVER VEO 28W 36V 700mA | 9405 | 1400.00 | 2 N |
| LED DRIVER VEO 32W 36V 800mA | 9405 | 1500.00 | 2 N |
| LED DRIVER VEO 36W 36V 850mA | 9405 | 1550.00 | 2 N |
| LED DRIVER VEO 40W 36V 950mA | 9405 | 1550.00 | 2 N |

Fixture size: (LxWxH) in (1195x295x65) mm  
Also available in other CCTs and CRI on request



### PLANO SURFACE 4X1 G2

Aesthetically designed 4x1 LED flat panel for surface mounting which provides soft-light and glare free symmetrical illumination.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| PLANOSUR4X1PLS28WLED840G2S | 9405     | 8000.00                               | 2 N                    |
| PLANOSUR4X1PLS28WLED857G2S | 9405     | 8000.00                               | 2 N                    |
| PLANOSUR4X1PLS36WLED840G2S | 9405     | 8000.00                               | 2 N                    |
| PLANOSUR4X1PLS36WLED857G2S | 9405     | 8000.00                               | 2 N                    |
| PLANOSUR4X1PLS42WLED840G2S | 9405     | 8000.00                               | 2 N                    |
| PLANOSUR4X1PLS42WLED857G2S | 9405     | 8000.00                               | 2 N                    |

Fixture size: (LxWxH) in (1120x280x65) mm  
Also available in other CCTs and CRI on request



### PLUTO 2X1

A versatile 2x1 recess mounted luminaires which suites various ceiling types.

| Item Description     | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------|----------|---------------------------------------|------------------------|
| PLUTO2X1PLR20WLED840 | 9405     | 6000.00                               | 2 N                    |
| PLUTO2X1PLR20WLED857 | 9405     | 6000.00                               | 2 N                    |
| PLUTO2X1PLR28WLED840 | 9405     | 6000.00                               | 2 N                    |
| PLUTO2X1PLR28WLED865 | 9405     | 6000.00                               | 2 N                    |

Fixture size: (LxWxH) in (595x295x70) mm  
Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### PLUTO G2 1X1

A versatile 1x1 recess mounted luminaires which suites various ceiling types.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| PLUTO1X1PLR15WLED840SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLR15WLED857SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLR18WLED840SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLR18WLED857SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLR24WLED840SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLR24WLED857SG2 | 9405     | 6000.00                               | 1 N                    |

Fixture size: (LxWxH) in (295x295x45) mm  
Also available in other CCTs and CRI on request



### PLUTO G2 1X1 SURFACE

A versatile 1x1 recess mounted luminaires which suites various ceiling types.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| PLUTO1X1PLS15WLED840SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLS15WLED857SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLS18WLED840SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLS18WLED857SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLS24WLED840SG2 | 9405     | 6000.00                               | 1 N                    |
| PLUTO1X1PLS24WLED857SG2 | 9405     | 6000.00                               | 1 N                    |

Fixture size: (LxWxH) in (300x300x45) mm  
Also available in other CCTs and CRI on request



### PIR SENSOR

Smart PIR Occupancy Sensors. IP20

| Item Description                         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| L.SPARE PIR SENSOR CEILING MOUNT RECST44 | 9405     | 3500.00                               | 24 N                   |



| Item Description                         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| L.SPARE SURF MOUNT ATTACH PIR SENSORST44 | 9405     | 350.00                                | 24 N                   |



### ALINA COB DL

Alina COB downlights comes with a unique blend of Aesthetics and performance. This Deep Recessed COB downlight not only offer excellent energy saving by offering industry leading efficacies but also offer visual comfort to users with low UGR levels of <19

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| ALINACOBHERDDLRSIL15W840SUGR19 | 9405     | 5500.00                               | 12 N                   |
| ALINACOBHERDDLRSIL15W857SUGR19 | 9405     | 5500.00                               | 12 N                   |
| ALINACOBHERDDLRSIL25W840SUGR19 | 9405     | 7500.00                               | 6 N                    |
| ALINACOBHERDDLRSIL25W857SUGR19 | 9405     | 7500.00                               | 6 N                    |

Ceiling cutout: Ø 90 mm, height 60 mm for 15 W. Ø 125 mm, height 73 mm for 25 W  
Also available in other CCTs and CRI on request



### ZIVA DEEP RECESSED

A versatile range of Downlights which offer best in class efficacy along with visual comfort. This All aluminium construction Downlight comes in Deep Recessed version. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas

| Item Description    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------|----------|---------------------------------------|------------------------|
| ZIVARRDDL6WLED840S  | 9405     | 2400.00                               | 12 N                   |
| ZIVARRDDL6WLED857S  | 9405     | 2400.00                               | 12 N                   |
| ZIVARRDDL9WLED840S  | 9405     | 2800.00                               | 12 N                   |
| ZIVARRDDL9WLED857S  | 9405     | 2800.00                               | 12 N                   |
| ZIVARRDDL12WLED840S | 9405     | 3400.00                               | 12 N                   |
| ZIVARRDDL12WLED857S | 9405     | 3400.00                               | 12 N                   |
| ZIVARRDDL15WLED840S | 9405     | 3700.00                               | 12 N                   |
| ZIVARRDDL15WLED857S | 9405     | 3700.00                               | 12 N                   |
| ZIVARRDDL18WLED840S | 9405     | 4000.00                               | 12 N                   |
| ZIVARRDDL18WLED857S | 9405     | 4000.00                               | 12 N                   |
| ZIVARRDDL24WLED840S | 9405     | 4200.00                               | 6 N                    |
| ZIVARRDDL24WLED857S | 9405     | 4200.00                               | 6 N                    |

Ceiling cutout: Ø 90 mm, height 45 mm for 6 W / 9 W . Ø 140 mm, height 45 mm for 12 W / 15 W / 18 W. Ø 176 mm , height 45 mm for 24 W.

Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### ZIVA FLUSH

A functional range of Aesthetically designed low-depth Downlights with flushed diffuser. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas.

| Item Description      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------|----------|---------------------------------------|------------------------|
| ZIVAFLRDDLR6WLED840S  | 9405     | 1800.00                               | 12 N                   |
| ZIVAFLRDDLR6WLED857S  | 9405     | 1800.00                               | 12 N                   |
| ZIVAFLRDDLR9WLED840S  | 9405     | 2000.00                               | 12 N                   |
| ZIVAFLRDDLR9WLED857S  | 9405     | 2000.00                               | 12 N                   |
| ZIVAFLRDDLR12WLED840S | 9405     | 2400.00                               | 12 N                   |
| ZIVAFLRDDLR12WLED857S | 9405     | 2400.00                               | 12 N                   |
| ZIVAFLRDDLR15WLED840S | 9405     | 2600.00                               | 12 N                   |
| ZIVAFLRDDLR15WLED857S | 9405     | 2600.00                               | 12 N                   |
| ZIVAFLRDDLR18WLED840S | 9405     | 3000.00                               | 12 N                   |
| ZIVAFLRDDLR18WLED857S | 9405     | 3000.00                               | 12 N                   |
| ZIVAFLRDDLR24WLED840S | 9405     | 3400.00                               | 6 N                    |
| ZIVAFLRDDLR24WLED857S | 9405     | 3400.00                               | 6 N                    |

Ceiling cutout: Ø 90 mm, height 33 mm for 6 W / 9 W . Ø 140 mm , height 33 mm for 12 W / 15 W / 18 W.Ø 176 mm , height 33 mm for 24 W.

Also available in other CCTs and CRI on request



### ZIVA SURFACE

Ziva Surface is a high efficient Surface Downlight. The All-Aluminium construction of this Downlight allows better thermal performance ensuring long product life and better product aesthetics. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas.

| Item Description      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------|----------|---------------------------------------|------------------------|
| ZIVASURRDDL6WLED840S  | 9405     | 2800.00                               | 12 N                   |
| ZIVASURRDDL6WLED857S  | 9405     | 2800.00                               | 12 N                   |
| ZIVASURRDDL9WLED840S  | 9405     | 3200.00                               | 12 N                   |
| ZIVASURRDDL9WLED857S  | 9405     | 3200.00                               | 12 N                   |
| ZIVASURRDDL12WLED840S | 9405     | 3800.00                               | 12 N                   |
| ZIVASURRDDL12WLED857S | 9405     | 3800.00                               | 12 N                   |
| ZIVASURRDDL15WLED840S | 9405     | 4100.00                               | 12 N                   |
| ZIVASURRDDL15WLED857S | 9405     | 4100.00                               | 12 N                   |
| ZIVASURRDDL18WLED840S | 9405     | 4400.00                               | 12 N                   |
| ZIVASURRDDL18WLED857S | 9405     | 4400.00                               | 12 N                   |
| ZIVASURRDDL24WLED840S | 9405     | 4800.00                               | 6 N                    |
| ZIVASURRDDL24WLED857S | 9405     | 4800.00                               | 6 N                    |

Fixture size: Ø 115 mm, Height 62 mm for 6 W / 9 W. Ø 167 mm, Height 63 mm for 12 W / 15 W / 18 W. Ø 210 mm, Height 63 mm for 24 W.

Also available in other CCTs and CRI on request



### VIBE G2 ROUND DEEP RECESSED

A uniquely designed Deep recessed downlights offering visual comfort to users by reducing glare. The aluminium construction allows better thermal performance, ensuring long product life and better product aesthetics. This come with EMC/EMI compliant, Ripple<5% flicker free driver solution. Option available with UGR<19 as well.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| VIBEFRRDDL12WLED840SG2      | 9405     | 2020.00                               | 12 N                   |
| VIBEFRRDDL12WLED857SG2      | 9405     | 2020.00                               | 12 N                   |
| VIBEFRRDDL15WLED840SG2      | 9405     | 2220.00                               | 12 N                   |
| VIBEFRRDDL15WLED857SG2      | 9405     | 2220.00                               | 12 N                   |
| VIBEFRRDDL18WLED840SG2      | 9405     | 2420.00                               | 12 N                   |
| VIBEFRRDDL18WLED857SG2      | 9405     | 2420.00                               | 12 N                   |
| VIBEFRRDDL24WLED840SG2      | 9405     | 2620.00                               | 12 N                   |
| VIBEFRRDDL24WLED857SG2      | 9405     | 2620.00                               | 12 N                   |
| VIBEFRRDDL9WLED840SG2UGR19  | 9405     | 2170.00                               | 12 N                   |
| VIBEFRRDDL9WLED857SG2UGR19  | 9405     | 2170.00                               | 12 N                   |
| VIBEFRRDDL12WLED840SG2UGR19 | 9405     | 2370.00                               | 12 N                   |
| VIBEFRRDDL12WLED857SG2UGR19 | 9405     | 2370.00                               | 12 N                   |
| VIBEFRRDDL15WLED840SG2UGR19 | 9405     | 2570.00                               | 12 N                   |
| VIBEFRRDDL15WLED857SG2UGR19 | 9405     | 2570.00                               | 12 N                   |
| VIBEFRRDDL18WLED840SG2UGR19 | 9405     | 2770.00                               | 12 N                   |
| VIBEFRRDDL18WLED857SG2UGR19 | 9405     | 2770.00                               | 12 N                   |
| VIBEFRRDDL24WLED830SG2UGR19 | 9405     | 2970.00                               | 12 N                   |
| VIBEFRRDDL24WLED840SG2UGR19 | 9405     | 2970.00                               | 12 N                   |
| VIBEFRRDDL24WLED857SG2UGR19 | 9405     | 2970.00                               | 12 N                   |

Ceiling cutout: Ø 110 mm, height 50 mm for 12 W / 15 W. Ø 145 mm, height 55 mm for 18 W. Ø 165 mm, height 55 mm for 24 W.

Also available in other CCTs and CRI on request



### VIBE ROUND DEEP RECESSED

A uniquely designed Deep recessed downlights offering visual comfort to users by reducing glare. The All-Aluminium construction allows better thermal performance ensuring long product life and better product aesthetics.

| Item Description     | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------|----------|---------------------------------------|------------------------|
| VIBEDRRDDL12WLED840S | 9405     | 2400.00                               | 12 N                   |
| VIBEDRRDDL12WLED857S | 9405     | 2400.00                               | 12 N                   |
| VIBEDRRDDL15WLED840S | 9405     | 2700.00                               | 12 N                   |
| VIBEDRRDDL15WLED857S | 9405     | 2700.00                               | 12 N                   |
| VIBEDRRDDL18WLED840S | 9405     | 3000.00                               | 12 N                   |
| VIBEDRRDDL18WLED857S | 9405     | 3000.00                               | 12 N                   |
| VIBEDRRDDL24WLED840S | 9405     | 3500.00                               | 12 N                   |
| VIBEDRRDDL24WLED857S | 9405     | 3500.00                               | 12 N                   |

Ceiling cutout: Ø 110 mm, height 50 mm for 12 W /15 W. Ø 145 mm, height 55 mm for 18 W. Ø 165 mm, height 55 mm for 24 W.

Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### VIBE SQUARE DEEP RECESSED

A uniquely designed Deep recessed downlights offering visual comfort to users by reducing glare. The All-Aluminium construction allows better thermal performance ensuring long product life and better product aesthetics.

| Item Description      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------|----------|---------------------------------------|------------------------|
| VIBEDRSQDLR12WLED840S | 9405     | 2500                                  | 12N                    |
| VIBEDRSQDLR12WLED857S | 9405     | 2500                                  | 12N                    |
| VIBEDRSQDLR15WLED840S | 9405     | 2800                                  | 12N                    |
| VIBEDRSQDLR15WLED857S | 9405     | 2800                                  | 12N                    |
| VIBEDRSQDLR18WLED840S | 9405     | 3100                                  | 12N                    |
| VIBEDRSQDLR18WLED857S | 9405     | 3100                                  | 12N                    |

Ceiling cutout: Ø 100 mm x100 mm, height 50 mm for 10 W / 12 W / 15 W. Ø 135 mm x135 mm , height 55 mm for 18 W / 24 W.

Also available in other CCTs and CRI on request



### VIBE FLUSH

A functional range of Aesthetically designed low-depth Downlights with flushed diffuser. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

| Item Description       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------|----------|---------------------------------------|------------------------|
| VIBEFLRDDLRL6WLED840S  | 9405     | 1400.00                               | 12 N                   |
| VIBEFLRDDLRL6WLED857S  | 9405     | 1400.00                               | 12 N                   |
| VIBEFLRDDLRL9WLED840S  | 9405     | 1500.00                               | 12 N                   |
| VIBEFLRDDLRL9WLED857S  | 9405     | 1500.00                               | 12 N                   |
| VIBEFLRDDLRL12WLED840S | 9405     | 1900.00                               | 8 N                    |
| VIBEFLRDDLRL12WLED857S | 9405     | 1900.00                               | 8 N                    |
| VIBEFLRDDLRL15WLED840S | 9405     | 2100.00                               | 8 N                    |
| VIBEFLRDDLRL15WLED857S | 9405     | 2100.00                               | 8 N                    |
| VIBEFLRDDLRL18WLED840S | 9405     | 2600.00                               | 8 N                    |
| VIBEFLRDDLRL18WLED857S | 9405     | 2600.00                               | 8 N                    |
| VIBEFLRDDLRL24WLED840S | 9405     | 2800.00                               | 6 N                    |
| VIBEFLRDDLRL24WLED857S | 9405     | 2800.00                               | 6 N                    |

Ceiling cutout: Ø 90 mm, height 60 mm for 6 W / 9 W. Ø 138 mm , height 60 mm for 12 W / 15 W / 18 W. Ø 175 mm, height 60 mm for 24 W.

Also available in other CCTs and CRI on request



### INTEGRA NEO SMART

A Smart range of Aesthetically designed low-depth Downlights with aluminium housing and heat sink for better thermal performance. This range offer multiple options of connectivity and control.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| INTEGRANEODLR42V400MALED840MOD | 9405     | 1433.00                               | 8 N                    |
| INTEGRANEODLR42V400MALED857MOD | 9405     | 1433.00                               | 8 N                    |

#### DRIVERS AND ACCESSORIES:-

|  |      |         |     |
|--|------|---------|-----|
| 10W/12W/15W : IT DALI 40/220-240/1A0 NFC DIM OSRAM         | 9405 | -       | -   |
| 10W/12W/15W/18W/24W : DALI2DRIVER 6-52V/150-700mA IDCCCB28 | 9405 | 6000.00 | 1 N |

Ceiling cutout: Ø 90 mm, height 90 mm for 10 W. Ø 138 mm, height 90 mm for 12 W / 15 W. Ø 175 mm, height 90 mm for 18 W / 24 W.

Also available in other CCTs and CRI on request



### INTEGRA NEO

A functional range of Aesthetically designed high performance Downlights with aluminium housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| INTEGRANEODLR10WLED840S | 9405     | 1500.00                               | 12 N                   |
| INTEGRANEODLR10WLED857S | 9405     | 1500.00                               | 12 N                   |
| INTEGRANEODLR12WLED840S | 9405     | 1867.00                               | 8 N                    |
| INTEGRANEODLR12WLED857S | 9405     | 1500.00                               | 8 N                    |
| INTEGRANEODLR15WLED840S | 9405     | 2067.00                               | 8 N                    |
| INTEGRANEODLR15WLED857S | 9405     | 2067.00                               | 8 N                    |
| INTEGRANEODLR15WLED865S | 9405     | 2067.00                               | 8 N                    |
| INTEGRANEODLR18WLED840S | 9405     | 2567.00                               | 6 N                    |
| INTEGRANEODLR18WLED857S | 9405     | 2567.00                               | 6 N                    |
| INTEGRANEODLR18WLED865S | 9405     | 2567.00                               | 6 N                    |
| INTEGRANEODLR24WLED840S | 9405     | 2733.00                               | 6 N                    |
| INTEGRANEODLR24WLED857S | 9405     | 2733.00                               | 6 N                    |
| INTEGRANEODLR24WLED865S | 9405     | 2733.00                               | 6 N                    |

Ceiling cutout: Ø 90 mm, height 90 mm for 10 W. Ø 138 mm, height 90 mm for 12 W / 15 W.

Ø 175 mm, height 90 mm for 18 W / 24 W

Also available in other CCTs and CRI on request



### INTEGRA NEO SURFACE

A decorative range of Aesthetically designed surface mounted Downlights with aluminium housing and heat sink for better thermal performance. This downlights comes with a decorative curved housing which breaks monotony of the space.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| INTEGRANEOSURFACEDLS10WLED840S | 9405     | 2117.00                               | 12 N                   |
| INTEGRANEOSURFACEDLS10WLED857S | 9405     | 2167.00                               | 12 N                   |
| INTEGRANEOSURFACEDLS10WLED865S | 9405     | 2176.00                               | 12 N                   |
| INTEGRANEOSURFACEDLS15WLED840S | 9405     | 2233.00                               | 12 N                   |
| INTEGRANEOSURFACEDLS15WLED857S | 9405     | 2233.00                               | 12 N                   |
| INTEGRANEOSURFACEDLS15WLED865S | 9405     | 2233.00                               | 12 N                   |

Fixture size: Ø 200 mm, Height 69 mm

Also available in other CCTs and CRI on request



### INTEGRA PLUS DL

A functional range of Aesthetically designed low-depth Downlights with aluminium housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| INTEGRAPLUSDLRD9WLED840  | 9405     | 1600.00                               | 12 N                   |
| INTEGRAPLUSDLRD9WLED857  | 9405     | 1600.00                               | 12 N                   |
| INTEGRAPLUSDLRD12WLED840 | 9405     | 1850.00                               | 12 N                   |
| INTEGRAPLUSDLRD12WLED857 | 9405     | 1850.00                               | 12 N                   |
| INTEGRAPLUSDLRD15WLED840 | 9405     | 1950.00                               | 12 N                   |
| INTEGRAPLUSDLRD15WLED857 | 9405     | 1950.00                               | 12 N                   |
| INTEGRAPLUSDLRD18WLED840 | 9405     | 2050.00                               | 12 N                   |
| INTEGRAPLUSDLRD18WLED857 | 9405     | 2050.00                               | 12 N                   |

Ceiling cutout: Ø 110 mm, height 40 mm for 9 W. Ø 145 mm, height 40 mm for 12 W / 15 W / 18 W, Ø 197 mm, height 60 mm for 24 W. Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### INTEGRA NXT DL ROUND- RECESSED

A functional range of Aesthetically designed low-depth Downlights with aluminium housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| INTEGRANXTDLRD9WLED840S  | 9405     | 1420.00                               | 12 N                   |
| INTEGRANXTDLR9WLED857S   | 9405     | 1420.00                               | 12 N                   |
| INTEGRANXTDLR9WLED865S   | 9405     | 1420.00                               | 12 N                   |
| INTEGRANXTDLRD12WLED840S | 9405     | 1587.00                               | 12 N                   |
| INTEGRANXTDLR12WLED857S  | 9405     | 1587.00                               | 12 N                   |
| INTEGRANXTDLR12WLED865S  | 9405     | 1587.00                               | 12 N                   |
| INTEGRANXTDLRD15WLED840S | 9405     | 1660.00                               | 12 N                   |
| INTEGRANXTDLR15WLED857S  | 9405     | 1660.00                               | 12 N                   |
| INTEGRANXTDLR15WLED865S  | 9405     | 1660.00                               | 12 N                   |
| INTEGRANXTDLRD18WLED840S | 9405     | 1700.00                               | 12 N                   |
| INTEGRANXTDLR18WLED857S  | 9405     | 1700.00                               | 12 N                   |
| INTEGRANXTDLR18WLED865S  | 9405     | 1700.00                               | 12 N                   |
| INTEGRANXTDLRD24WLED840S | 9405     | 2200.00                               | 12 N                   |
| INTEGRANXTDLR24WLED857S  | 9405     | 2200.00                               | 12 N                   |
| INTEGRANXTDLR24WLED865S  | 9405     | 2200.00                               | 12 N                   |

Ceiling cutout: Ø 110 mm, height 40 mm for 9 W. Ø 145 mm, height 40 mm for 12 W / 15 W / 18 W, Ø 197 mm, height 60 mm for 24 W.  
Also available in other CCTs and CRI on request



### INTEGRA NXT DL ROUND - SURFACE

A functional range of Aesthetically designed surface mounted Downlights with aluminium housing and heat sink for better thermal performance. This downlights comes with a wide range of wattage suits requirements of varied lighting levels and ceiling heights.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| INTEGRANXTRDDLRSURD9WLED840S  | 9405     | 1850.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD9WLED857S  | 9405     | 1850.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD9WLED865S  | 9405     | 1850.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD12WLED840S | 9405     | 1950.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD12WLED857S | 9405     | 1950.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD12WLED865S | 9405     | 1950.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD15WLED840S | 9405     | 2050.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD15WLED857S | 9405     | 2050.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD15WLED865S | 9405     | 2050.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD18WLED840S | 9405     | 2150.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD18WLED857S | 9405     | 2150.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD18WLED865S | 9405     | 2150.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD24WLED840S | 9405     | 2250.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD24WLED857S | 9405     | 2250.00                               | 12 N                   |
| INTEGRANXTRDDLRSURD24WLED865S | 9405     | 2250.00                               | 12 N                   |

Fixture size: Ø 167 mm, Height 56 mm for 9 W. Ø 170 mm, Height 58 mm for 12 W / 15 W / 18 W. Ø 210 mm, Height 65 mm for 24 W.  
Also available in other CCTs and CRI on request



### INTEGRA NXT DL SQUARE - SURFACE

A functional range of Aesthetically designed surface mounted Downlights with aluminium housing and heat sink for better thermal performance. This downlights comes with a wide range of wattage suits requirements of varied lighting levels and ceiling heights.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| INTEGRANXTSQDLRSURD9WLED840S  | 9405     | 1900.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD9WLED857S  | 9405     | 1900.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD9WLED865S  | 9405     | 1900.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD12WLED840S | 9405     | 2000.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD12WLED857S | 9405     | 2000.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD12WLED865S | 9405     | 2000.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD15WLED840S | 9405     | 2100.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD15WLED857S | 9405     | 2100.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD15WLED865S | 9405     | 2100.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD18WLED830S | 9405     | 2200.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD18WLED840S | 9405     | 2200.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD18WLED857S | 9405     | 2200.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD18WLED865S | 9405     | 2200.00                               | 12 N                   |
| INTEGRANXTSQDLRSURD24WLED830S | 9405     | 2300.00                               | 6 N                    |
| INTEGRANXTSQDLRSURD24WLED840S | 9405     | 2300.00                               | 6 N                    |
| INTEGRANXTSQDLRSURD24WLED857S | 9405     | 2300.00                               | 6 N                    |
| INTEGRANXTSQDLRSURD24WLED865S | 9405     | 2300.00                               | 6 N                    |

Fixture size: ( L x W x H ) in ( 150 x 150 x 56 ) mm for 9 W. ( L x W x H ) in ( 170 x 170 x 58 ) mm for 12 W / 15 W / 18 W. ( L x W x H ) in ( 210 x 210 x 65 ) mm for 24 W. Also available in other CCTs and CRI on request



### EDGE G2 ROUND RECESSED

Elegantly designed sleek recessed mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| EDGEPRORDDLR12WLED840SG2 | 9405     | 1900                                  | 12 N                   |
| EDGEPRORDDLR12WLED865SG2 | 9405     | 1900                                  | 12 N                   |
| EDGEPRORDDLR15WLED840SG2 | 9405     | 2100                                  | 12 N                   |
| EDGEPRORDDLR15WLED865SG2 | 9405     | 2100                                  | 12 N                   |
| EDGEPRORDDLR18WLED840SG2 | 9405     | 2500                                  | 12 N                   |
| EDGEPRORDDLR18WLED865SG2 | 9405     | 2500                                  | 12 N                   |

Ceiling cutout: Ø 155mm, height 17.5mm for 12 & 15W. Cutout Ø 180mm, height 17.5 mm for 18W. Also available in other CCTs and CRI on request



### EDGE G2 SQUARE RECESSED

Elegantly designed sleek recessed mounted pressure die-cast aluminium luminaire in powder coated white finish in square profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| EDGEPROSQDLR12WLED840SG2 | 9405     | 1900.00                               | 12 N                   |
| EDGEPROSQDLR12WLED865SG2 | 9405     | 1900.00                               | 12 N                   |
| EDGEPROSQDLR15WLED840SG2 | 9405     | 2100.00                               | 12 N                   |
| EDGEPROSQDLR15WLED865SG2 | 9405     | 2100.00                               | 12 N                   |
| EDGEPROSQDLR18WLED840SG2 | 9405     | 2500.00                               | 12 N                   |
| EDGEPROSQDLR18WLED865SG2 | 9405     | 2500.00                               | 12 N                   |

Ceiling cutout: 155x155 mm, height 17.5 mm for 12 & 15 W. 180x180 mm, height 22 mm for 18 W. Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### EDGE G2 SURFACE ROUND

Elegantly designed sleek surface mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| EDGERDDLSUR12WLED840SG2 | 9405     | 2000.00                               | 12 N                   |
| EDGERDDLSUR12WLED865SG2 | 9405     | 2000.00                               | 12 N                   |
| EDGERDDLSUR15WLED840SG2 | 9405     | 2500.00                               | 12 N                   |
| EDGERDDLSUR15WLED865SG2 | 9405     | 2500.00                               | 12 N                   |
| EDGERDDLSUR18WLED840SG2 | 9405     | 3000.00                               | 12 N                   |
| EDGERDDLSUR18WLED865SG2 | 9405     | 3000.00                               | 12 N                   |

Dia: Ø 170mm, height 35mm for 12 & 15W. Ø 225mm, height 35 mm for 18W.

Also available in other CCTs and CRI on request



### EDGE G2 SURFACE SQUARE

Elegantly designed sleek surface mounted pressure die-cast aluminium luminaire in powder coated white finish in square profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| EDGESQDLSUR12WLED840SG2 | 9405     | 2000.00                               | 12 N                   |
| EDGESQDLSUR12WLED865SG2 | 9405     | 2000.00                               | 12 N                   |
| EDGESQDLSUR15WLED840SG2 | 9405     | 2500.00                               | 12 N                   |
| EDGESQDLSUR15WLED865SG2 | 9405     | 2500.00                               | 12 N                   |
| EDGESQDLSUR18WLED840SG2 | 9405     | 3000.00                               | 12 N                   |
| EDGESQDLSUR18WLED865SG2 | 9405     | 3000.00                               | 12 N                   |

Fixture size: (LxWxH) in (170x170x35) mm for 12 W/15 W. (LxWxH) in (225x225x35) mm for 18 W.

Also available in other CCTs and CRI on request



### VIBE TREND RECESS ROUND

Recess mounted downlighter with Trimless Polycarbonate housing & PC diffuser in white finish with Independent LED driver.

| Item Description       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------|----------|---------------------------------------|------------------------|
| VIBETRENRDDL6WLED840S  | 9405     | 1200.00                               | 12 N                   |
| VIBETRENRDDL6WLED865S  | 9405     | 1200.00                               | 12 N                   |
| VIBETRENRDDL12WLED840S | 9405     | 1500.00                               | 12 N                   |
| VIBETRENRDDL12WLED865S | 9405     | 1500.00                               | 12 N                   |
| VIBETRENRDDL15WLED840S | 9405     | 1800.00                               | 12 N                   |
| VIBETRENRDDL15WLED865S | 9405     | 1800.00                               | 12 N                   |
| VIBETRENRDDL18WLED840S | 9405     | 2300.00                               | 12 N                   |
| VIBETRENRDDL18WLED865S | 9405     | 2300.00                               | 12 N                   |

Ceiling cutout: Ø 76 mm, height 27 mm for 6W, Ø 100 mm, height 27 mm for 12 W and Ø 133 mm, height 27 mm for 18 W

Also available in other CCTs and CRI on request



### VIBE TREND RECESS SQUARE

Recess mounted downlighter with Trimless Polycarbonate housing & PC diffuser in white finish with Independent LED driver.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| VIBETRENDSQDLR6WLED840S  | 9405     | 1200.00                               | 12 N                   |
| VIBETRENDSQDLR6WLED865S  | 9405     | 1200.00                               | 12 N                   |
| VIBETRENDSQDLR12WLED840S | 9405     | 1500.00                               | 12 N                   |
| VIBETRENDSQDLR12WLED865S | 9405     | 1500.00                               | 12 N                   |
| VIBETRENDSQDLR15WLED840S | 9405     | 1800.00                               | 12 N                   |
| VIBETRENDSQDLR15WLED865S | 9405     | 1800.00                               | 12 N                   |
| VIBETRENDSQDLR18WLED840S | 9405     | 2300.00                               | 12 N                   |
| VIBETRENDSQDLR18WLED865S | 9405     | 2300.00                               | 12 N                   |

Ceiling cutout: 76X76 mm, height 27 mm for 6W, 100X100 mm, height 27 mm for 12 W and 133X133 mm, height 27 mm for 18 W

Also available in other CCTs and CRI on request



### VIBE TREND SURFACE ROUND

Surface mounted Downlighter with PC housing & Opal PC diffuser with Independent electronic LED driver.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| VIBETRENDRDLSUR6WLED840S  | 9405     | 1600.00                               | 12 N                   |
| VIBETRENDRDLSUR6WLED865S  | 9405     | 1600.00                               | 12 N                   |
| VIBETRENDRDLSUR12WLED840S | 9405     | 1900.00                               | 12 N                   |
| VIBETRENDRDLSUR12WLED865S | 9405     | 1900.00                               | 12 N                   |
| VIBETRENDRDLSUR15WLED840S | 9405     | 2200.00                               | 12 N                   |
| VIBETRENDRDLSUR15WLED865S | 9405     | 2200.00                               | 12 N                   |
| VIBETRENDRDLSUR18WLED840S | 9405     | 2700.00                               | 12 N                   |
| VIBETRENDRDLSUR18WLED865S | 9405     | 2700.00                               | 12 N                   |

Fixture Dia: Ø 90 mm, height 27 mm for 6W, Ø 120 mm, height 27 mm for 12 W and Ø 156 mm, height 27 mm for 15/18 W



### VIBE TREND SURFACE SQUARE

Surface mounted Downlighter with ABS housing & PC Opal diffuser with integral electronic LED driver.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| VIBETRENDSQDLSUR6WLED840S  | 9405     | 1600.00                               | 12 N                   |
| VIBETRENDSQDLSUR6WLED865S  | 9405     | 1600.00                               | 12 N                   |
| VIBETRENDSQDLSUR12WLED840S | 9405     | 1900.00                               | 12 N                   |
| VIBETRENDSQDLSUR12WLED865S | 9405     | 1900.00                               | 12 N                   |
| VIBETRENDSQDLSUR15WLED840S | 9405     | 2200.00                               | 12 N                   |
| VIBETRENDSQDLSUR15WLED865S | 9405     | 2200.00                               | 12 N                   |
| VIBETRENDSQDLSUR18WLED840S | 9405     | 2700.00                               | 12 N                   |
| VIBETRENDSQDLSUR18WLED865S | 9405     | 2700.00                               | 12 N                   |

Fixture Dim: 90x90 mm, height 27 mm for 6W, 120x120 mm, height 27 mm for 12 W and 156x156 mm, height 27 mm for 15/18 W



# Indoor Commercial LED Luminaires

## BATTEN

### STOUT PLUS

Surface mounting Decorative LED Battens with best in class Luminaire Efficacy. This white powder coated CRCA housing battens are equipped with Milky white PC diffuser and Elegantly designed white colored ABS endcaps to enhance the aesthetics of the luminaire. THD <10%.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| STOUTPLUS600BS20WLED840SPCWH  | 9405     | 3300.00                               | 4 N                    |
| STOUTPLUS600BS20WLED857SPCWH  | 9405     | 3300.00                               | 4 N                    |
| STOUTPLUS1200BS40WLED840SPCWH | 9405     | 4300.00                               | 4 N                    |
| STOUTPLUS1200BS40WLED857SPCWH | 9405     | 4300.00                               | 4 N                    |

Fixture size: ( L x W x H ) in ( 605 x 66 x 76 ) mm for 20 W, ( 1205 x 66 x 76 ) mm for 40 W



### STOUT MINI

Surface mounting decorative Battens with best in class Luminaire Efficacy. This CRCA housing battens are equipped with specially designed Extruded Aluminium heat sink, Milky white PC diffuser and Elegantly designed white colored ABS endcaps to enhance the aesthetics of the luminaire. <10% THD

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| STOUTMINI1200BS20WLED865SPCWH | 9405     | 3500.00                               | 4 N                    |
| STOUTMINI1200BS40WLED865SPCWH | 9405     | 4000.00                               | 4 N                    |

Fixture size: ( L x W x H ) in ( 1224 x 43 x 58 ) mm



### DURA PRO BATTEN

Surface/ Suspension mounting Heavy Duty Industrial Battens with best in class Luminaire Efficacy. These Extruded Aluminium housing battens are with Potted Electronics driver and IP40 protection which makes it a perfect solution for high demanding and rugged applications. THD <10%.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| DURAPROBS45WLED840SPCSPD | 9405     | 4000.00                               | 20 N                   |
| DURAPROBS45WLED865SPCSPD | 9405     | 4000.00                               | 20 N                   |

Fixture size: ( L x W x H ) in ( 1213 x 30 x 36 ) mm



### SUSPENSION CLAMP (ADDITIONAL ACCESSORY)

|                           |      |        |      |
|---------------------------|------|--------|------|
| DURASUSPCLAMP39X30X27DIA6 | 9405 | 100.00 | 50 N |
|---------------------------|------|--------|------|

Fixture size: ( L x W x H ) in ( 1213 x 30 x 36 ) mm

### DURA REFLECTOR

|               |      |         |      |
|---------------|------|---------|------|
| DURAREFLECTOR | 9405 | 1000.00 | 50 N |
|---------------|------|---------|------|

### DURA BATTEN

Surface/Suspension mounting General Purpose aluminium Battens with best in class Luminaire Efficacy. These Extruded Aluminium housing battens are available with multiple options like Surface/Conduit Mounting clamps and Potted Electronics driver which makes it a perfect solution for varied application areas. THD <10%.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| DURABS40WLED830SPCSS           | 9405     | 2100                                  | 20N                    |
| DURABS40WLED840SPCSS           | 9405     | 2100                                  | 20N                    |
| DURABS40WLED865SPCSS           | 9405     | 2100                                  | 20N                    |
| DURABS40WLED830SPCSSPD*        | 9405     | 2300                                  | 20N                    |
| DURABS40WLED840SPCSSPD*        | 9405     | 2300                                  | 20N                    |
| <b>DURABS40WLED865SPCSSPD*</b> | 9405     | 2300                                  | 20N                    |

Fixture size: (LxWxH) in (1213x30x36) mm

\*Potted Driver

# Fixture with "PD" suffix are with Potted Driver

# Suspension mounting clamps **DURASUSPCLAMP39X30X27DIA6** and **DURAREFLECTOR** to be ordered separately.



### ENDURA LINEAR PRO BATTEN

Surface mounting General Purpose Aluminium Battens with best in class Luminaire Efficacy. These Extruded Aluminium housing battens are equipped with high specifications CISPR 15 compliant Electronics driver and Milky white, special polycarbonate diffuser, for glare free efficient light distribution. THD: <10%

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| ENDURALINEARPROBS20WLED840SPCSSIND  | 9405     | 1400.00                               | 30 N                   |
| ENDURALINEARPROBS20WLED865SPCSSIND  | 9405     | 1400.00                               | 30 N                   |
| ENDURALINEARPROBS20WLED8657SPCSSIND | 9405     | 1400.00                               | 30 N                   |

Fixture size: ( L x W x H ) in ( 1100 X 23 X 37 ) mm



### LUMILINE X BATTEN

Surface mounting special application LED Battens with best in class Luminaire Efficacy. These high efficacy battens helps in achieving higher lighting levels for equivalent power consumption of standard battens.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| LUMILINEXS14WLED865SPCWH  | 9405     | 950.00                                | 20 N                   |
| LUMILINEXS17WLED865SPCWH  | 9405     | 950.00                                | 20 N                   |
| LUMILINE+XS36WLED865SPCWH | 9405     | 1675.00                               | 20 N                   |

Fixture size: ( L x W x H ) in ( 1100 x 23 x 37 ) mm ( for 14 & 17 W ), ( 1185 x 35 x 40 ) mm ( for 36 W )

Housing Material: 17 W: PC; 36 W: Extruded Aluminium



### LUMILINE SMART BATTEN

A Smart range of Aesthetically designed LED batten with Microwave motion technology for providing an energy-efficient solution and with aluminium housing & integrated electronic driver.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| LUMILINESMART20WLED865PCWH   | 9405     | 2000.00                               | 20 N                   |
| LUMILINESMART20WLED865PCSSG2 | 9405     | 2400.00                               | 20 N                   |
| LUMILINESMART36WLED865PCSSG1 | 9405     | 2800.00                               | 20 N                   |

Fixture size: (L x W x H) in (1185 x 23 x 37) mm (for 20 W), (1185 x 35 x 40) mm (for 36 W)



# Indoor Commercial LED Luminaires

## BATTEN

### LUMILINE PLUS PRO BATTEN

Surface mounting General Purpose LED Battens in Extruded aluminium housing with wide range of wattages to suite variety of application areas. THD: <10%

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| LUMILINEPLUSPROBS10WLED865SPCSSIND | 9405     | 750.00                                | 30 N                   |
| LUMILINEPLUSPROBS18WLED865SPCSSIND | 9405     | 975.00                                | 30 N                   |
| LUMILINEPLUSPROBS20WLED865SPCSSIND | 9405     | 1000.00                               | 30 N                   |

Fixture size:(L x W x H) in (1100 x 23 x 37) mm for 10 W / 18 W / 20 W

# Suspension mounting clamps **DURASUSPCLAMP39X30X27DIA6** and DURAREFLECTOR to be ordered separately.



### LUMILINE PLUS PRO HIGH WATTAGE BATTEN

Surface/Suspension mounting General Purpose LED Battens in Extruded Aluminium housing with wide range of wattages to suite variety of application areas. IP40. THD: <10%

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| LUMILINEPLUSPROBS30WLED865SPCSS | 9405     | 1800.00                               | 20 N                   |
| LUMILINEPLUSPROBS36WLED865SPCSS | 9405     | 1900.00                               | 20 N                   |
| LUMILINEPLUSPROBS40WLED865SPCSS | 9405     | 2000.0                                | 20 N                   |

Fixture size: (LxWxH) in (1200x30x36) mm for 30 W / 36 W / 40 W

# Suspension mounting clamps **DURASUSPCLAMP39X30X27DIA6** and DURAREFLECTOR to be ordered separately.



### LUMILINE PLUS NEO

Surface mounting General Purpose LED Battens in Extruded aluminium housing with wide range of wattages to suite variety of application areas.

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| LUMILINEPLUSNEOBS10WLED865SPCSSINDS | 9405     | 625.00                                | 30 N                   |
| LUMILINEPLUSNEOBS18WLED830SPCSSINDS | 9405     | 900.00                                | 30 N                   |
| LUMILINEPLUSNEOBS18WLED840SPCSSINDS | 9405     | 900.00                                | 30 N                   |
| LUMILINEPLUSNEOBS18WLED865SPCSSINDS | 9405     | 900.00                                | 30 N                   |
| LUMILINEPLUSNEOBS20WLED830SPCSSINDS | 9405     | 935.00                                | 30 N                   |
| LUMILINEPLUSNEOBS20WLED840SPCSSINDS | 9405     | 935.00                                | 30 N                   |
| LUMILINEPLUSNEOBS20WLED865SPCSSINDS | 9405     | 935.00                                | 30 N                   |
| LUMILINEPLUSNEOBS22WLED830SPCSSINDS | 9405     | 965.00                                | 30 N                   |
| LUMILINEPLUSNEOBS22WLED840SPCSSINDS | 9405     | 965.00                                | 30 N                   |
| LUMILINEPLUSNEOBS22WLED865SPCSSINDS | 9405     | 965.00                                | 30 N                   |
| LUMILINEPLUSNEOBS24WLED830SPCSSINDS | 9405     | 990.00                                | 30 N                   |
| LUMILINEPLUSNEOBS24WLED840SPCSSINDS | 9405     | 990.00                                | 30 N                   |
| LUMILINEPLUSNEOBS24WLED865SPCSSINDS | 9405     | 990.00                                | 30 N                   |

Fixture size:LxWxH) in (550x23x37) mm (for 10 W), (LxWxH) in (1100x23x37) mm (for 18 W / 20 W / 22 W / 24 W)



### LUMILINE PLUS NEO G2

Surface mounting General Purpose IP40 LED Battens in Extruded Aluminium housing with wide range of wattages to suite variety of application areas.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| LUMILINEPLUSNEOBS20WLED865SPCSSINDS-G2<br>Fixture size: (LxWxH) in (1100x23x37) mm | 9405     | 1000.00                               | 30 N                   |



### LUMILINE PLUS HIGH WATTAGE

Surface/ Pendant mounting Special Application High Wattage LED Battens in Extruded aluminium housing with wide range of wattages to suite variety of application areas.

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| LUMILINEPLUSBS30WLED840SPCSSIND | 9405     | 1300.00                               | 30 N                   |
| LUMILINEPLUSBS30WLED865SPCSSIND | 9405     | 1300.00                               | 30 N                   |
| LUMILINEPLUSBS36WLED840SPCSSIND | 9405     | 1600.00                               | 30 N                   |
| LUMILINEPLUSBS36WLED865SPCSSIND | 9405     | 1600.00                               | 30 N                   |
| LUMILINEPLUSBS40WLED840SPCSSIND | 9405     | 1800.00                               | 30 N                   |
| LUMILINEPLUSBS40WLED865SPCSSIND | 9405     | 1800.00                               | 30 N                   |

Fixture size: (LxWxH) in (11853x23x37) mm  
(LUMILINEPLUSUSPCLAMP30X24X27DIA6) to be ordered separately.



### LUMILINE PLUS MINI

Surface mounting Special Application compact length LED Battens in Extruded Aluminium housing.

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| LUMILINEPLUSMINIBS18WLED865SPCSSIND | 9405     | 800.00                                | 30 N                   |
| LUMILINEPLUSMINIBS20WLED865SPCSSIND | 9405     | 800.00                                | 30 N                   |

Fixture size: ( L x W x H ) in ( 550 x 23 x 33 ) mm



### LUMILINE PRO BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and Square shaped diffuser with wide range of wattages to suit variety of application areas. THD: <10%

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| LUMILINEPROBS18WLED865SPCSSIND | 9405     | 775.00                                | 30 N                   |
| LUMILINEPROBS20WLED865SPCSSIND | 9405     | 800.00                                | 30 N                   |

Fixture size: ( L x W x H ) in ( 1100 x 24 x 33 ) mm



# Indoor Commercial LED Luminaires

## BATTEN

### LUMILINE NXT BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and Square shaped diffuser with wide range of wattages to suit variety of application areas.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| LUMILINENXTBS10WLED830SPCWH | 9405     | 540.00                                | 40 N                   |
| LUMILINENXTBS10WLED840SPCWH | 9405     | 540.00                                | 40 N                   |
| LUMILINENXTBS10WLED865SPCWH | 9405     | 540.00                                | 40 N                   |
| LUMILINENXTBS18WLED830SPCWH | 9405     | 590.00                                | 40 N                   |
| LUMILINENXTBS18WLED840SPCWH | 9405     | 590.00                                | 40 N                   |
| LUMILINENXTBS18WLED865SPCWH | 9405     | 590.00                                | 40 N                   |
| LUMILINENXTBS20WLED830SPCWH | 9405     | 650.00                                | 40 N                   |
| LUMILINENXTBS20WLED840SPCWH | 9405     | 650.00                                | 40 N                   |
| LUMILINENXTBS20WLED865SPCWH | 9405     | 650.00                                | 40 N                   |
| LUMILINENXTBS22WLED830SPCWH | 9405     | 670.00                                | 40 N                   |
| LUMILINENXTBS22WLED840SPCWH | 9405     | 670.00                                | 40 N                   |
| LUMILINENXTBS22WLED865SPCWH | 9405     | 670.00                                | 40 N                   |

Fixture size: L x W x H in ( 600 x 24 x 33 ) mm (for 10 W), ( L x W x H ) in ( 1100 x 24 x33 ) mm (for 18 W / 20 W / 22 W)



### LUMILINE NEO BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and round-shaped diffuser with a wide range of wattages to suit a variety of application areas.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| LUMILINENEBS18WLED830SPCWH | 9405     | 590.00                                | 40 N                   |
| LUMILINENEBS18WLED840SPCWH | 9405     | 590.00                                | 40 N                   |
| LUMILINENEBS18WLED865SPCWH | 9405     | 590.00                                | 40 N                   |
| LUMILINENEBS20WLED830SPCWH | 9405     | 650.00                                | 40 N                   |
| LUMILINENEBS20WLED840SPCWH | 9405     | 650.00                                | 40 N                   |
| LUMILINENEBS20WLED865SPCWH | 9405     | 650.00                                | 40 N                   |
| LUMILINENEBS22WLED830SPCWH | 9405     | 670.00                                | 40 N                   |
| LUMILINENEBS22WLED840SPCWH | 9405     | 670.00                                | 40 N                   |
| LUMILINENEBS22WLED865SPCWH | 9405     | 670.00                                | 40 N                   |

Fixture size:( L x W x H ) in ( 1100 x 24 x 33 ) mm



### LUMILINE TREND

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and Square shaped diffuser with wide range of wattages to suit variety of application areas.

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| LUMILINETRENDBS20WLED865SPCWH   | 9405     | 500.00                                | 50 N                   |
| LUMILINETRENDBS20WLED865SPCWHG2 | 9405     | 500.00                                | 30 N                   |

Fixture size: (LxWxH) in (1110x20x30) mm



### REGAL BATTEN

General purpose industrial compact batten suitable for single or twin LED Retrofit T8 Tubes with integral LED driver.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| REGALBATTENT8UPTO1X22WSSBSWHNW | 9405     | 650.00                                | 15 N                   |
| REGALBATTENT8UPTO2X22WSSBSWHNW | 9405     | 650.00                                | 15 N                   |

Fixture size: (LxWxH) in (1233x38x55) mm (for 1x22 W), (1233x98x55) mm (for 2x22 W)



### STREAK NEO BATTEN

General purpose industrial compact batten suitable for single or twin LED Retrofit T8 Tubes with integral LED driver.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| STREAKNEOT8UPTO1X22WSSBSWH | 9405     | 280.00                                | 20 N                   |
| STREAKNEOT8UPTO2X22WSSBSWH | 9405     | 330.00                                | 20 N                   |

Fixture size: ( L x W x H ) in ( 1233 x 36 x 46 ) mm (for 1 x 22 W), (1233 x 71.5 x 46) mm (for 2x22 W )



### TITANIA PRO LED TUBELIGHT

Ultra bright LED Tubelight (single side connection) with aluminium insert/housing & very high efficacy  $\geq 150$  lm/W best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| TITANIAPRO1213T8SSTL14WLED865SPC | 9405     | 1250.00                               | 20 N                   |

Fixture size: (  $\varnothing$  x L ) in ( 28 x 1213 ) mm



### TITANIA PLUS 2.0 LED TUBELIGHT

Ultra bright LED Tubelight (single side connection) with aluminium insert/housing & very high efficacy  $\geq 120$  lm/W best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

| Item Description                     | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------------|----------|---------------------------------------|------------------------|
| TITANIAPLUS2.01213T8SSTL18WLED865SPC | 9405     | 1250.00                               | 20 N                   |
| TITANIAPLUS1213T8SSTL30WLED865SPC    | 9405     | 1750.00                               | 20 N                   |

Fixture size: (  $\varnothing$  x L ) in ( 28 x 1213 ) mm



### TITANIA NEO LED TUBELIGHT

Ultra bright LED Tubelight (single side connection) with very high efficacy  $\geq 105$  lm/W best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| TITANIANE01213T8SSTL18WLED865SPC | 9405     | 1100.00                               | 20 N                   |
| TITANIANE01213T8SSTL20WLED865SPC | 9405     | 1100.00                               | 20 N                   |

Fixture size: (  $\varnothing$  x L ) in ( 28 x 1213 ) mm



# Indoor Commercial LED Luminaires

## BATTEN

### PHOTON ULTRA PRO TUBELIGHT

Ultra bright LED Tubelight (single side connection) with very high efficacy  $\geq 150$  lm/W suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

| Item Description                                      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| PHOTONULTRAPRO1213T8SSTL14WLED865SPC                  | 9405     | 1100.00                               | 30 N                   |
| Fixture size: (ØxL) in (28x1213) mm (for 18 W / 20 W) |          |                                       |                        |



### PHOTON ULTRA PLUS 2.0 TUBELIGHT <10%

Ultra bright LED Tubelight (single side connection) with very high efficacy  $\geq 115$  lm/W & THD<10% suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

| Item Description                                      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| PHOTONULTRAPLUSN1213T8SSTL18WLED865PCIND              | 9405     | 1325.00                               | 30 N                   |
| PHOTONULTRAPLUSN1213T8SSTL20WLED865PCIND              | 9405     | 1325.00                               | 30 N                   |
| Fixture size: (ØxL) in (28x1213) mm (for 18 W / 20 W) |          |                                       |                        |



### PHOTON ULTRA 2.0 TUBELIGHT <15%

Ultra bright LED Tubelight (single side connection) with very high efficacy & THD <15% best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

| Item Description  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| PHOTONULTRAE2.0603T8SSTL10WLED865SPC  | 9405     | 540.00                                | 30 N                   |
| PHOTONULTRAE2.01213T8SSTL18WLED865SPC   | 9405     | 725.00                                | 30 N                   |
| PHOTONULTRAE2.01213T8SSTL20WLED865SPC   | 9405     | 725.00                                | 30 N                   |
| Fixture size: (ØxL) in (28x603) mm (for 10 W), (28x1213) mm (for 18 W / 20 W) |          |                                       |                        |



### PHOTON ULTRA PL-L

Ultra bright LED PLL with very high efficacy suited for installation in existing 2G11 lamp holders to give glare free light.

| Item Description                                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| PHOTONULTRAPLL419TL18WLED865SPC                     | 9405     | 1135.00                               | 20 N                   |
| Fixture size: ( L x W x H ) in ( 410 x 24 x 44 ) mm |          |                                       |                        |



### HERCULES PL-L

Ultra bright LED PLL with very high efficacy suited for installation in existing 2G11 lamp holders to give glare free light.

| Item Description                                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| HERCULESPLL419TL18WLED865SPC                        | 9405     | 900.00                                | 20 N                   |
| HERCULESHPLLL419TL18WLED865SPC                      | 9405     | 1000.00                               | 20 N                   |
| Fixture size: ( L x W x H ) in ( 410 x 24 x 44 ) mm |          |                                       |                        |



### LED FLEXI STRIP

Flexible LED strips with optimum brightness & uniformity of light for perfect cove lighting. IP20.

| Item Description                         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| FLEXISTRIP5MIP2024V/1ALED830MOD V1       | 9405     | 1200.00                               | 10 N                   |
| FLEXISTRIP5MIP2024V/1ALED840MOD V1       | 9405     | 1200.00                               | 10 N                   |
| FLEXISTRIP5MIP2024V/1ALED865MOD V1       | 9405     | 1200.00                               | 10 N                   |
| CONSTANT VOLTAGE DRIVER24V1AUPTO 24W V1  | 9405     | 1000.00                               | 20 N                   |
| FLEXISTRIP5MIP2024V/2ALED830MOD V1       | 9405     | 1325.00                               | 10 N                   |
| FLEXISTRIP5MIP2024V/2ALED840MOD V1       | 9405     | 1325.00                               | 10 N                   |
| FLEXISTRIP5MIP2024V/2ALED865MOD V1       | 9405     | 1325.00                               | 10 N                   |
| Constant Voltage Driver24V2Aupto 48W V1  | 9405     | 1400.00                               | 20 N                   |
| FLEXISTRIP5MIP2024V/3ALED830MOD V1       | 9405     | 1450.00                               | 10 N                   |
| FLEXISTRIP5MIP2024V/3ALED840MOD V1       | 9405     | 1450.00                               | 10 N                   |
| FLEXISTRIP5MIP2024V/3ALED865MOD V1       | 9405     | 1450.00                               | 10 N                   |
| Const.Voltage 24V 3A LED Driver upto 72W | 9405     | 2500.00                               | 20 N                   |

Fixture size: 5 m




### FLEXISTRIP ALUMINIUM PROFILE

Surface/ Recess/ Corner mounted aluminium profile with opal diffuser, end caps and mounting clamps.

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| FLEXISTRIPALPROFILE17X14SURFACE | 9405     | 1200.00                               | 25 N                   |
| FLEXISTRIPALPROFILE17X14RECESS  | 9405     | 1250.00                               | 25 N                   |
| FLEXISTRIPALPROFILE16X16RCORNER | 9405     | 1200.00                               | 25 N                   |

Fixture size: (LxWxH) in (2000x17x14) mm Surface ; Cutout (LxWxH) in (2000x17x14) mm Recess ; Cutout (LxWxH) in (2000x16x16) mm Corner ;



### TRICA AC LED TRICOLOR STRIP LIGHT IP65

Flexible Tri-color Mains Voltage LED strips lights suitable for outdoor applications. IP65

| Item Description                     | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------------|----------|---------------------------------------|------------------------|
| FLEXISTRIPTRICAROEPE120D18MSTRIP65   | 9405     | 5000.00                               | 2 N                    |
| FLEXISTRIPTRICAROEPE120D18MSTRIP65V2 | 9405     | 5000.00                               | 2 N                    |

Fixture size: 18 m

FLEXISTRIPTRICAROEPE120D18MSTRIP65: (Amber-White-Green)

FLEXISTRIPTRICAROEPE120D18MSTRIP65V2: (Saffron-White-Green)



# Indoor Commercial LED Luminaires

## LED STRIPS

### FLEXI STRIP TRICA AC LED TRICOLOR STRIP LIGHT IP65

Flexible LED strips with optimum brightness & uniformity of light for perfect cove lighting. IP65

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| FLEXISTRIP50MIP65AC6W/M830V1     | 9405     | 10000.00                              | 2 N                    |
| FLEXISTRIP50MIP65AC6W/M840V1     | 9405     | 10000.00                              | 2 N                    |
| FLEXISTRIP50MIP65AC6W/M865V1     | 9405     | 10000.00                              | 2 N                    |
| FLEXISTRIP50MIP65AC10W/M830V1    | 9405     | 12000.00                              | 2 N                    |
| FLEXISTRIP50MIP65AC10W/M840V1    | 9405     | 12000.00                              | 2 N                    |
| FLEXISTRIP50MIP65AC10W/M865V1    | 9405     | 12000.00                              | 2 N                    |
| FLEXISTRIP50MIP65AC10W/SAFFRONV1 | 9405     | 12000.00                              | 2 N                    |
| FLEXISTRIP50MIP65AC10W/GREENV1   | 9405     | 12000.00                              | 2 N                    |
| FLEXISTRIPACIP65POWERCORD        | 9405     | 500.00                                | 40 N                   |

Fixture size: 50 m



### FLEXISTRIP NEON AC LED MONO COLOR STRIP LIGHT IP65

Flexible Mono-color Mains Voltage NEON LED strips lights with Silicon housing suitable for outdoor applications. IP65

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| FLEXISTRIPNEON50MIP65AC7.5W/M830V1 | 9405     | 26000.00                              | 2 N                    |
| FLEXISTRIPNEON50MIP65AC7.5W/M840V1 | 9405     | 26000.00                              | 2 N                    |
| FLEXISTRIPNEON50MIP65AC7.5W/M865V1 | 9405     | 26000.00                              | 2 N                    |
| FLEXISTRIPNEONACIP65POWERCORD      | 9405     | 26000.00                              | 40 N                   |

Fixture size: 50 m





# ACCENT Lighting Range Luminaires

Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

### UNECO FIXED COB DOWNLIGHT

New generation, energy saving, aesthetically designed, recessed mounted down light pressure die-cast aluminium heat sink & high efficiency long life COB LED mounted on MCPCB with high efficacy for enhanced lumen output. THD <10%

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| UNECOFIXDLR8WLED830S60-G2  | 9405     | 1888.00                               | 20 N                   |
| UNECOFIXDLR8WLED840S60-G2  | 9405     | 1888.00                               | 20 N                   |
| UNECOFIXDLR8WLED857S60-G2  | 9405     | 1888.00                               | 20 N                   |
| UNECOFIXDLR12WLED830S60-G2 | 9405     | 2232.00                               | 20 N                   |
| UNECOFIXDLR12WLED840S60-G2 | 9405     | 2232.00                               | 20 N                   |
| UNECOFIXDLR12WLED857S60-G2 | 9405     | 2232.00                               | 20 N                   |
| UNECOFIXDLR15WLED830S60-G2 | 9405     | 2609.00                               | 20 N                   |
| UNECOFIXDLR15WLED840S60-G2 | 9405     | 2609.00                               | 20 N                   |
| UNECOFIXDLR15WLED857S60-G2 | 9405     | 2609.00                               | 20 N                   |
| UNECOFIXDLR20WLED830S60-G2 | 9405     | 3622.00                               | 10 N                   |
| UNECOFIXDLR20WLED840S60-G2 | 9405     | 3622.00                               | 10 N                   |
| UNECOFIXDLR20WLED857S60-G2 | 9405     | 3622.00                               | 10 N                   |
| UNECOFIXDLR30WLED830S60-G2 | 9405     | 5081.00                               | 10 N                   |
| UNECOFIXDLR30WLED840S60-G2 | 9405     | 5081.00                               | 10 N                   |
| UNECOFIXDLR30WLED857S60-G2 | 9405     | 5081.00                               | 10 N                   |
| UNECOFIXDLR40WLED830S60-G2 | 9405     | 7138.00                               | 10 N                   |
| UNECOFIXDLR40WLED840S60-G2 | 9405     | 7138.00                               | 10 N                   |
| UNECOFIXDLR40WLED857S60-G2 | 9405     | 7138.00                               | 10 N                   |

Fixture size:

Ceiling cutout: Ø 75 mm, height 45 mm for 8 W ; Ceiling cutout: Ø 80 mm, height 47 mm for 12 W ;

Ceiling cutout: Ø 90 mm, height 48 mm for 15 W ; Ceiling cutout: Ø 115 mm, height 52 mm for 20 W

Ceiling cutout: Ø 162 mm, height 58 mm for 30 W ; Ceiling cutout: Ø 205 mm, height 62 mm for 40 W



### UNECO ADJUSTABLE COB DOWNLIGHT

New generation, energy saving, aesthetically designed, recessed mounted down light with 15° tilt pressure die-cast aluminum heat sink & high efficiency long life COB LED mounted on MCPCB with high efficacy for enhanced lumen output. THD <10%

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| UNECOADJDLR8WLED830S24-G2  | 9405     | 2232.00                               | 20 N                   |
| UNECOADJDLR8WLED840S24-G2  | 9405     | 2232.00                               | 20 N                   |
| UNECOADJDLR8WLED857S24-G2  | 9405     | 2232.00                               | 20 N                   |
| UNECOADJDLR15WLED830S24-G2 | 9405     | 2936.00                               | 20 N                   |
| UNECOADJDLR15WLED840S24-G2 | 9405     | 2936.00                               | 20 N                   |
| UNECOADJDLR15WLED857S24-G2 | 9405     | 2936.00                               | 20 N                   |
| UNECOADJDLR20WLED830S36-G2 | 9405     | 3948.00                               | 10 N                   |
| UNECOADJDLR20WLED840S36-G2 | 9405     | 3948.00                               | 10 N                   |
| UNECOADJDLR20WLED857S36-G2 | 9405     | 3948.00                               | 10 N                   |
| UNECOADJDLR30WLED830S36-G2 | 9405     | 5322.00                               | 10 N                   |
| UNECOADJDLR30WLED840S36-G2 | 9405     | 5322.00                               | 10 N                   |
| UNECOADJDLR30WLED857S36-G2 | 9405     | 5322.00                               | 10 N                   |

Fixture size:

Ceiling cutout: Ø 75 mm, height 50 mm for 8 W ; Ceiling cutout: Ø 95 mm, height 67 mm for 15 W.

Ceiling cutout: Ø 120 mm, height 80 mm for 20 W ; Ceiling cutout: Ø 140 mm, height 85 mm for 30 W



# Indoor Architectural LED Luminaires

## DOWNLIGHTS

### UNECO SNOOT COB DOWNLIGHT

Recess mounted LED wall washers, tilted 70° outwards and swivels 350° to offer best illumination on the wall and retail displays. THD <10%

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| UNECOSNOOTDLR15WLED830S36WHT-G2 | 9405     | 3140.00                               | 8 N                    |
| UNECOSNOOTDLR15WLED840S36WHT-G2 | 9405     | 3140.00                               | 8 N                    |
| UNECOSNOOTDLR15WLED857S36WHT-G2 | 9405     | 3140.00                               | 8 N                    |
| UNECOSNOOTDLR20WLED830S36WHT-G2 | 9405     | 4830.00                               | 8 N                    |
| UNECOSNOOTDLR20WLED840S36WHT-G2 | 9405     | 4830.00                               | 8 N                    |
| UNECOSNOOTDLR20WLED857S36WHT-G2 | 9405     | 4830.00                               | 8 N                    |
| UNECOSNOOTDLR30WLED857S36WHT-G2 | 9405     | 5900.00                               | 8 N                    |
| UNECOSNOOTDLR30WLED857S36WHT-G2 | 9405     | 5900.00                               | 8 N                    |
| UNECOSNOOTDLR30WLED857S36WHT-G2 | 9405     | 5900.00                               | 8 N                    |
| UNECOSNOOTDLR40WLED857S36WHT-G2 | 9405     | 6500.00                               | 8 N                    |
| UNECOSNOOTDLR40WLED857S36WHT-G2 | 9405     | 6500.00                               | 8 N                    |
| UNECOSNOOTDLR40WLED857S36WHT-G2 | 9405     | 6500.00                               | 8 N                    |

Fixture size:

Ceiling cutout: Ceiling cutout: Ø 89 mm, height 76 mm for 15 W ; Ceiling cutout: Ø 113 mm, height 100 mm for 20 W; Ceiling cutout: Ø 144 mm, height 126 mm for 30W & 40 W



### UNECO GIMBAL COB DOWNLIGHT

New generation, Energy Saving, aesthetically designed, Recessed Mounted Gimbal mounted Down light Pressure die-cast aluminium heat sink & high efficiency long life COB LED mounted on MCPCB with high efficacy for enhanced lumen output. THD <10%

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| UNECOGIMBALSPOT1X12WLED830S36BLK | 9405     | 2500.00                               | 24 N                   |
| UNECOGIMBALSPOT1X12WLED840S36BLK | 9405     | 2500.00                               | 24 N                   |
| UNECOGIMBALSPOT1X12WLED857S36BLK | 9405     | 2500.00                               | 24 N                   |
| UNECOGIMBALSPOT2X12WLED830S36BLK | 9405     | 5000.00                               | 18 N                   |
| UNECOGIMBALSPOT2X12WLED840S36BLK | 9405     | 5000.00                               | 18 N                   |
| UNECOGIMBALSPOT2X12WLED857S36BLK | 9405     | 5000.00                               | 18 N                   |
| UNECOGIMBALSPOT3X12WLED830S36BLK | 9405     | 6000.00                               | 12 N                   |
| UNECOGIMBALSPOT3X12WLED840S36BLK | 9405     | 6000.00                               | 12 N                   |
| UNECOGIMBALSPOT3X12WLED857S36BLK | 9405     | 6000.00                               | 12 N                   |

Fixture size: Ceiling cutout: Ceiling cutout: 75x75 mm, height 58 mm for 1x12 W ; Ceiling cutout: 75x160 mm, height 58 mm for 2x12 W ; Ceiling cutout: 75x245 mm, height 58 mm for 3x12 W  
# Also available in White housing on request.



### LUMIN SPOT PRO DEEP-RECESSED COB DOWNLIGHT

Deep recessed antiglare LED Spot down light with UGR<19 for general and accent lighting. The premium reflector matches the ceiling and accentuates the architecture of the area without compromising the light output. THD <10%

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| LUMINSPOTPROR7WLED830S36WHT   | 9405     | 2200.00                               | 20 N                   |
| LUMINSPOTPROR7WLED840S36WHT   | 9405     | 2200.00                               | 20 N                   |
| LUMINSPOTPROR7WLED857S36WHT   | 9405     | 2200.00                               | 20 N                   |
| LUMINSPOTPROR12WLED830S36WHT  | 9405     | 2700.00                               | 20 N                   |
| LUMINSPOTPROR12WLED840S36WHT  | 9405     | 2700.00                               | 20 N                   |
| LUMINSPOTPROR12WLED857S36WHT  | 9405     | 2700.00                               | 20 N                   |
| LUMINSPOTPROR12WLED830S60WHT  | 9405     | 2700.00                               | 20 N                   |
| LUMINSPOTPROR12WLED840S60WHT  | 9405     | 2700.00                               | 20 N                   |
| LUMINSPOTPROR12WLED857S60WHT  | 9405     | 2700.00                               | 20 N                   |
| LUMINSPOTPROR15WLED830S36WHT  | 9405     | 3200.00                               | 16 N                   |
| LUMINSPOTPROR15WLED840S36WHT  | 9405     | 3200.00                               | 16 N                   |
| LUMINSPOTPROR15WLED857S36WHT  | 9405     | 3200.00                               | 16 N                   |
| LUMINSPOTPROR15WLED830S60WHT  | 9405     | 3200.00                               | 16 N                   |
| LUMINSPOTPROR15WLED840S60WHT  | 9405     | 3200.00                               | 16 N                   |
| LUMINSPOTLPROR15WLED857S60WHT | 9405     | 3200.00                               | 16 N                   |

Fixture size:

Ceiling cutout: Ø 57 mm, height 60 mm for 7W ; Ceiling cutout: Ø 75 mm, height 76 mm for 12W.

Ceiling cutout: Ø 81 mm, height 88 mm for 15W.

# Also available in Black housing on request.



### UNECO POP-UP

Recessed Mounted POP-UP LED Downlight with 355° rotation and 90° tilt for Directional adjustment, High efficiency COB used with better product efficacy 95 LPW. THD<10%

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| UNECOPOPUPR10WLED830S24WHT   | 9405     | 5000.00                               | 10 N                   |
| UNECOPOPUPR20WLED830S24WHT   | 9405     | 7000.00                               | 10 N                   |
| UNECOPOPUPR10WLED840S24WHT   | 9405     | 5000.00                               | 10 N                   |
| UNECOPOPUPR20WLED840S24WHT   | 9405     | 7000.00                               | 10 N                   |
| UNECOPOPUPR10WLED857S24WHT   | 9405     | 5000.00                               | 10 N                   |
| UNECOPOPUPR20WLED857S24WHT   | 9405     | 7000.00                               | 10 N                   |
| UNECOPOPUPR2X10WLED830S24WHT | 9405     | 9000.00                               | 6 N                    |
| UNECOPOPUPR2X20WLED830S24WHT | 9405     | 12000.00                              | 6 N                    |
| UNECOPOPUPR2X10WLED840S24WHT | 9405     | 9000.00                               | 6 N                    |
| UNECOPOPUPR2X20WLED840S24WHT | 9405     | 12000.00                              | 6 N                    |
| UNECOPOPUPR2X10WLED857S24WHT | 9405     | 9000.00                               | 6 N                    |
| UNECOPOPUPR2X20WLED857S24WHT | 9405     | 12000.00                              | 6 N                    |

Fixture size: Ø 75 mm, length 100mm, width 100mm & height 112 mm and Cutout: 63x63mm for 1x10W ; Ø 92 mm, length 130mm, width 130mm & height 130 mm and Cutout: 83x83mm for 1x20W ; Ø 75 mm, length 184mm, width 100mm & height 112 mm and Cutout: 166x63mm for 2x10W ; Ø 92 mm, length 240mm, width 130mm & height 130 mm and Cutout: 233x83mm for 2x20W



# Indoor Architectural LED Luminaires

## DOWNLIGHTS

### UNECO SURFACE COB DOWNLIGHTS

Uneco surface light with black/white powder coated aluminium housing and pressure die-cast heat sink having high efficiency. THD <10%



| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| UNECOSURFDLS8WLED830S24BLK-G2  | 9405     | 3475.00                               | 20 N                   |
| UNECOSURFDLS8WLED840S24BLK-G2  | 9405     | 3475.00                               | 20 N                   |
| UNECOSURFDLS8WLED857S24BLK-G2  | 9405     | 3475.00                               | 20 N                   |
| UNECOSURFDLS15WLED830S24BLK-G2 | 9405     | 4172.00                               | 20 N                   |
| UNECOSURFDLS15WLED840S24BLK-G2 | 9405     | 4172.00                               | 20 N                   |
| UNECOSURFDLS15WLED857S24BLK-G2 | 9405     | 4172.00                               | 20 N                   |
| UNECOSURFDLS20WLED830S36BLK-G2 | 9405     | 5562.00                               | 10 N                   |
| UNECOSURFDLS20WLED840S36BLK-G2 | 9405     | 5562.00                               | 10 N                   |
| UNECOSURFDLS20WLED857S36BLK-G2 | 9405     | 5562.00                               | 10 N                   |
| UNECOSURFDLS30WLED830S36BLK-G2 | 9405     | 7622.00                               | 10 N                   |
| UNECOSURFDLS30WLED840S36BLK-G2 | 9405     | 7622.00                               | 10 N                   |
| UNECOSURFDLS30WLED857S36BLK-G2 | 9405     | 7622.00                               | 10 N                   |
| UNECOSURFDLS8WLED830S24WHT-G2  | 9405     | 3475.00                               | 20 N                   |
| UNECOSURFDLS8WLED840S24WHT-G2  | 9405     | 3475.00                               | 20 N                   |
| UNECOSURFDLS8WLED857S24WHT-G2  | 9405     | 3475.00                               | 20 N                   |
| UNECOSURFDLS15WLED830S24WHT-G2 | 9405     | 4172.00                               | 20 N                   |
| UNECOSURFDLS15WLED840S24WHT-G2 | 9405     | 4172.00                               | 20 N                   |
| UNECOSURFDLS15WLED857S24WHT-G2 | 9405     | 4172.00                               | 20 N                   |
| UNECOSURFDLS20WLED830S36WHT-G2 | 9405     | 5562.00                               | 10 N                   |
| UNECOSURFDLS20WLED840S36WHT-G2 | 9405     | 5562.00                               | 10 N                   |
| UNECOSURFDLS20WLED857S36WHT-G2 | 9405     | 5562.00                               | 10 N                   |
| UNECOSURFDLS30WLED830S36WHT-G2 | 9405     | 7622.00                               | 10 N                   |
| UNECOSURFDLS30WLED840S36WHT-G2 | 9405     | 7622.00                               | 10 N                   |
| UNECOSURFDLS30WLED857S36WHT-G2 | 9405     | 7622.00                               | 10 N                   |

Fixture size: Ø 55 mm, height 150 mm for 8W ; Ø 75 mm, height 150 mm for 15W.  
Ø 95 mm, height 200 mm for 20W ; Ø 115 mm, height 200 mm for 30W.

### UNECO SUSPENDED COB DOWNLIGHTS

Uneco pendant light with black/white powder coated aluminium housing and pressure die-cast heat sink having high efficiency. THD <10%

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| UNECOPENDDLDP8WLED830S24BLK-G2  | 9405     | 3863.00                               | 20N                    |
| UNECOPENDDLDP8WLED840S24BLK-G2  | 9405     | 3863.00                               | 20 N                   |
| UNECOPENDDLDP8WLED857S24BLK-G2  | 9405     | 3863.00                               | 20 N                   |
| UNECOPENDDLDP15WLED830S24BLK-G2 | 9405     | 4635.00                               | 20 N                   |
| UNECOPENDDLDP15WLED840S24BLK-G2 | 9405     | 4635.00                               | 20 N                   |
| UNECOPENDDLDP15WLED857S24BLK-G2 | 9405     | 4635.00                               | 20 N                   |
| UNECOPENDDLDP20WLED830S36BLK-G2 | 9405     | 5947.00                               | 10 N                   |
| UNECOPENDDLDP20WLED840S36BLK-G2 | 9405     | 5947.00                               | 10 N                   |
| UNECOPENDDLDP20WLED857S36BLK-G2 | 9405     | 5947.00                               | 10 N                   |
| UNECOPENDDLDP30WLED830S24BLK-G2 | 9405     | 8034.00                               | 10 N                   |
| UNECOPENDDLDP30WLED840S36BLK-G2 | 9405     | 8034.00                               | 10 N                   |
| UNECOPENDDLDP30WLED857S36BLK-G2 | 9405     | 8034.00                               | 10 N                   |
| UNECOPENDDLDP8WLED830S24WHT-G2  | 9405     | 3863.00                               | 20 N                   |
| UNECOPENDDLDP8WLED840S24WHT-G2  | 9405     | 3863.00                               | 20 N                   |
| UNECOPENDDLDP8WLED857S24WHT-G2  | 9405     | 3863.00                               | 20 N                   |
| UNECOPENDDLDP15WLED830S24WHT-G2 | 9405     | 4635.00                               | 20 N                   |
| UNECOPENDDLDP15WLED840S24WHT-G2 | 9405     | 4635.00                               | 20 N                   |
| UNECOPENDDLDP15WLED857S24WHT-G2 | 9405     | 4635.00                               | 20 N                   |
| UNECOPENDDLDP20WLED830S36WHT-G2 | 9405     | 5947.00                               | 10 N                   |
| UNECOPENDDLDP20WLED840S36WHT-G2 | 9405     | 5947.00                               | 10 N                   |
| UNECOPENDDLDP20WLED857S36WHT-G2 | 9405     | 5947.00                               | 10 N                   |
| UNECOPENDDLDP30WLED830S36WHT-G2 | 9405     | 8034.00                               | 10 N                   |
| UNECOPENDDLDP30WLED840S36WHT-G2 | 9405     | 8034.00                               | 10 N                   |
| UNECOPENDDLDP30WLED857S36WHT-G2 | 9405     | 8034.00                               | 10 N                   |

Fixture size: Ø 55 mm, height 150 mm for 8W ; Ø 75 mm, height 150 mm for 15W.  
Ø 95 mm, height 200 mm for 20W ; Ø 115 mm, height 200 mm for 30W.



# Indoor Architectural LED Luminaires

## DOWNLIGHTS

### UNECO TRACK LIGHT

Track mounted LED light in Black/White finish having modern design, compact size with High power COB LED to provide focussed light. Track light is a method of lighting where light fixtures are attached anywhere on a continuous track rail which is electrically charged as compared to the need of routing electrical wiring to individual light position. THD <10%

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| UNECOTRACKLIGHTTS10WLED830S24BLK-V2 | 9405     | 3667.00                               | 20 N                   |
| UNECOTRACKLIGHTTS10WLED840S24BLK-V2 | 9405     | 3667.00                               | 20 N                   |
| UNECOTRACKLIGHTTS10WLED857S24BLK-V2 | 9405     | 3667.00                               | 20 N                   |
| UNECOTRACKLIGHTTS15WLED830S36BLK-V2 | 9405     | 4500.00                               | 20 N                   |
| UNECOTRACKLIGHTTS15WLED840S36BLK-V2 | 9405     | 4500.00                               | 20 N                   |
| UNECOTRACKLIGHTTS15WLED857S36BLK-V2 | 9405     | 4500.00                               | 20 N                   |
| UNECOTRACKLIGHTTS25WLED830S36BLK-V2 | 9405     | 5167.00                               | 10 N                   |
| UNECOTRACKLIGHTTS25WLED840S36BLK-V2 | 9405     | 5167.00                               | 10 N                   |
| UNECOTRACKLIGHTTS25WLED857S36BLK-V2 | 9405     | 5167.00                               | 10 N                   |
| UNECOTRACKLIGHTTS30WLED830S36BLK-V2 | 9405     | 7000.00                               | 10 N                   |
| UNECOTRACKLIGHTTS30WLED840S36BLK-V2 | 9405     | 7000.00                               | 10 N                   |
| UNECOTRACKLIGHTTS30WLED857S36BLK-V2 | 9405     | 7000.00                               | 10 N                   |
| UNECOTRACKLIGHTTS10WLED830S24WHT-V2 | 9405     | 3667.00                               | 20 N                   |
| UNECOTRACKLIGHTTS10WLED840S24WHT-V2 | 9405     | 3667.00                               | 20 N                   |
| UNECOTRACKLIGHTTS10WLED857S24WHT-V2 | 9405     | 3667.00                               | 20 N                   |
| UNECOTRACKLIGHTTS15WLED830S36WHT-V2 | 9405     | 4500.00                               | 20 N                   |
| UNECOTRACKLIGHTTS15WLED840S36WHT-V2 | 9405     | 4500.00                               | 20 N                   |
| UNECOTRACKLIGHTTS15WLED857S36WHT-V2 | 9405     | 4500.00                               | 20 N                   |
| UNECOTRACKLIGHTTS25WLED830S36WHT-V2 | 9405     | 5167.00                               | 10 N                   |
| UNECOTRACKLIGHTTS25WLED840S36WHT-V2 | 9405     | 5167.00                               | 10 N                   |
| UNECOTRACKLIGHTTS25WLED857S36WHT-V2 | 9405     | 5167.00                               | 10 N                   |
| UNECOTRACKLIGHTTS30WLED830S36WHT-V2 | 9405     | 7000.00                               | 10 N                   |
| UNECOTRACKLIGHTTS30WLED840S36WHT-V2 | 9405     | 7000.00                               | 10 N                   |
| UNECOTRACKLIGHTTS30WLED857S36WHT-V2 | 9405     | 7000.00                               | 10 N                   |

Fixture size: Ø 60 mm, length 135mm, height 215 mm for 10W & 15W ; Ø 80 mm, length 150mm, height 230 mm for 20W ; Ø 90 mm, length 160mm, height 245 mm for 30W.



### UNECO TRACK LIGHT ACCESSORIES (BLACK/WHITE)

| Item Description                  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------------|----------|---------------------------------------|------------------------|
| 1MTR1PHASETTRACKTSWHT-V1          | 9405     | 2300.00                               | 6 N                    |
| 2MTR1PHASETTRACKTSWHT-V1          | 9405     | 4250.00                               | 6 N                    |
| 1PHASETTRACKTSWHTLIVEFEED         | 9405     | 600.00                                | 6 N                    |
| Flat ISHAPECONNECTOR1PHASETSWHT   | 9405     | 765.00                                | 50 N                   |
| Flat LSHAPECONNECTOR1PHASETSWHT   | 9405     | 975.00                                | 50 N                   |
| Flat TSHAPECONNECTOR1PHASETSWHT   | 9405     | 1000.00                               | 50 N                   |
| Flat XSHAPECONNECTOR1 PHASETSWHT  | 9405     | 1200.00                               | 50 N                   |
| ADJUSTABLESUSPENSIONKITTSWHT      | 9405     | 715.00                                | 100 N                  |
| 1MTR1PHASETTRACKTSBLK-V1          | 9405     | 2300.00                               | 6 N                    |
| 2MTR1PHASETTRACKTSBLK-V1          | 9405     | 4250.00                               | 6 N                    |
| 1PHASETTRACKTSBLKLIVEFEED         | 9405     | 600.00                                | 6 N                    |
| Flat ISHAPECONNECTOR1PHASETSBLK   | 9405     | 765.00                                | 50 N                   |
| Flat LSHAPECONNECTOR1PHASETSBLK   | 9405     | 975.00                                | 50 N                   |
| Flat TSHAPECONNECTOR1PHASETSBLK   | 9405     | 1000.00                               | 50 N                   |
| Flat XSHAPECONNECTOR1 PHASETSBLK  | 9405     | 1200.00                               | 50 N                   |
| ADJUSTABLESUSPENSIONKIT1PHASESBLK | 9405     | 715.00                                | 100 N                  |





# Industrial LED Luminaires

Havells offers a wide variety of solutions for all industrial applications. Havells ensures the enhancement of productivity of the employees with the right light to keep them motivated. The use of Havells Industrial lights provides fatigue-free and accident-free environment.

### EMBERRO\* \*upto 190 lm/W system efficacy

Energy saving, high efficacy, environment friendly and robust highbay LED luminaire. IP66

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| EMBERROULTRAHBP055WLED757PWBTORLBLK | 9405     | 17200.00                              | 1N                     |
| EMBERROULTRAHBP085WLED757PWBTORLBLK | 9405     | 19000.00                              | 1N                     |
| EMBERROULTRAHBP118WLED757PWBTORLBLK | 9405     | 23000.00                              | 1N                     |
| EMBERROULTRAHBP146WLED757PWBTORLBLK | 9405     | 27000.00                              | 1N                     |
| EMBERROULTRAHBP176WLED757PWBTORLBLK | 9405     | 30500.00                              | 1N                     |



### GYRELIS for tyre industries

Energy saving, environment friendly & robust Highbay LED luminaire with high efficacy.


| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| GYRELISHBPULT63WLED757PWBTORLTG | 9405     | 16000.00                              | 1N                     |



### SAUCER GENX ADV ULTRA\* \*160 lm/W System Efficacy

Next generation, energy saving, environment friendly & robust highbay LED with PDC housing suitable for ceiling (Surface/Suspended) mounting.

| Item Description                        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| SAUCERGENXADVULTHBP92WLED757PNBTOPCGRY  | 9405     | 19000.00                              | 1 N                    |
| SAUCERGENXADVULTHBP108WLED757PNBTOPCGRY | 9405     | 19500.00                              | 1 N                    |
| SAUCERGENXADVULTHBP122WLED757PWBTOPCGRY | 9405     | 22000.00                              | 1 N                    |
| SAUCERGENXADVULTHBP156WLED757PWBTOPCGRY | 9405     | 25000.00                              | 1 N                    |
| SAUCERGENXADVULTHBP185LED757PWBTOPCGRY  | 9405     | 30000.00                              | 1 N                    |




### SAUCER NEXTGEN HIGHBAY - ADV SERIES

Next generation, energy saving, environment friendly & robust highbay LED with PDC housing suitable for ceiling (Surface/Suspended) mounting with system efficacy upto 150 lm/W.

| Item Description                       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| SAUCERGENXADVHBP80WLED857EWBBORL       | 9405     | 10000.00                              | 1 N                    |
| SAUCERGENXADVPROHBP80WLED857EWBBORL    | 9405     | 12000.00                              | 1 N                    |
| SAUCERGENXADVHBP100WLED857PDCWBBORL    | 9405     | 13000.00                              | 1 N                    |
| SAUCERGENXADVPROHBP100WLED857PDCWBBORL | 9405     | 15000.00                              | 1 N                    |
| SAUCERGENXADVHBP120WLED857EWBBORL      | 9405     | 14000.00                              | 1 N                    |
| SAUCERGENXADVPROHBP120WLED857EWBBORL   | 9405     | 18000.00                              | 1 N                    |
| SAUCERGENXADVHBP150WLED857EPWBBORL     | 9405     | 19000.00                              | 1 N                    |
| SAUCERGENXADVMDHBP150WLED857EPWBBORL   | 9405     | 22000.00                              | 1 N                    |
| SAUCERGENXADVPROHBP150WLED857EPWBBORL  | 9405     | 24000.00                              | 1 N                    |
| SAUCERGENXADVHBP200WLED857MONBBORL     | 9405     | 25500.00                              | 1 N                    |
| SAUCERGENXADVHBP200WLED857MOWBBORL     | 9405     | 25000.00                              | 1 N                    |
| SAUCERGENXADVMDHBP200WLED857MONBBORL   | 9405     | 27500.00                              | 1 N                    |
| SAUCERGENXADVMDHBP200WLED857MOWBBORL   | 9405     | 27000.00                              | 1 N                    |
| SAUCERGENXADVPROHBP200WLED857MONBBORL  | 9405     | 30500.00                              | 1 N                    |
| SAUCERGENXADVPROHBP200WLED857MOWBBORL  | 9405     | 30500.00                              | 1 N                    |

Note: Dimmable, Occupancy Sensor, Lux sensor, Warm white, LILO - variants available upon request.



# Industrial LED Luminaires

## HIGHBAY LIGHTING

### SAUCER HIGHBAY WITH OCCUPANY SENSOR

Energy saving, environment friendly & robust Highbay LED luminaire with high efficacy.

| Item Description                                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| SAUCERGENXADVPROHBP80WLED857OSWBBORL            | 9405     | 18000.00                              | 6 N                    |
| SAUCERGENXADVPROHBP100WLED857OSWBBORL           | 9405     | 21000.00                              | 6 N                    |
| SAUCERGENXADVPROHBP120WLED857OSWBBORL           | 9405     | 24000.00                              | 1 N                    |
| SAUCERGENXPROOSHBP150WLED757PWBBORL             | 9405     | 28000.00                              | 1 N                    |
| ASSEMBLED MICROWAVE SENSOR KIT 1-10V (external) | 9405     | 2800.00                               | 1 N                    |



### GAZELLA HIGHBAY

Energy saving, environment friendly & robust Mediumbay /Highbay LED luminaire with high efficacy (100lm/W) with toughened glass/PC

| Item Description                  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------------|----------|---------------------------------------|------------------------|
| GAZELLAHBV2P80WLED857PBOCLRPCGRY  | 9405     | 7500.00                               | 6 N                    |
| GAZELLAHBV2P100WLED857PBOCLRPCGRY | 9405     | 9250.00                               | 6 N                    |
| GAZELLAHBV2P120WLED857PBOTGGRY    | 9405     | 10000.00                              | 1 N                    |
| GAZELLAHBV2P150WLED857PBOTGGRY    | 9405     | 11000.00                              | 1 N                    |



### PARABELLO HIGHBAY

Energy saving, environment friendly & robust Mediumbay /Highbay LED luminaire with high efficacy (100 lm/W) with toughened glass.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| PARABELLOHBP80WLED857PBOTG  | 9405     | 11000.00                              | 4 N                    |
| PARABELLOHBP100WLED857PBOTG | 9405     | 12000.00                              | 4 N                    |
| PARABELLOHBP120WLED857PBOTG | 9405     | 13500.00                              | 4 N                    |
| PARABELLOHBP150WLED757PTOTG | 9405     | 17000.00                              | 1 N                    |
| PARABELLOHBP200WLED857PTOTG | 9405     | 18900.00                              | 1 N                    |

Note: Lens variants available upon request.



### STUPE WELL GLASS

Environmental friendly, energy saving long life corrosion resistant, vertical surface mounting pressure die-cast aluminium housing (light engine) well glass luminaires with high power LED as light source.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| STUPEWGP30WLED757SSYMTOPCGRY | 9405     | 3500.00                               | 6 N                    |
| STUPEWGP35WLED757SSYMTOPCGRY | 9405     | 4000.00                               | 6 N                    |
| STUPEWGP40WLED757SSYMTOPCGRY | 9405     | 5000.00                               | 6 N                    |

Note: Warm white variant available upon request.



### WELL GLASS 70 W

Environmental friendly, energy saving long life corrosion resistant, vertical surface mounting pressure die-cast aluminium housing (light engine) well glass luminaires with high power LED as light source.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| ENDURAWELLGLASSGENXP70WLED757PPC | 9405     | 9600.00                               | 6 N                    |
| STUPEWGP70WLED757PPYRCPGRY       | 9405     | 8000.00                               | 6 N                    |



### ALTEZA WELL GLASS

Environmental friendly, energy saving long life corrosion resistant, pressure die-cast aluminium housing and control gear compartment well glass luminaires with LED as light source.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| ALTEZAWGS40WLED865SSYMTOPC | 9405     | 4500.00                               | 6 N                    |

Note: 30 W/35 W available upon request.



### HEXA 10 W - IP66

Environmental friendly, ultra modern, energy saving, surface mounted, decorative hexagon bulk head Back-lit LED luminaire comprising of high brightness LEDs.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| HEXAFT10WLED857SSYMBOPC | 9405     | 2000.00                               | 8 N                    |



### RUGBY GENX 10

Designed with beautiful aesthetics using new generation technology in LED to enliven your outdoor and indoor areas in perfect synchronization with functionality and aesthetics. Family of bulkhead Lights designed to complement the geometry of the area with modern design.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| RUGBYGENXFTS10WLED865SSYMBOPC | 9405     | 1650.00                               | 12 N                   |



### MAGNUM GRAND NEO

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location. LEDs used as light source.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| MAGNUMGRANDNEOIP6620WLED857SPC | 9405     | 5000.00                               | 6 N                    |
| MAGNUMGRANDNEOIP6636WLED857SPC | 9405     | 6000.00                               | 6 N                    |
| MAGNUMGRANDNEOIP6640WLED857SPC | 9405     | 6250.00                               | 6 N                    |



### MAGNUM GRAND PWB (with emergency back-up)

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, Emergency Battery Back-up, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| MAGNUMGRANDPWBIP6620WLED857SPC | 9405     | 14000.00                              | 6 N                    |
| MAGNUMGRANDPWBIP6636WLED857SPC | 9405     | 14500.00                              | 6 N                    |



# Industrial LED Luminaires

WEATHER PROOF / CLEAN ROOM

## ENDURALINEAR G2 WEATHERPROOF BATTENS

Surface and wall-mounted Moisture-resistant IP65 LED battens with vandal-resistant polycarbonate Housing, diffuser & integrated electronic driver.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| ENDURALINEARBS36WLED865SPCWHG1 | 9405     | 5500.00                               | 10 N                   |
| ENDURALINEARBS40WLED865SPCWHG1 | 9405     | 6000.00                               | 10 N                   |



## MAGNUM RETRO (Single Side Connection)

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface/suspended mounting luminaire with PC housing and linear ribbed PC cover for glare free light, suitable for T8 LED Tube with single side connection.

| Item Description     | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------|----------|---------------------------------------|------------------------|
| MAGNUMRETROILS1X18PC | 9405*    | 3000.00                               | 6 N                    |
| MAGNUMRETROILS2X18PC | 9405*    | 4000.00                               | 6 N                    |



## MAGNUM GRAND GOLD

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| MAGNUMGRANDGOLD20WLED857SPC | 9405     | 4000.00                               | 12 N                   |
| MAGNUMGRANDGOLD36WLED857SPC | 9405     | 4500.00                               | 12 N                   |
| MAGNUMGRANDGOLD40WLED857SPC | 9405     | 5000.00                               | 12 N                   |



## LED CLEAN ROOM BOTTOM OPENING MS EXE

IP65, dust free & zero maintenance 1x1 / 2x2 LED Clean Room Bottom Opening luminaire for hygienic facilities.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| BOCR1X1R18WLED857SPCMSCHEXE | 9405     | 12500.00                              | 1 N                    |
| BOCR2X2R36WLED857SPCMSCHEXE | 9405     | 12500.00                              | 1 N                    |
| BOCR2X2R42WLED857SPCMSCHEXE | 9405     | 13000.00                              | 1 N                    |
| BOCR2X2R60WLED857SPCMSCHEXE | 9405     | 15500.00                              | 1 N                    |
| BOCR2X2R80WLED857SPCMSCHEXE | 9405     | 16000.00                              | 1 N                    |

Note: SS, Screwless, 2x1, additional features – variants available upon request.



## LED CLEAN ROOM TOP OPENING MS EXE

IP65, dust free & zero maintenance 1x1 / 2x2 LED Clean Room Top Opening luminaire for hygienic facilities.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| TOCR1X1R18WLED857SPCMSCHEXE | 9405     | 8000.00                               | 1 N                    |
| TOCR2X2R36WLED857SPCMSCHEXE | 9405     | 14000.00                              | 1 N                    |
| TOCR2X2R42WLED857SPCMSCHEXE | 9405     | 14500.00                              | 1 N                    |
| TOCR2X2R60WLED857SPCMSCHEXE | 9405     | 15500.00                              | 1 N                    |
| TOCR2X2R80WLED857SPCMSCHEXE | 9405     | 16000.00                              | 1 N                    |

Note: SS additional features – variants available upon request.





# Outdoor LED Luminaires

Introducing the wide range of outdoor application LED products from Havells. This range is yet another example of Havells' endeavour to innovate and provide world class lighting solution, energy efficient products and robust design. These lights are designed to fulfill the lighting applications of City Road Lighting, Periphery Lighting, Prestigious Heritage Area Outdoor Lighting and Urban Landscape Lighting.

### ENDURA SUNDOWN

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK08.

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNSL25WLED765PASYBOPC   | 9405     | 3200.00                               | 8 N                    |
| ENDURASUNDOWNSL30WLED757PASYBOPC   | 9406     | 3584.00                               | 8 N                    |
| ENDURASUNDOWNSL35WLED765PASYBOPC   | 9406     | 4500.00                               | 8 N                    |
| ENDURASUNDOWNSL40WLED765PASYBOPC   | 9405     | 5040.00                               | 8 N                    |
| ENDURASUNDOWNSL45WLED765PASYBOPC   | 9405     | 6000.00                               | 8 N                    |
| ENDURASUNDOWNSL60WLED757PASYBOPC   | 9406     | 7500.00                               | 6 N                    |
| ENDURASUNDOWNSL70WLED757PASYBOPC   | 9406     | 8064.00                               | 6 N                    |
| ENDURASUNDOWNSL90WLED757PASYBOSLPC | 9405     | 14000.00                              | 6 N                    |

Suitable for pole dia Ø 42 mm (max.) for 25 W, 30 W, 35 W, 40 W, 45 W  
 Suitable for pole dia Ø 55 mm (max.) for 60 W, 70 W, 90 W

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNSL100 WLED765PASYBOPC | 9406     | 13000.00                              | 6 N                    |
| ENDURASUNDOWNSL120 WLED765PASYBOPC | 9405     | 16000.00                              | 4 N                    |

Suitable for pole dia Ø 54 mm (max.)

### ENDURA SUNDOWN NXT

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK08.

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNNXTSL25WLEDCWPASYBOPC | 9405     | 3300.00                               | -'                     |
| ENDURASUNDOWNNXTSL30WLEDCWPASYBOPC | 9405     | 3600.00                               | -'                     |

Suitable for pole dia Ø 42 mm (max.) for 25 W & 30W

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNNXTSL45WLEDCWPASYBOPC | 9405     | 6000                                  | -'                     |
| ENDURASUNDOWNNXTSL60WLEDCWPASYBOPC | 9405     | 7500                                  | -'                     |

Suitable for pole dia Ø 42 mm (max.) for 45W & 60W

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNNXTSL70WLEDCWPASYBOPC | 9405     | 8064.00                               | -'                     |
| ENDURASUNDOWNNXTSL90WLEDCWPASYBOPC | 9405     | 13000.00                              | -'                     |

Suitable for pole dia Ø 55 mm (max.) for 70W & 90W

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNNXTSL120WLEDCWPASYBOPC | 9405     | 16000.00                              | -'                     |

Suitable for pole dia Ø 55 mm (max.) for 120W



# Outdoor Luminaires

## STREET LIGHTS

### ENDURA SUNDOWN TG

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens with Toughened Glass having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNSL25WLED765PASYBOTGIHD | 9405     | 3800.00                               | 8 N                    |
| ENDURASUNDOWNSL45WLED765PASYBOTG    | 9405     | 6800.00                               | 8 N                    |

Suitable for pole dia Ø 42 mm (max.)



### ENDURA SUNDOWN TG

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and Toughened glass having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNSL60WLED765PASYBOTG   | 9405     | 7280.00                               | 6 N                    |
| ENDURASUNDOWNSL70WLED765PASYBOTG   | 9405     | 8064.00                               | 6 N                    |
| ENDURASUNDOWNSL72WLED765PASYBOTG   | 9405     | 8500.00                               | 6 N                    |
| ENDURASUNDOWNSL90 WLED765PASYBOTG  | 9405     | 13000.00                              | 6 N                    |
| ENDURASUNDOWNSL100 WLED765PASYBOTG | 9405     | 14500.00                              | 6 N                    |
| ENDURASUNDOWNSL120 WLED765PASYBOTG | 9405     | 16000.00                              | 6 N                    |

Suitable for pole dia Ø 54 mm (max.)



### ENDURA PEARL PLUS WITH DIMMABLE MOTION SENSOR

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK09.

**Sensor Features :** Mounting height : 10-12 meters / Detection Range : 10 meters / Minimum Pole to pole spacing to prevent overlapping / between two lights : 20 meter

| Item Description                  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------------|----------|---------------------------------------|------------------------|
| ENDPRLPLUSL120WLED757PASYTOPCMICR | 9405     | 28000.00                              | -'                     |
| ENDPRLPLUSL150WLED757PASYTOPCMICR | 9405     | 25000.00                              | -'                     |

Suitable for pole dia Ø 54 mm (max.) for 120 W & 150W



### ENDURA SUNBEAM SENSOR 25 W / 30 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description                      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------------|----------|---------------------------------------|------------------------|
| ENDURASUNBEAMSL25WLED757SASYBOPCSENSO | 9405     | 4500.00                               | -'                     |
| ENDURASUNBEAMSL30WLED757SASYBOPCSENSO | 9405     | 5500.00                               | -'                     |

Suitable for pole dia Ø 40 mm (max.) for 25 W & 30W



### ENDURA SUNBEAM SENSOR 45 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description                             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ENDURASUNBEAMSL45WLED757SASYTOPCSENSO        | 9405     | 7500.00                               | -'                     |
| Suitable for pole dia Ø 41 mm (max.) for 45W |          |                                       |                        |



### ENDURA SUNBEAM SENSOR 60 W / 70 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description                                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ENDURASUNBEAMSL60WLED757SASYTOPCSENSO              | 9405     | 8000.00                               | -'                     |
| ENDURASUNBEAMSL70WLED757SASYTOPCSENSO              | 9405     | 8500.00                               | -'                     |
| Suitable for pole dia Ø 41 mm (max.) for 60W & 70W |          |                                       |                        |



### ENDURA SUNBEAM SENSOR 90 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

| Item Description                             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ENDURASUNBEAMSL90WLED757SASYTOPCSENSO        | 9405     | 10500.00                              | -'                     |
| Suitable for pole dia Ø 56 mm (max.) for 90W |          |                                       |                        |



### ENDURA SUNBEAM GENX 45 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK08.

| Item Description                             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ENDURASUNDOWNGENXSL45WLED757PASYBOPC         | 9405     | 6000.00                               | 6 N                    |
| uitable for pole dia Ø 43 mm (max.) for 45 W |          |                                       |                        |



### ENDURA SUNBEAM GENX 60 W / 70 W / 72 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK08.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ENDURASUNBEAMGENXSL60WLED757SASYBOPC                     | 9405     | 7400.00                               | 6 N                    |
| ENDURASUNBEAMGENXSL70WLED757SASYBOPC                     | 9405     | 7600.00                               | 6 N                    |
| ENDURASUNBEAMGENXSL72WLED757SASYBOPC                     | 9405     | 7700.00                               | 6 N                    |
| Suitable for pole dia Ø 41 mm (max.) for 60 W, 70W & 72W |          |                                       |                        |



# Outdoor Luminaires

## CANOPY FIXTURE / PIT LIGHTS

### ENDURA SUNBEAM GENX 90 W / 120 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK08.

| Item Description  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| ENDURASUNBEAMGENXSL90WLED757SASYBOPC<br>Suitable for pole dia Ø 56 mm (max.) for 90 W | 9405     | 10000.00                              | 6 N                    |

| Item Description  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| ENDURASUNBEAMGENXSL120WLED757SASYBOPC<br>Suitable for pole dia Ø 56 mm (max.) for 120 W | 9405     | 13000.00                              | 12 N                   |



### GLIMMER

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

| Item Description                                     | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| Glimmer24 LED Streetlight 90W                        | 9405     | On Request                            | -'                     |
| Glimmer24 LED Streetlight 120W                       | 9405     | 52000.00                              | -'                     |
| Suitable for pole dia Ø 57 mm (max.) for 90 W & 120W |          |                                       |                        |



### ENDURA PEARL MAGNUM PLUS

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

| Item Description                      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------------|----------|---------------------------------------|------------------------|
| PEARLMAGPGENXSL170WLED757PASYPCHHEWTX | 9405     | 22000.00                              | 2 N                    |
| PEARLMAGPGENXSL180WLED757PASYPCHHEWTX | 9405     | 22500.00                              | 2 N                    |
| PEARLMAGPGENXSL190WLED757PASYPCHHEWTX | 9405     | 25000.00                              | 2 N                    |
| PEARLMAGPGENXSL200WLED757PASYPCHHEWTX | 9405     | 28000.00                              | 2 N                    |
| PEARLMAGPGENXSL210WLED757PASYPCHHEWTX | 9405     | 32000.00                              | 2 N                    |
| PEARLMAGPGENXSL250WLED757PASYPCHHEWTX | 9405     | 38000.00                              | 2 N                    |
| Suitable for pole dia Ø 60 mm (max.)  |          |                                       |                        |



### ENDURA PEARL PLUS

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK08.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ENDURAPEARLPLUS150WNSLPC<br>Suitable for pole dia Ø 54 mm (max.) | 9405     | 17000.00                              | 6 N                    |



### FLARE

Flare is specially designed, multi-functional LED luminaire to illuminate under canopy/ Fuel Stations.

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| FLAREULTRACA80WLED757PWBLTG         | 9405     | 8400.00                               | 1 N                    |
| FLAREULTRACA100WLED757PWBLTG        | 9405     | 9400.00                               | 1 N                    |
| FLAREULTIMACA80WLED757PWBLTG        | 9405     | 11000.00                              | 1 N                    |
| FLAREULTIMACA100WLED757PWBLTG       | 9405     | 12650.00                              | 1 N                    |
| LSPAREASSEMPOWCOATFRAME375X375X1 FU | 9405     | 1400.00                               | 1 N                    |
| ASSEMBLEDPOWCOATFRAME600X600X1 FU   | 9405     | 2000.00                               | 1 N                    |



### GLINT

Linear Canopy is a special, multi-functional LED luminaire designed to replace traditional square under canopy lights in Fuel Stations.

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| GLINTCARS20WLED857PV3WSPDWBTOPCWHT  | 9405     | 15000.00                              | 1 N                    |
| GLINTCARWS40WLED857PIV3WBTOLPCWSWHT | 9405     | 18000.00                              | 1 N                    |
| GLINTCARS80WLED857PV3WSPDWBTOPCWHT  | 9405     | 33500.00                              | 1 N                    |



### JETA TRENCH

Pit Lights are industrial luminaires specifically designed for service pits. Havells pit light is a fusion of engineering and modern design to provide beautiful aesthetics, durability and high lumen output.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| JETATRENCHFTS20WLED757PBOPC48V | 9405     | 6600.00                               | 1 N                    |
| JETATRENCHFTS20WLED757PBOPC    | 9405     | 7000.00                               | 1 N                    |



### JETA VIATL

Jeta Viatl is a special, multi-functional LED luminaire designed to illuminate viaducts / Tunnels for MRTS, Railways and other similar applications.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| JETAVIATLTLPC20WLED757PASYSOPC | 9405     | On Request                            | 1 N                    |
| JETAVIATLTLPC25WLED757PASYSOPC | 9405     | On Request                            | 1 N                    |
| JETAVIATLTLPC30WLED757PASYSOPC | 9405     | 8900.00                               | 1 N                    |



# Outdoor LED Luminaires

## FLOOD LIGHTS

### VALOUR TUNNEL

Valour tunnel is a revolutionary luminaire designed for tunnel lighting applications with less weight and superior performance parameters. An energy saving, environment friendly design made of High-pressure die-cast aluminium with high efficient LEDs as light source.

| Item Description                      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------------|----------|---------------------------------------|------------------------|
| VALOURTUNNEL50WLED757PINTASYM3LTG     | 9405     | 17110.00                              | 1 N                    |
| VALOURTUNNELS100W1MLED757PSASY2LTGGRY | 9405     | 21700.00                              | 1 N                    |
| VALOURTUNNEL200WLED740PINTASYMLTGGRY  | 9405     | 32000.00                              | 1 N                    |
| VALOURTUNNEL400W2MLED757PSASYMINTLTG  | 9405     | 55000.00                              | 1 N                    |



### JETA LEGANZA

Energy saving, environmental friendly, long life, High-pressure die cast aluminium housing with LEDs as light source, suitable for highlighting architectural features, sports fields or area lighting.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| JETALEGANZAFLS30WLED757P60DTOTG  | 9405     | 5400.00                               | 1 N                    |
| JETALEGANZAFLS30WLED730P60DTOTG  | 9405     | 5400.00                               | 1 N                    |
| JETALEGANZAFLS50WLED757P60DTOTG  | 9405     | 6700.00                               | 1 N                    |
| JETALEGANZAFLS50WLED730P60DTOTG  | 9405     | 6700.00                               | 1 N                    |
| JETALEGANZAFLS70WLED757P60DTOTG  | 9405     | 7000.00                               | 1 N                    |
| JETALEGANZAFLS70WLED730P60DTOTG  | 9405     | 7400.00                               | 1 N                    |
| JETALEGANZAFLS60WLED757P60DTOTG  | 9405     | 8100.00                               | 1 N                    |
| JETALEGANZAFLS60WLED730P60DTOTG  | 9405     | 8300.00                               | 1 N                    |
| JETALEGANZAFLS80WLED757P60DTOTG  | 9405     | 8400.00                               | 1 N                    |
| JETALEGANZAFLS80WLED730P60DTOTG  | 9405     | 8700.00                               | 1 N                    |
| JETALEGANZAFLS100WLED757P60DTOTG | 9405     | 9400.00                               | 1 N                    |
| JETALEGANZAFLS100WLED730P60DTOTG | 9405     | 9700.00                               | 1 N                    |
| JETALEGANZAFLS120WLED757P60DTOTG | 9405     | 10300.00                              | 1 N                    |
| JETALEGANZAFLS120WLED730P60DTOTG | 9405     | 10600.00                              | 1 N                    |
| JETALEGANZAFLS150WLED757P60DTOTG | 9405     | 12800.00                              | 1 N                    |
| JETALEGANZAFLS150WLED730P60DTOTG | 9405     | 13200.00                              | 1 N                    |
| JETALEGANZAFLS200WLED757P60DTOTG | 9405     | 17100.00                              | 1 N                    |
| JETALEGANZAFLS200WLED730P60DTOTG | 9405     | 17500.00                              | 1 N                    |



### JETA SPECTRA

JETA SPECTRA is range of LED Floodlight offering a robust area lighting solution for multiple applications including Construction sites, Signages & General Area Lighting.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| JETASPECTRAFLS030WLED757SSYMTOPC | 9405     | 6000.00                               | 4 N                    |
| JETASPECTRAFLS050WLED757SSYMTOPC | 9405     | 7700.00                               | 2 N                    |
| JETASPECTRAFLS070WLED757SSYMTOPC | 9405     | 9800.00                               | 2 N                    |
| JETASPECTRAFLS100WLED757SSYMTOPC | 9405     | 14000.00                              | 2 N                    |
| JETASPECTRAFLS120WLED757SSYMTOPC | 9405     | 16200.00                              | 2 N                    |
| JETASPECTRAFLS150WLED757SSYMTOPC | 9405     | 18990.00                              | 2 N                    |
| JETASPECTRAFLS200WLED757SSYMTOPC | 9405     | 24990.00                              | 1 N                    |
| JETASPECTRAFLS250WLED757SSYMTOPC | 9405     | 32990.00                              | 1 N                    |



### JETA ADORN

New generation energy saving & environmental friendly, long life, High-pressure die-cast aluminium housing Flood Light with toughened Glass cover.

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| JETAADORNFLS30WLED757SSYMTOTGV2    | 9405     | 2200.00                               | 4 N                    |
| JETAADORNFLS50WLED757SSYMTOTGV2    | 9405     | 4000.00                               | 2 N                    |
| JETAADORNFLS70WLED757SSYMTOTGV2    | 9405     | 4700.00                               | 2 N                    |
| JETAADORNFLS100WLED757SSYMTOTGV3   | 9405     | 10000.00                              | 2 N                    |
| JETAADORNFLS120WLED757SSYMTOTGV2   | 9405     | 11000.00                              | 2 N                    |
| JETAADORNFLS150WLED757SSYMTOTGV3   | 9405     | 12500.00                              | 2 N                    |
| JETAADORNFLS200WLED757SSYMTOTGV3   | 9405     | 16800.00                              | 1 N                    |
| JETAADORNFLS250WLED757SSYMTOTGV2   | 9405     | 18000.00                              | 1 N                    |
| JETAADORNNTFLS30WLED757SSYMTOTGV2  | 9405     | 4500.00                               | 4 N                    |
| JETAADORNNTFLS50WLED757SSYMTOTGV2  | 9405     | 5600.00                               | 2 N                    |
| JETAADORNNTFLS70WLED757SSYMTOTGV2  | 9405     | 7000.00                               | 2 N                    |
| JETAADORNNTFLS100WLED757SSYMTOTGV2 | 9405     | 9300.00                               | 1 N                    |
| JETAADORNNTFLS120WLED757SSYMTOTGV2 | 9405     | 9900.00                               | 2 N                    |
| JETAADORNNTFLS150WLED757SSYMTOTGV2 | 9405     | 12400.00                              | 2 N                    |
| JETAADORNNTFLS200WLED757SSYMTOTGV2 | 9405     | 15500.00                              | 1 N                    |
| JETAADORNNTFLS250WLED757SSYMTOTGV2 | 9405     | 19000.00                              | 1 N                    |



### JETA RESOLUTE

Resolute is a revolutionary design for area lighting applications with less weight and superior performance parameters. An energy saving, environment friendly design made of high-pressure die-cast aluminium with high efficient LEDs as light source for sports and area lighting.

| Item Description                      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------------|----------|---------------------------------------|------------------------|
| JETARESOLUTEFL1000W4M857INTUNBTOTG    | 9405     | 148500.00                             | 1 N                    |
| JETARESOLUTEFLS1000W4M857INTNBTOTG    | 9405     | 148500.00                             | 1 N                    |
| JETARESOLUTEFLS1000W4M857INT30DTOTG   | 9405     | 148500.00                             | 1 N                    |
| JETARESOLUTEFL1000WUHE4M757INTMBTOTG  | 9405     | 147000.00                             | 1 N                    |
| JETARESOLUTEFL1000WUHE4M757INTNBTOTG  | 9405     | 147000.00                             | 1 N                    |
| JETARESOLUTEFL1000WUHE4M757INTUNBTOTG | 9405     | 147000.00                             | 1 N                    |
| JETARESOLUTEFLS1000W4M857MOD10DTOTG   | 9405     | 114000.00                             | 1 N                    |
| JETARESOLUTEFLS1000W4M857MOD30DTOTG   | 9405     | 114000.00                             | 1 N                    |
| JETARESOLUTEFLS1000W4M857MOD60DTOTG   | 9405     | 114000.00                             | 1 N                    |
| ASSEMBLEDCGBOXVALOUR500WP             | 9405     | 32200.00                              | 1 N                    |

(2 Nos. required for each 1000W FL)



# Outdoor LED Luminaires

## FLOOD LIGHTS

### JETA MONOS

JETA MONOS is a range of LED Floodlight uniquely designed Monolithic ADC-12 aluminium High Pressure Die Cast aluminium housing offering very high system efficacies. Designed to operate in ambient Teperatures of -10 °C to +50 °C, Operating voltage range: 100 V - 300 V, offers a robust area lighting solution for multiple appliations including Sports Lighting, High Masts, Industrial Applications, Construction sites, Ports and Airports & General Area Lighting.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| JETAMONOSNEOFL300WHELED757WBTOTG | 9405     | 36000.00                              | 1 N                    |
| JETAMONOSNEOFL350WHELED757WBTOTG | 9405     | 44000.00                              | 1 N                    |
| JETAMONOSNEOFL400WHELED757WBTOTG | 9405     | 49600.00                              | 1 N                    |
| JETAMONOSNEOFL500WHELED757WBTOTG | 9405     | 58000.00                              | 1 N                    |
| JETAMONOSPROFL300WHELED757MBTOTG | 9405     | 41500.00                              | 1 N                    |
| JETAMONOSPROFL350WHELED757MBTOTG | 9405     | 44500.00                              | 1 N                    |
| JETAMONOSPROFL400WHELED757MBTOTG | 9405     | 45500.00                              | 1 N                    |
| JETAMONOSPROFL500WHELED757MBTOTG | 9405     | 55750.00                              | 1 N                    |



## TYCOON LED POST TOP

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| TYCOONPT70WLED757PSYMTOPC | 9405     | 47500.00                              | 1 N                    |
| TYCOONPT70WLED730PSYMTOPC | 9405     | 47500.00                              | 1 N                    |

Suitable for pole dia Ø 76 mm



## BARON LED POST TOP

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| BARONPT70WLED757PSYMTOPC | 9405     | 43500.00                              | 1 N                    |
| BARONPT70WLED730PSYMTOPC | 9405     | 43500.00                              | 1 N                    |

Suitable for pole dia Ø 76 mm



## VICTORIA LED POST TOP

Design from the renaissance era yet with a modern look using new generation technology in LED to enliven your outdoor areas in perfect synchronization with functionality and aesthetics. IP66 Family of post top lantern designed to complement the geometry of the area.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| VICTORIANXTPT45WLED730PSYMP CBLK | 9405     | 41000.00                              | 1 N                    |
| VICTORIANXTPT45WLED740PSYMP CBLK | 9405     | 41000.00                              | 1 N                    |
| VICTORIANXTPT45WLED757PSYMP CBLK | 9405     | 41000.00                              | 1 N                    |

Suitable for pole dia Ø 76 mm



## SPRING 6 LED POST TOP

New generation IP 65 LED post-top, energy saving, environmental friendly, long life aesthetically designed with good indirect symmetrical light distribution, die-cast aluminium landscape luminaire with high power COB LED as light source.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| SPRING6NXTPT35W730SYMWHTTGGRY | 9405     | 34000.00                              | 1 N                    |
| SPRING6NXTPT35W740SYMWHTTGGRY | 9405     | 34000.00                              | 1 N                    |
| SPRING6NXTPT35W757SYMWHTTGGRY | 9405     | 34000.00                              | 1 N                    |

Suitable for pole dia Ø 76 mm



## RINK LED POST TOP

Circular LED post-top offering excellent uniform illumination and aesthetics in one go. Made up of Pressure Die Cast aluminium body and opal PC cover. IP 66 and IK 07 rating ensures it stands tall amid varied environmental conditions.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| RINKPT45WLED757PSYMTOPC | 9405     | 22000.00                              | 1 N                    |
| RINKPT60WLED757PSYMTOPC | 9405     | 25000.00                              | 1 N                    |

Suitable for pole dia Ø 76 mm. Option of 3000K CCT is available against MOQ



# Outdoor LED Luminaires

## SIMBOL SMP

New generation, post-top, energy saving, environment friendly, long life aesthetically designed with symmetrical light distribution, die-cast aluminium landscape luminaire with high power LED as light source. Unique ring shape LED Engine ensuring soothing, glare free light distribution.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| SIMBOLPT40WLED730SYMPCGRYSMP  | 9405     | 24000.00                              | 1 N                    |
| SIMBOL6PT40WLED740SYMPCGRYSMP | 9405     | 24000.00                              | 1 N                    |
| SIMBOLPT40WLED757SYMPCGRYSMP  | 9405     | 24000.00                              | 1 N                    |
| SIMBOLPT45WLED730SYMPCGRYSMP  | 9405     | 28000.00                              | 1 N                    |
| SIMBOLPT45WLED740SYMPCGRYSMP  | 9405     | 28000.00                              | 1 N                    |
| SIMBOLPT45WLED757SYMPCGRYSMP  | 9405     | 28000.00                              | 1 N                    |

Suitable for pole dia Ø 76 mm for 40W, 45 W



## SIMBOL CMP

New generation, post-top, energy saving, environment friendly, long life aesthetically designed with symmetrical light distribution, die-cast aluminium landscape luminaire with high power LED as light source. Unique ring shape LED Engine ensuring soothing, glare free light distribution.

| Item Description              | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------|----------|---------------------------------------|------------------------|
| SIMBOLPT40WLED730SYMPCGRYCOMP | 9405     | 24000.00                              | 1 N                    |
| SIMBOLPT40WLED740SYMPCGRYCOMP | 9405     | 24000.00                              | 1 N                    |
| SIMBOLPT40WLED757SYMPCGRYCOMP | 9405     | 24000.00                              | 1 N                    |
| SIMBOLPT45WLED730SYMPCGRYCOMP | 9405     | 28000.00                              | 1 N                    |
| SIMBOLPT45WLED740SYMPCGRYCOMP | 9405     | 28000.00                              | 1 N                    |
| SIMBOLPT45WLED757SYMPCGRYCOMP | 9405     | 28000.00                              | 1 N                    |

Suitable for pole dia Ø 76 mm for 40W, 45 W



## EROS LED POST TOP

Designed with a classic look using new generation technology in LED to enliven your outdoor areas in perfect synchronization with functionality and aesthetics. Family of post-top lanterns designed to compliment the geometry of the area with heritage touch.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| EROSPT090WLED730PSYMBOPCBLK      | 9405     | 38000.00                              | 1 N                    |
| EROSPT090WLED757PSYMBOPCBLK - N  | 9405     | 38000.00                              | 1 N                    |
| EROSPT120WLED730PSYMBOPCBLK      | 9405     | 41000.00                              | 1 N                    |
| EROSPT120WLED757PSYMBOPCBLK - N  | 9405     | 41000.00                              | 1 N                    |
| EROSPT150WLED730PSYMBOPCBLK      | 9405     | 55000.00                              | 1 N                    |
| EROSPT0150WLED757PSYMBOPCBLK - N | 9405     | 55000.00                              | 1 N                    |

Suitable for pole dia Ø 30 mm for 90W, 120W, 150W



## EROS NXT LED POST TOP

Aesthetically designed IP 66 LED post Top with aluminium enclosure, powered with high power LEDs as light source and die casted heat sink exhibiting classic Victorian look with symmetrical light distribution, suspended mounting arrangement and excellent heat dissipation for long life.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| EROSNXTPT72WLED730PSYMTOPC | 9405     | 30000.00                              | 1 N                    |
| EROSNXTPT72WLED757PSYMTOPC | 9405     | 30000.00                              | 1 N                    |
| EROSNXTPT90WLED730PSYMTOPC | 9405     | 35000.00                              | 1 N                    |
| EROSNXTPT90WLED757PSYMTOPC | 9405     | 35000.00                              | 1 N                    |

Suitable for pole dia Ø 70 mm for 90W, 72W



### RUBY NXT AND GENX LED POST TOP

New generation, IP 65 LED post-top family, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source. Clear Cover offers bright illumination for different applications.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| RUBYNXTPT15WLED730PSYMTOPC  | 9405     | 6500.00                               | 1 N                    |
| RUBYNXTPT15WLED757PSYMTOPC  | 9405     | 6500.00                               | 1 N                    |
| RUBYNXTPT25WLED730PSYMTOPC  | 9405     | 9100.00                               | 1 N                    |
| RUBYNXTPT25WLED757PSYMTOPC  | 9405     | 9100.00                               | 1 N                    |
| RUBYNXTPT30WLED730PSYMTOPC  | 9405     | 9500.00                               | 1 N                    |
| RUBYNXTPT30WLED757PSYMTOPC  | 9405     | 9500.00                               | 1 N                    |
| RUBYNXTPT35WLED730PSYMTOPC  | 9405     | 10900.00                              | 1 N                    |
| RUBYNXTPT35WLED757PSYMTOPC  | 9405     | 10900.00                              | 1 N                    |
| RUBYGENXPT35WLED730PSYMTOPC | 9405     | 10900.00                              | 1 N                    |
| RUBYGENXPT35WLED757PSYMTOPC | 9405     | 10900.00                              | 1 N                    |
| RUBYNXTPT40WLED730PSYMTOPC  | 9405     | 11500.00                              | 1 N                    |
| RUBYNXTPT40WLED757PSYMTOPC  | 9405     | 11500.00                              | 1 N                    |
| RUBYGENXPT40WLED730PSYMTOPC | 9405     | 11500.00                              | 1 N                    |
| RUBYGENXPT40WLED757PSYMTOPC | 9405     | 11500.00                              | 1 N                    |
| RUBYNXTPT45WLED730PSYMTOPC  | 9405     | 13000.00                              | 1 N                    |
| RUBYNXTPT45WLED757PSYMTOPC  | 9405     | 13000.00                              | 1 N                    |
| RUBYGENXPT45WLED730PSYMTOPC | 9405     | 13000.00                              | 1 N                    |
| RUBYGENXPT45WLED757PSYMTOPC | 9405     | 13000.00                              | 1 N                    |

Suitable for pole dia Ø 50 mm for 15 W

Suitable for pole dia Ø 76 mm for 25 W/35 W/40 W/45 W



### CORAL NXT AND GENX LED POST TOP

New generation, IP 65 LED post-top family, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source. Opal Cover offers soothing uniform illumination for different applications.

| Item Description             | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------|----------|---------------------------------------|------------------------|
| CORALNXTPT15WLED730PSYMTOPC  |          | 6500.00                               | 1 N                    |
| CORALNXTPT15WLED757PSYMTOPC  |          | 6500.00                               | 1 N                    |
| CORALNXTPT25WLED730PSYMTOPC  |          | 9100.00                               | 1 N                    |
| CORALNXTPT25WLED757PSYMTOPC  |          | 9100.00                               | 1 N                    |
| CORALNXTPT30WLED730PSYMTOPC  |          | 9500.00                               | 1 N                    |
| CORALNXTPT30WLED757PSYMTOPC  |          | 9500.00                               | 1 N                    |
| CORALNXTPT35WLED730PSYMTOPC  |          | 10900.00                              | 1 N                    |
| CORALNXTPT35WLED757PSYMTOPC  |          | 10900.00                              | 1 N                    |
| CORALGENXPT35WLED730PSYMTOPC |          | 10900.00                              | 1 N                    |
| CORALGENXPT35WLED757PSYMTOPC |          | 10900.00                              | 1 N                    |
| CORALNXTPT40WLED730PSYMTOPC  |          | 11500.00                              | 1 N                    |
| CORALNXTPT40WLED757PSYMTOPC  |          | 11500.00                              | 1 N                    |
| CORALGENXPT40WLED730PSYMTOPC |          | 11500.00                              | 1 N                    |
| CORALGENXPT40WLED757PSYMTOPC |          | 11500.00                              | 1 N                    |
| CORALNXTPT45WLED730PSYMTOPC  |          | 13000.00                              | 1 N                    |
| CORALNXTPT45WLED757PSYMTOPC  |          | 13000.00                              | 1 N                    |
| CORALGENXPT45WLED730PSYMTOPC |          | 13000.00                              | 1 N                    |
| CORALGENXPT45WLED757PSYMTOPC |          | 13000.00                              | 1 N                    |

Suitable for pole dia Ø 50 mm for 15 W, Suitable for pole dia Ø 76 mm for 25 W/35 W/45 W



# Outdoor LED Luminaires

## LANDSCAPE LIGHTS

### NEBULA LED POST TOP

Stellar LED post-top offering combination of sturdy design, excellent illumination and aesthetics in one go. IP 66 and IK 10 rating ensures it stands tall amid varied environmental conditions.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| NEBULAPT40WLED857PSYMTOPC  | 9405     | 13000.00                              | 1 N                    |
| NEBULAPT40WLED857PSYMTOPCO | 9405     | 13000.00                              | 1 N                    |
| NEBULAPT60WLED857PSYMTOPC  | 9405     | 16000.00                              | 1 N                    |
| NEBULAPT60WLED857PSYMTOPCO | 9405     | 16000.00                              | 1 N                    |

Suitable for pole dia Ø 76 mm. Option of 3000K CCT is available against MOQ




### IRVINE – SPIKE LIGHT

Environmental friendly, compact, light weight, energy saving, IP66 LED spike light using COB LED as light source. Offered in Mono – Red, Green, Blue and Warm White Colour. Multi purpose application like column lighting, tree up-lighting, statue accentuation etc. can be addressed with ease.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| IRVINESPS5WLED830PSYMTG     | 9405     | 3200.00                               | 4 N                    |
| IRVINESPS5WLEDREDPSYMTG     | 9405     | 3800.00                               | 4 N                    |
| IRVINESPS5WLEDGRNPSYMTG     | 9405     | 3800.00                               | 4 N                    |
| IRVINESPS5WLEDBLUPSYMTG     | 9405     | 3800.00                               | 4 N                    |
| IRVINESPS6WLED830PSYMTGGRY  | 9405     | 4000.00                               | 4 N                    |
| IRVINESPS12WLED830PSYMTGGRY | 9405     | 8500.00                               | 8 N                    |

For mounting info refer TDS. Spike is part of std. packaging



### CLIO LED WALL LIGHT

Environmental friendly, new generation, energy saving, decorative IP 66 LED UP-down Luminaire with wall surface mounting using COB LED as light source.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| CLIOLL15WLED730PSYMTOTUG | 9405     | 8200.00                               | 4 N                    |
| CLIWLS15WLED830PSYMTOTG  | 9405     | 8500.00                               | 4 N                    |
| CLIWLS25WLED830PSYMTOTG  | 9405     | 10500.00                              | 4 N                    |

For mounting info refer TDS



### LYCUS LED SPIKE LIGHT

Environmental friendly, new generation, energy saving, decorative IP66 LED spike light using COB LED as light source.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| LYCUSSPS9WLED730PSYMBOTG  | 9405     | 6500.00                               | 4 N                    |
| LYCUSSPS15WLED730PSYMBOTG | 9405     | 7750.00                               | 4 N                    |
| LYCUSSPS25WLED730PSYMBOTG | 9405     | 9250.00                               | 4 N                    |

For mounting info refer TDS



### RADIANT LED STEP LIGHT

Environmental friendly, new generation, energy saving, decorative rectangular shaped IP66 LED step light for wall recessed application.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| RADIANTFTR07WLED830PSYMTOPC | 9405     | 3600.00                               | 16 N                   |

For mounting info refer TDS



### DECO POLE

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole.

| Item Description           | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------|----------|---------------------------------------|------------------------|
| DECO POLE 3M TOP Ø 76 MM   | 7308     | 27000.00                              | 1 N                    |
| DECO POLE 3.5M TOP Ø 76 MM | 7308     | 30500.00                              | 1 N                    |
| DECO POLE 4M TOP Ø 76 MM   | 7308     | 34000.00                              | 1 N                    |
| DECO POLE 6M TOP Ø 76 MM   | 7308     | 49000.00                              | 1 N                    |

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.



### ECO POLE

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole. Decorative sleek casting ring to increase aesthetical appeal.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| ECO POLE 3M TOP Ø 76 MM | 7308     | 24000.00                              | 1 N                    |
| ECO POLE 4M TOP Ø 76 MM | 7308     | 30000.00                              | 1 N                    |

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.



### BASE COVER

Aesthetically designed decorative pole base cover, enhancing the appearance of the pole.

| Item Description                 | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------------------|----------|---------------------------------------|------------------------|
| STARK Decorative Pole Base Cover | 7308     | 8500.00                               | 1 N                    |

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.



### BAMBOO LED BOLLARD

New generation, energy saving, environmental friendly, long life aesthetically designed aluminium landscape IP 65 luminaire for diffused lighting with high power LED as light source.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| BAMBOOBL8WLED830PSYMTOPC  | 9405     | 6500.00                               | 4 N                    |
| BAMBOOBL8WLED857PSYMTOPC  | 9405     | 6500.00                               | 4 N                    |
| BAMBOOBL8WLED830SSYMTOPCM | 9405     | 8500.00                               | 4 N                    |
| BAMBOOBL8WLED857SSYMTOPCM | 9405     | 8500.00                               | 4 N                    |

For mounting info refer TDS



### MUSHROOM NXT ( UFO LED BOLLARD 10 W )

New generation, energy saving, environmental friendly, long life aesthetically designed die-cast aluminium landscape luminaire Based on Dark Sky Concept with mid power LED as light source.

| Item Description               | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------------|----------|---------------------------------------|------------------------|
| MUSHROOMNXTBL10WLED830SSYMTOPC | 9405     | 13500.00                              | 1 N                    |
| MUSHROOMNXTBL10WLED840SSYMTOPC | 9405     | 13500.00                              | 1 N                    |
| MUSHROOMNXTBL10WLED857SSYMTOPC | 9405     | 13500.00                              | 1 N                    |

For mounting info refer TDS



# Outdoor Luminaires

## LANDSCAPE LIGHTS

### CONE LED BOLLARD

IP 65 Cone series acts as an imposing street furniture. The elegant yet minimalistic design acts a silent observer and giving light, diffuser at the upper portion adds functional value into landscape environment.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| CONEBLS8WLED830PSYMTOPC  | 9405     | 6900.00                               | 4 N                    |
| CONEBLS8WLED857PSYMTOPC  | 9405     | 6900.00                               | 4 N                    |
| CONEBL8WLED830PSYMTOPCM  | 9405     | 9400.00                               | 4 N                    |
| CONEBLS8WLED857PSYMTOPCM | 9405     | 9400.00                               | 4 N                    |

For mounting info refer TDS




### CONE NXG LED BOLLARD

Cone NXG series acts as an imposing street furniture with touch of aesthetic. Innovative design with uniformly lit diffuser at the upper portion acts a beacon of path guidance in a landscape environment with robust IP 65 rating.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| CONENXGBLS8WLEDPSYM830TOPC  | 9405     | 7500.00                               | 4 N                    |
| CONENXGBLS8WLEDPSYM857TOPC  | 9405     | 7500.00                               | 4 N                    |
| CONENXGBLS8WLEDPSYM830TOPCM | 9405     | 10500.00                              | 4 N                    |
| CONENXGBLS8WLEDPSYM857TOPCM | 9405     | 10500.00                              | 4 N                    |

For mounting info refer TDS



### MOUNT LED BOLLARD

Sturdy IP 65 LED Bollard with excellent light out put through its PMMA window ensuring maximum illumination aspect in surrounding.

| Item Description            | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------|----------|---------------------------------------|------------------------|
| MOUNTBL10WLED830PSYMTOPMMA  | 9405     | 9500.00                               | 4 N                    |
| MOUNTBL10WLED857PSYMTOPMMA  | 9405     | 9500.00                               | 4 N                    |
| MOUNTBL10WLED830PSYMTOPMMAM | 9405     | 10900.00                              | 4 N                    |
| MOUNTBL10WLED857PSYMTOPMMAM | 9405     | 10900.00                              | 4 N                    |

For mounting info refer TDS



### MINI MOUNT LED BOLLARD

Sturdy IP 65 LED Bollard with excellent light out put through its sleek PMMA window ensuring maximum illumination aspect in surrounding.

| Item Description                | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------------|----------|---------------------------------------|------------------------|
| MINIMOUNTBL10WLED830PSYMTOPMMAS | 9405     | 6750.00                               | 4 N                    |
| MINIMOUNTBL10WLED857PSYMTOPMMAS | 9405     | 6750.00                               | 4 N                    |
| MINIMOUNTBL10WLED830PSYMTOPMMA  | 9405     | 9500.00                               | 4 N                    |
| MINIMOUNTBL10WLED857PSYMTOPMMA  | 9405     | 9500.00                               | 4 N                    |
| MINIMOUNTBL10WLED830PSYMTOPMMAM | 9405     | 10900.00                              | 4 N                    |
| MINIMOUNTBL10WLED857PSYMTOPMMAM | 9405     | 10900.00                              | 4 N                    |

For mounting info refer TDS



### UFO LED BOLLARD

Contemporary UFO shape design IP 65 LED bollard with minimum upward light component, ensuring excellent distribution and high system lumen efficacy.

| Item Description         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--------------------------|----------|---------------------------------------|------------------------|
| UFOBLS10WLED830PSYMTOPC  | 9405     | 9500.00                               | 4 N                    |
| UFOBLS10WLED857PSYMTOPC  | 9405     | 9500.00                               | 4 N                    |
| UFOBLS10WLED830PSYMTOPCM | 9405     | 10900.00                              | 4 N                    |
| UFOBLS10WLED857PSYMTOPCM | 9405     | 10900.00                              | 4 N                    |

For mounting info refer TDS



### TURIN LED BOLLARD

Unique concept LED Bollard in IP 66 to ensure sustainable performance in all sections and aesthetics which keeps the surrounding lively.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| TURINBLS10WLED830PSYMTOPC | 9405     | 10000.00                              | 4 N                    |
| TURINBLS10WLED857PSYMTOPC | 9405     | 10000.00                              | 4 N                    |

For mounting info refer TDS. Option of 3000K CCT is available against MOQ



### GRANDEUR LED LIGHT COLUMN

LED Light Column spreads uniform lighting all around the pathway. Offered in 3 m and 4 m height in cylindrical shape.

| Item Description          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------------|----------|---------------------------------------|------------------------|
| GRANDEURCLS36W830PSYMBOPC | 9405     | 45000.00                              | 1 N                    |
| GRANDEURCLS36W857PSYMBOPC | 9405     | 45000.00                              | 1 N                    |
| GRANDEURCLS72W830PSYMBOPC | 9405     | 68500.00                              | 1 N                    |
| GRANDEURCLS72W857PSYMBOPC | 9405     | 68500.00                              | 1 N                    |

For mounting info refer TDS



### ALABASTER NEO TORCH TRICOLOR COLUMN LIGHT

New Torch light is a remarkable fusion of Engineering design and aesthetic appearance providing a high IP and IK rating for tough environmental conditions along with beautiful design complimenting the geometry of the area with heritage touch.

| Item Description                         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ALABASTERNEOTOURCHTRICOLORCLS36WPSYMBOPC | 9405     | 55000.00                              | 1 N                    |
| ALABASTERNEOTOURCHTRICOLORCLS72WPSYMBOPC | 9405     | 75000.00                              | 1 N                    |

For mounting info refer TDS



# Outdoor Luminaires

## LANDSCAPE LIGHTS

### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| Orbit S Round Arm for Pole                                     | 7308     | 14000.00                              | 1 N                    |
| For mounting info refer TDS. Ask sales person for more details |          |                                       |                        |



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| Orbit D Round Arm for Pole                                     | 7308     | 25000.00                              | 1 N                    |
| For mounting info refer TDS. Ask sales person for more details |          |                                       |                        |



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| Orbit Plus S Round Arm for Pole                                | 7308     | 18000.00                              | 1 N                    |
| For mounting info refer TDS. Ask sales person for more details |          |                                       |                        |



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| Orbit Plus D Round Arm for Pole                                | 7308     | 34000.00                              | 1 N                    |
| For mounting info refer TDS. Ask sales person for more details |          |                                       |                        |



### EROS CASTING POLES

Family of Decorative Casting poles in different designs, shaped and heights to compliment the EROS LED Post Top family. These poles can infuse life into roads of high importance and visibility.

| Item Description   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| EROSPOLET03030M  | 9405     | 30820.00                              | 1 N                    |
| EROSPOLET03040M  | 9405     | 36180.00                              | 1 N                    |
| EROSPOLET03060M  | 9405     | 50920.00                              | 1 N                    |
| For mounting info refer TDS. Ask sales person for more details |          |                                       |                        |



### FIORIO SOLAR LED POST TOP

IP65 LED Solar post top with built-in Solar panel, LED light and Lithium battery with charge controller and Remote Control to select 32 lighting mode.

| Item Description                  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------------|----------|---------------------------------------|------------------------|
| FIORIO 20 W 5700 K Solar Post Top | 9405     | 51000.00                              | 2 N                    |
| For mounting info refer TDS       |          |                                       |                        |



### BUDZ SOLAR LED BOLLARD

IP65 LED Solar bollard with built-in solar panel, LED Light and Lithium battery with charge controller.

| Item Description                    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------------------|----------|---------------------------------------|------------------------|
| BUDZ 1 W 5700 K Solar Bollard Light | 9405     | 8900.00                               | 6 N                    |
| For mounting info refer TDS         |          |                                       |                        |



### VILLA SOLAR LED GATE LIGHT

IP65 LED Solar pillar light with built-in Solar panel, LED Light and Lithium battery with charge controller.

| Item Description                  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------------------|----------|---------------------------------------|------------------------|
| VILLA 1 W 5700 K Solar Gate Light | 9405     | 8000.00                               | 12 N                   |
| For mounting info refer TDS       |          |                                       |                        |





### ALL-IN-ONE SOLAR STREET LIGHT (NG SERIES)

NG Series AIO Solar Street Light is made with High Efficiency Mono Crystalline Solar PV Module, Lithium Ferro Phosphate battery with in-built BMS technology, High Efficacy LED, MPPT Solar Charge Controller and Aluminium Extruded body & is specially programmed to automatically control the dimming and brightness of light, which increases the backup time.

| Item Description | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------|----------|---------------------------------------|------------------------|
| SOLAR AIO 15 W   | 9405     | 55000.00                              | 1 N                    |
| SOLAR AIO 20 W   | 9405     | 65000.00                              | 1 N                    |
| SOLAR AIO 24 W   | 9405     | 70000.00                              | 1 N                    |
| SOLAR AIO 30 W   | 9405     | 90000.00                              | 1 N                    |
| SOLAR AIO 40 W   | 9405     | 95000.00                              | 1 N                    |
| SOLAR AIO 60 W   | 9405     | 115000.00                             | 1 N                    |
| SOLAR AIO 100 W  | 9405     | 165000.00                             | 1 N                    |



### ALL-IN-ONE SOLAR STREET LIGHT (PERFORMANCE SERIES)

Performance Series AIO Solar Street Light is made with High Efficiency Mono Crystalline Solar PV Module, Lithium Ferro Phosphate battery with in-built BMS technology, High Efficacy LED, MPPT Solar Charge Controller and Aluminium Extruded body having System Efficacy of >180 Lumens/watt

| Item Description | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------|----------|---------------------------------------|------------------------|
| SOLAR AIO 15 W   | 9405     | On Request                            | 1 N                    |
| SOLAR AIO 20 W   | 9405     | On Request                            | 1 N                    |
| SOLAR AIO 30 W   | 9405     | On Request                            | 1 N                    |
| SOLAR AIO 40 W   | 9405     | On Request                            | 1 N                    |
| SOLAR AIO 60 W   | 9405     | On Request                            | 1 N                    |
| SOLAR AIO 100 W  | 9405     | On Request                            | 1 N                    |



### STANDALONE LED STREET LIGHTING SYSTEM

Complete system comprising luminaire in Pressure Die-cast housing with inbuilt high efficiency MPPT charge controller, Lithium Ferro Phosphate battery and Solar PV module ideal for remote, rural and sub urban locations.

\* Actual product image may vary depending on the luminaire type/wattages

| Item Description  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| Standalone solar lighting system from 1000 to 5000 Lumens   | 9405     | On Request                            | 1 N                    |
| Standalone solar lighting system from 6000 to 12000 Lumens  | 9405     | On Request                            | 1 N                    |
| Standalone solar lighting system from 15000 to 28000 Lumens | 9405     | On Request                            | 1 N                    |



# Outdoor Luminaires

## COLORSCAPE LIGHTS

### SKILINE PLUS

High power color changing & monochromatic LED projector for super distance lighting with Intelligent logarithmic control technology.

| Item Description       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------|----------|---------------------------------------|------------------------|
| SKILINE PLUS 600 W DMX | 9405     | On Request                            | 1 N                    |
| SKILINE PLUS 600 W     | 9405     | On Request                            | 1 N                    |
| SKILINE PLUS 450 W DMX | 9405     | On Request                            | 1 N                    |
| SKILINE PLUS 450 W     | 9405     | On Request                            | 1 N                    |
| SKILINE PLUS 300 W DMX | 9405     | On Request                            | 1 N                    |
| SKILINE PLUS 300 W     | 9405     | On Request                            | 1 N                    |



### COMPASS

High intensity color changing & monochromatic compact LED projector with polarized light design & intelligent logarithmic control technology.

| Item Description  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------|----------|---------------------------------------|------------------------|
| COMPASS 200 W DMX | 9405     | On Request                            | 1 N                    |
| COMPASS 200 W     | 9405     | On Request                            | 1 N                    |
| COMPASS 130 W DMX | 9405     | On Request                            | 1 N                    |
| COMPASS 130 W     | 9405     | On Request                            | 1 N                    |
| COMPASS 80W DMX   | 9405     | On Request                            | 1 N                    |
| COMPASS 80W       | 9405     | On Request                            | 1 N                    |
| COMPASS 40 W DMX  | 9405     | On Request                            | 4 N                    |
| COMPASS 40 W      | 9405     | On Request                            | 4 N                    |
| COMPASS 28 W DMX  | 9405     | On Request                            | 4 N                    |
| COMPASS 30 W      | 9405     | On Request                            | 4 N                    |



### ENGROSS

Color changing & monochromatic buried uplighter ideal for uplighting facades, columns & features with multiple optics & extensive pallet of colors.

| Item Description | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------|----------|---------------------------------------|------------------------|
| ENGROSS 40 W DMX | 9405     | On Request                            | 1 N                    |
| ENGROSS 40 W     | 9405     | On Request                            | 1 N                    |
| ENGROSS 28 W DMX | 9405     | On Request                            | 1 N                    |
| ENGROSS 30 W     | 9405     | On Request                            | 1 N                    |
| ENGROSS 16 W DMX | 9405     | On Request                            | 1 N                    |
| ENGROSS 16 W     | 9405     | On Request                            | 1 N                    |
| ENGROSS 13 W     | 9405     | On Request                            | 1 N                    |




### LINEATE INT

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

| Item Description     | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|----------------------|----------|---------------------------------------|------------------------|
| LINEATE INT 80 W DMX | 9405     | On Request                            | 3 N                    |
| LINEATE INT 80 W     | 9405     | On Request                            | 3 N                    |
| LINEATE INT 60 W DMX | 9405     | On Request                            | 3 N                    |
| LINEATE INT 60 W     | 9405     | On Request                            | 3 N                    |
| LINEATE INT 40 W DMX | 9405     | On Request                            | 3 N                    |
| LINEATE INT 40 W     | 9405     | On Request                            | 3 N                    |

1 m Length.



### LINEATE

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

| Item Description | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------|----------|---------------------------------------|------------------------|
| LINEATE 40 W DMX | 9405     | On Request                            | 3 N                    |
| LINEATE 40 W     | 9405     | On Request                            | 3 N                    |
| LINEATE 24 W DMX | 9405     | On Request                            | 3 N                    |
| LINEATE 24 W     | 9405     | On Request                            | 3 N                    |
| LINEATE 12 W DMX | 9405     | On Request                            | 3 N                    |
| LINEATE 12 W     | 9405     | On Request                            | 3 N                    |

1 m Length for 40 W, 24 W. 50 cm Length for 12 W. External driver to be ordered separately



### COLORLINE

Energy efficient, environment friendly, long life, exclusive innovative designed architectural Wall washer light with highly efficient LEDs as light source, suitable for highlighting Façade and its features

| Item Description       | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------|----------|---------------------------------------|------------------------|
| COLORLINE 24/25W DMX   | 9405     | On Request                            | 2 N                    |
| COLORLINE 24/25W 3000K | 9405     | On Request                            | 2 N                    |
| COLORLINE 40W DMX      | 9405     | On Request                            | 2 N                    |
| COLORLINE 40W 3000K    | 9405     | On Request                            | 2 N                    |
| COLORLINE 50W DMX      | 9405     | On Request                            | 2 N                    |
| COLORLINE 50W 3000K    | 9405     | On Request                            | 2 N                    |
| COLORLINE 60W DMX      | 9405     | On Request                            | 2 N                    |
| COLORLINE 60W 3000K    | 9405     | On Request                            | 2 N                    |
| COLORLINE 70W DMX      | 9405     | On Request                            | 2 N                    |
| COLORLINE 70W 3000K    | 9405     | On Request                            | 2 N                    |
| COLORLINE 80W DMX      | 9405     | On Request                            | 2 N                    |
| COLORLINE 80W 3000K    | 9405     | On Request                            | 2 N                    |

Colorline in with integral driver and suitable for 240 V AC, Fixture length 1000mm. Fixture length 300mm and 500mm available on request



### JETA QUANTO PLUS

Mono colour flood light luminaire offered in Mono – Red, Green, Blue and Warm White Colour. Pressure Die Cast aluminium body and Clear PC cover, and standard beam angle of 30Deg. Aesthetic consistency in multi purpose application like column lighting, tree up-lighting, statue accentuation etc.

| Item Description                   | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------------------------|----------|---------------------------------------|------------------------|
| JETAQUANTOPLUSFLS50WLEDREDP30DPC   | 9405     | 8500.00                               | 10 N                   |
| JETAQUANTOPLUSFLS50WLEDBLUEP30DPC  | 9405     | 8500.00                               | 10 N                   |
| JETAQUANTOPLUSFLS50WLEDGREENP30DPC | 9405     | 8500.00                               | 10 N                   |
| JETAQUANTOPLUSFLS50WLED730P30DPC   | 9405     | 8500.00                               | 10 N                   |

For mounting info refer TDS



# Outdoor Luminaires

## COLORSCAPE LIGHTS

### XPERIA

Energy Efficient, environment friendly, long life, exclusive innovative designed RGBW projector light with highly efficient LEDs as light source, suitable for highlighting architectural features.

| Item Description  | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------|----------|---------------------------------------|------------------------|
| XPERIA 30W DMX    | 9405     | On Request                            | 2 N                    |
| XPERIA 30W 3000K  | 9405     | On Request                            | 2 N                    |
| XPERIA 40W DMX    | 9405     | On Request                            | 2 N                    |
| XPERIA 40W 3000K  | 9405     | On Request                            | 2 N                    |
| XPERIA 45W DMX    | 9405     | On Request                            | 2 N                    |
| XPERIA 45W 3000K  | 9405     | On Request                            | 2 N                    |
| XPERIA 50W DMX    | 9405     | On Request                            | 2 N                    |
| XPERIA 50W 3000K  | 9405     | On Request                            | 2 N                    |
| XPERIA 55W DMX    | 9405     | On Request                            | 2 N                    |
| XPERIA 55W 3000K  | 9405     | On Request                            | 2 N                    |
| XPERIA 75W DMX    | 9405     | On Request                            | 2 N                    |
| XPERIA 75W 3000K  | 9405     | On Request                            | 2 N                    |
| XPERIA 90W DMX    | 9405     | On Request                            | 2 N                    |
| XPERIA 90W 3000K  | 9405     | On Request                            | 2 N                    |
| XPERIA 100W DMX   | 9405     | On Request                            | 2 N                    |
| XPERIA 100W 3000K | 9405     | On Request                            | 2 N                    |
| XPERIA 120W DMX   | 9405     | On Request                            | 2 N                    |
| XPERIA 120W 3000K | 9405     | On Request                            | 2 N                    |
| XPERIA 150W DMX   | 9405     | On Request                            | 2 N                    |
| XPERIA 150W 3000K | 9405     | On Request                            | 2 N                    |



### ADORN

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

| Item Description                         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ADORN 6 W                                | 9405     | On Request                            | 8 N                    |
| External driver to be ordered separately |          |                                       |                        |



### ADORN MINI

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

| Item Description                         | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|--|----------|---------------------------------------|------------------------|
| ADORN MINI 2 W                           | 9405     | On Request                            | 24 N                   |
| External driver to be ordered separately |          |                                       |                        |



### FLEXISTRIP

IP 67 rated flexible LED strip to add great color & dramatic effects with extensive pallet of colors.

| Item Description    | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---------------------|----------|---------------------------------------|------------------------|
| FLEXISTRIP 36 W DMX | 9405     | On Request                            | 1 N                    |
| FLEXISTRIP 36 W     | 9405     | On Request                            | 1 N                    |
| FLEXISTRIP 72 W DMX | 9405     | On Request                            | 1 N                    |
| FLEXISTRIP 72 W     | 9405     | On Request                            | 1 N                    |

5 m Length. External driver to be ordered separately



### FLEXEA

IP 67 rated flexible LED Neon flex to add great color & dramatic effects with extensive pallet of colors.

| Item Description      | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-----------------------|----------|---------------------------------------|------------------------|
| FLEXEA 12W/Mtr. DMX   | 9405     | On Request                            | 1 N                    |
| FLEXEA 12W/Mtr. 3000K | 9405     | On Request                            | 1 N                    |
| FLEXEA 18W/Mtr. DMX   | 9405     | On Request                            | 1 N                    |
| FLEXEA 18W/Mtr. 3000K | 9405     | On Request                            | 1 N                    |

Standard roll length 5000mm. Length option 1000mm and 3000mm available on request.  
External driver to be ordered separately



### DMX CONTROLLER

The Stand Alone DMX 512 controller can be used to control a wide variety of different DMX systems from RGB/RGBW to more advanced moving and color mixing luminaires, DMX audio players and fountains. The dual channel DMX 512 controller comes with a variety of features including RTC/calendar, Ethernet facilities, dry contact port triggering, multi-zone programming and SD memory card. The lighting levels, colors and effects can be programmed from a PC using the Havells DMX software.

| Item Description | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|------------------|----------|---------------------------------------|------------------------|
| DMX Controller   | 8537     | On Request                            | 1 N                    |

For Colorscape solution kindly consult our local branch representative as additional accessories like External Drivers, DMX Controllers, Amplifiers, IP rated Connectors, Address Writers, Channel profile etc. are to be ordered for dynamic effect lighting.



### RADIANT GEN-X STEP LIGHT

Environmental friendly, new generation, energy saving, decorative round shaped recessed One way/Two way, Pathway/Step Luminaire with LED as light source.

| Item Description                          | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|---|----------|---------------------------------------|------------------------|
| RADIANT GEN-X STEP LIGHT 2W 3000K One Way | 9405     | On Request                            | 1 N                    |
| RADIANT GEN-X STEP LIGHT 4W 3000K Two Way | 9405     | On Request                            | 1 N                    |

Recession Box, External driver to be ordered separately



### ENGROSS GEN-X

Monochromatic buried trimless uplighter ideal for uplighting facades, columns & features with multiple optics.

| Item Description        | HSN Code | MRP Rs. Per Unit (incl. of all taxes) | Case Lot No. of unit/s |
|-------------------------|----------|---------------------------------------|------------------------|
| ENGROSS GEN-X 10W 3000K | 9405     | On Request                            | 1 N                    |

Recession Box, External driver to be ordered separately



## GENERAL CONDITIONS OF BUSINESS

- Prices are in Indian ₹ (Inclusive of GST).
- All prices are subject to Havells general terms & conditions of business.
- Manufacturing warranty period is dependent on life class, application, electrical infrastructure, etc. Kindly check with Havells sales representative for product warranty details.
- Warranty is void on luminaires if:
  - Earthing is not provided.
  - Failure due to surges, high voltage, improper installation and wrong application.
- No warranty on SPD.
- Images shown here are for representation only and may vary from actual product.
- Orders should be placed in case lot multiples & against the confirmed purchase order only.
- Continuous design improvement is a routine practice at Havells. Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.

| HSN Code | Products Included             | GST Applicable |
|----------|-------------------------------|----------------|
| 9405     | LED Fixtures                  | 18%            |
| 9405*    | Conventional Fixtures         | 18%            |
| 9405     | LED Driver                    | 18%            |
| 8543     | Solar Street Lights/Mini Mast | 12%            |
| 7308     | Galvanized products           | 18%            |
| 8537     | DMX Controller & Accessories  | 18%            |
| 8539     | Non-LED Lamps                 | 18%            |







# Wide range of innovative products in Havells categories



Fans



Small Domestic Appliances




Kitchen Appliances



Consumer Lighting




Water Heater




Water Purifiers




Personal Grooming




Air Coolers



Switches & Automation




Accessories




Wire & Cables



Solar



Building Circuit Protection



Pumps & Motors



Industrial Products

"Actual products may vary in colour, design, description and colour combination etc. Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing."



SCAN TO  
KNOW MORE

Havells India Ltd.