


We make more than switches.
We make your moments.



enGem

enGem - Safe and secure
switches from Lauritz Knudsen
#MadeForMoments

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com



COMPLETE USB CHARGING SOLUTION

The enGem range allows customers to fast-charge devices with the power of 18W Combi type - Type A & Type C. The range also comes with a 2A USB Charger.



PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to it's in-built safety shutter in sockets. More safety is sure to earn you more compliments.



360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.



COLOUR & BEZEL OPTIONS AVAILABLE

enGem switches are now available in two classic colours, White & Stone Grey. And you get to choose Chrome & Gold bezel options too. enGem brings to you 6 stunning options to match with your home decor.



HOSPITALITY SOLUTIONS

Specially curated combinations & finishes to enhance guest experiences in hotels & resorts. Built to withstand frequent use These solutions balance durability with style for every touchpoint.

SWITCHES & BELL PUSH WITH 

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 6AX 1-way 1M	20	CB93101SW06	70	CB93101SS06	85
Switch 6AX 1-way with Indicator 1M	20	CB93301SW06	197	CB93301SS06	246
Switch 6AX 2-way 1M	20	CB93201SW06	183	CB93201SS06	229
Switch 16AX 1-way 1M	20	CB93101SW16	169	CB93101SS16	209
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	240	CB93301SS16	288
Switch 16AX 2-way 1M	20	CB93201SW16	256	CB93201SS16	320
Switch 20A 1-way 1M	20	CB93101SW20	221	CB93101SS20	277
Switch 20A 1-way with Indicator 1M	20	CB93301SW20	301	CB93301SS20	377
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	478	CB93402SS32	596
Bell Push 6A 1M	20	CB93101BW06	209	CB93101BS06	262
Bell Push 6A with Indicator 1M	20	CB93301BW06	233	CB93301BS06	290
Bell Push 6A with Indicator 2M	10	CB93302BW06	310	CB93302BS06	387

MOTOR STARTER


Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
New Motor Starter 25A 2M	10	CB93102MW25	917	CB93102MS25	1128

POWER SOCKET WITH 

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB93602CW06	147	CB93602CS06	188
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB93302CW16	242	CB93302CS16	302



- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp



CB93102MW25



CB93602CW06

CB93302CW16

CB93602CS06

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.




CB93101RW01 CB93102RW02 CB93102RS02 CB93101RS01

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Fan Regulators also suitable for BLDC fan without remote.
- Dimmers only support incandescent and halogen load.



CB93101TW11 CB93101TW00 CB93101AW00 CB93201AW00 CB93102LW00



CB93101AW02 CB93101AW18 CB93101TS11 CB93102LS00 CB93101AS02 CB93401AW00

USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant
- Available in White and Stone Grey Colors



CB93101KW06
CB93101KW10
CB93101KW16
CB93101KW20
CB93101KW25
CB93101KW32

CB93202KW25
CB93202KW32

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	704	CB93101DS04	879
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	485	CB93101RS01	583
Fan Regulator 5-Step 120W with ISI 2M	05	CB93102RW02	627	CB93102RS02	722


DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
New RJ 11 Socket with Shutter 1M	20	CB93101TW11	199	CB93101TS11	247
RJ 45 Cat 6A Socket with Shutter 1M	20	CB93301TW45	760	CB93301TS45	950
TV Socket 1M	20	CB93101TW00	194	CB93101TS00	242
Cable Outlet 1M	20	CB93101AW00	156	CB93101AS00	196
Blank off Unit 1M	20	CB93201AW00	41	CB93201AS00	51
LED Foot Light 2M	5	CB93102LW00	933	CB93102LS00	1166
New USB Charger 2A 1M	10	CB93101AW02	1293	CB93101AS02	1552
New USB Charger 18W Type A & C 1M	20	CB93101AW18	2400	CB93101AS18	2700
LED Phase Indicator 1M-Full Glow	20	CB93401AW00	235	Same as White	

MINI MCBs

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3ka 1M	10	CB93101KW06	465	CB93101KS06	558
10A SP Mini MCB 3ka 1M	10	CB93101KW10	465	CB93101KS10	558
16A SP Mini MCB 3ka 1M	10	CB93101KW16	465	CB93101KS16	558
20A SP Mini MCB 3ka 1M	10	CB93101KW20	465	CB93101KS20	558
25A SP Mini MCB 3ka 1M	10	CB93101KW25	465	CB93101KS25	558
32A SP Mini MCB 3ka 1M	10	CB93101KW32	465	CB93101KS32	558
25A DP Mini MCB 3ka 2M	5	CB93202KW25	1038	CB93202KS25	1246
32A DP Mini MCB 3ka 2M	5	CB93202KW32	1038	CB93202KS32	1246

COVER PLATES WITH GRID FRAMES



Description	Dimensions W X H X D (mm)	Std Pack	White		Stone Grey	
			Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93101FW00	114	CB93101FS01	155
2 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93102FW00	114	CB93102FS01	155
3 Module Cover Plate+Grid Frame	126 X 90 X 14	10	CB93103FW00	148	CB93103FS01	201
4 Module Cover Plate+Grid Frame	158 X 90 X 14	10	CB93104FW00	175	CB93104FS01	237
6 Module Cover Plate+Grid Frame	229 X 90 X 14	5	CB93106FW00	259	CB93106FS01	349
8 Module Cover Plate+Grid Frame Horizontal	263 X 90 X 14	5	CB93108FW00	306	CB93108FS01	413
8 Module Cover Plate+Grid Frame Square	158 X 157 X 14	5	CB93208FW00	306	CB93208FS01	413
12 Module Cover Plate+Grid Frame	229 X 157 X 14	5	CB93112FW00	414	CB93112FS01	558
16 Module Cover Plate+Grid Frame	249 X 156 X 18	4	CB93116FW00	613	CB93116FS01	826
18 Module Cover Plate+Grid Frame	229 X 226 X 14	5	CB93118FW00	627	CB93118FS01	846



COVER PLATES WITH GRID FRAMES FOR BEZEL OPTIONS


Description	Std Pack	White with Chrome Bezel		White with Gold Bezel		Stone Grey with Chrome Bezel		Stone Grey with Gold Bezel	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	10	CB93101FW05	133	CB93101FW06	143	CB93101FS05	182	CB93101FS06	206
2 Module Cover Plate+Grid Frame	10	CB93102FW05	133	CB93102FW06	143	CB93102FS05	182	CB93102FS06	206
3 Module Cover Plate+Grid Frame	10	CB93103FW05	173	CB93103FW06	184	CB93103FS05	238	CB93103FS06	267
4 Module Cover Plate+Grid Frame	10	CB93104FW05	203	CB93104FW06	217	CB93104FS05	280	CB93104FS06	316
6 Module Cover Plate+Grid Frame	4	CB93106FW05	300	CB93106FW06	321	CB93106FS05	414	CB93106FS06	467
8 Module Cover Plate+Grid Frame Horizontal	4	CB93108FW05	369	CB93108FW06	393	CB93108FS05	511	CB93108FS06	571
8 Module Cover Plate+Grid Frame Square	4	CB93208FW05	369	CB93208FW06	393	CB93208FS05	511	CB93208FS06	571
12 Module Cover Plate+Grid Frame	4	CB93112FW05	518	CB93112FW06	531	CB93112FS05	690	CB93112FS06	744
16 Module Cover Plate+Grid Frame	4	CB93116FW05	768	CB93116FW06	787	CB93116FS05	1024	CB93116FS06	1102
18 Module Cover Plate+Grid Frame	4	CB93118FW05	785	CB93118FW06	805	CB93118FS05	1045	CB93118FS06	1127

HOSPITALITY RANGE **NEW**



CB93302HW32 CB93302HW00 CB93302HW32 CB93601HW10

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 32A 2M	10	CB93302HW32	946	CB93302HS32	1249
Spare key for Mech key tag	10	CB93302HW00	88	CB93302HS00	99
DND MMR inside room unit 2M	10	CB93502HW10	654	CB93502HS10	954
DND MMR outside room unit 1M	10	CB93601HW10	699	CB93601HS10	1058



- GI Metal Boxes Suitable for englage, entice, enCurve and enGem ranges
- GI Metal Boxes Conforms to IS 14772:2000.
- New Standard retail packing as per above mentioned quantity, will be available soon with new packaging.
- With Marking
- Standard pack size suitable for Retail sales.

GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	72 X 75 X 46	10	CB93102WM00	79
GI Metal Box-3 Module	98 X 75 X 46	10	CB93103WM00	117
GI Metal Box- 4 Module	133 X 75 X 53	10	CB93104WM00	142
GI Metal Box- 6 Module	204 X 75 X 53	10	CB93106WM00	204
GI Metal Box- 8 Module Horizontal	230 X 78 X 53	5	CB93108WM00	261
GI Metal Box- 8 Module Square	131 X 136 X 58	5	CB93208WM00	261
GI Metal Box- 12 Module	204 X 135 X 58	5	CB93112WM00	348
GI Metal Box- 16 Module	231 X 142 X 58	5	CB93116WM00	426
GI Metal Box- 18 Module	204 X 202 X 58	5	CB93118WM00	484

SURFACE MOUNTING BOXES

Suitable for entice, englage and enGem range of plates



MOUNTING BOXES - PLASTIC SURFACE

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
Surface Mounting Box - 1/2M	98 X 90 X 50	12	CB91102WP00	95
Surface Mounting Box - 3M	126 X 90 X 50	10	CB91103WP00	125
Surface Mounting Box - 4M	158 X 90 X 50	12	CB91104WP00	149
Surface Mounting Box - 6M	229 X 90 X 50	5	CB91106WP00	195
Surface Mounting Box - 8M Horizontal	263 X 90 X 50	5	CB91108WP00	245
Surface Mounting Box - 8M Square	158 X 157 X 50	7	CB91208WP00	245
Surface Mounting Box - 12M	229 X 157 X 50	5	CB91112WP00	325
Surface Mounting Box - 16M	249 X 157 X 50	5	CB91116WP00	345
Surface Mounting Box - 18M	229 X 226 X 50	5	CB91118WP00	375